



**DISTRIBUTORS**

AF DISTRIBUTORS  
3423 East Atlanta Ave.  
Phoenix, AZ 85040  
(P)602.243.6245 (F)602.344.4202  
www.AFDistributors.com  
Customerservice@AFDistributors.com

# WEEKLY INVENTORY REPORT

| Item No.     | Item Description   | In Stock |
|--------------|--|----------|
| Whse:        | AZFS   |          |
| BCK400CKPA   | NG to LP Millivolt Gas Conversion Kit for 400 models   |          |
| BFSV-100     | 100' WIRE HARNESS FOR POWER VENT   |          |
| C420 PFC     | 48" NG PENINSULA FIREPLACE - CUSTOM  |          |
| C5200DD      | SINGLE SIDED, OUTDOOR, POWERED COOL PACK, NG FIREPLACE   |          |
| C620ST       | SEE THROUGH, LINEAR BURNER, C-VIEW, POWERED COOL PACK, NATURAL GAS FIREPLACE                   |          |
| C620-ST      | 72" x 20" VIEWING NG DV CUSTOM FIREPLACE   |          |
| C620STIO     | SEE THROUGH, INDOOR/OUTDOOR, LINEAR BURNER, VENTLESS, POWERED COOL PACK, NATURAL GAS FIREPLACE |          |
| CALVB-12     | 12" FRESH AIR TERMINATION  |          |
| CALVB-8      | LOUVERED AIR INTAKE TERMINATION (8" INTAKE FLEX)   | -1       |
| D6315        | 63 DV, NG, FULL LOAD IPI GLASS MEDIA 12LBS STAR ICE  |          |
| D6315NI-2    | 63 DV, NG FULL LOAD IPI STAR ICE GLASS 12LBS   | 8        |
| D6315STNI-2  | 50000 BTU NG MODEL EQUIPPED W/PROFLAME 2 IPI 5/8 VENTING                                       | 3        |
| D7215NI-2    | 72" DV, NG FULL LOAD IPI STAR ICE GLASS 12LBS  |          |
| D7215STNI-2  | 72" DV SEE THRU NG FULL LOAD W/ PROFLAME IPI   |          |
| DGB01        | GLASS BEADS-COLORS WHITE, SILVER, OPAQUE   |          |
| DL6315NI     | 63 DV, NG, LIGHT IPI GLASS MEDIA 12LBS STAR ICE  |          |
| EC1178       | WIRE #18 5C WH/GR/BRN/RE/BLK   | 120      |
| ECA035       | 35 FOOT COMMUNICATION WIRE C VIEW CNTRL BOX  |          |
| ECA045       | MON POST PURGE CNTRL BOX USE W/LDVPV PWR VENT  | 1        |
| ECA045PC     | POST PURGE CONTROL BO  |          |
| ECA062PV     | POST PURGE CONTROL BOX IPI MODELS W/POWER VENT   |          |
| EDVRSPV58    | POWER VENT (5/8) VERTCAL ADD CORD;FRAME;PURGE CONTROL  | 1        |
| EDVRSPV58    | MOUNTNG FRAME VERTICAL FITS 5/8 POWER VENT   |          |
| EDVWSPV58    | POWER VENT (5/8) HORIZONTAL ADD CORD;FRAME;PURGE CONTROL                                       | 1        |
| EEL45        | 45 DEGREE ELBOW-4/7 FEMALE/MALE  | 3        |
| EPVF47       | MON MOUNTING FRAME 47 FOR EXT PWR VENT SYSTEM  |          |
| EPVF58       | MOUNTNG FRAME HORIZONTAL FITS 5/8 POWER VENT   | 1        |
| EPVH-10      | MON 10FT PWR CORD FOR POWER VENT SYST.   |          |
| EPVH-100     | 100 - FOOT EDVPV POWER VNET SYSTEM POWER CORD  |          |
| EPVH-20      | MON 20FT PWR CORD FOR PWR VENT SYSTEMS   | 4        |
| EPVH-40      | 40FT POWER CORD FOR POWER VENT SYSTEMS   |          |
| EPVH-60      | MON 60FT POWER CORD FOR POWER VENT SYSTEMS   |          |
| EPVRR        | EXTERNAL POWER VENT ROOF MOUNT RESIDNETIAL   |          |
| EPVRRF       | EXTERNAL POWER VENT ROOF MOUNT FRAME   |          |
| FGLVBI-10    | LOUVERED TERM. FOR INLINE POWER VENT (10" B-VENT)  |          |
| FS10         | 10" FIRE STOP  |          |
| FS7          | MON FIRESTOP-4/7 PIPE  |          |
| FS8          | MON FIRESTOP FOR 5/8 PIPE  | 41       |
| GCA008       | NG TO LP CONVERSION KIT FOR DL6315   |          |
| GCA009       | NG TO LP CONVERSION KIT FOR D6315NI-2  | 7        |
| GCP1-2-10-DD | CONTROL BOX FOR INLINE POWER VENT  |          |
| GKB          | CONTEMPORARY GLASS KIT--BRONZE   |          |
| H34DFLI      | MON 34 FLUSH D/V F/P-LP IPI IGN, LOGS  | 1        |
| H34DFNI      | MON 34 FLUSH BLK FP-NG IPI IGN-USES 4/7  | 1        |
| H36PVNI      | 55000 BTU PROFLAME IPI CLEAN FACE TEMPERED GLASS POWERVENT CONTROL BOX                         | 2        |
| H38CLLI-2    | 38 LEFT CORNER LP FIREPLACE 2ND GENERATION LINEAR BURNER ELECTRONIC IPI IGNITION               | 1        |
| H38CLNI-2    | 38 LEFT CORNER NG FIREPLACE WITH LOGS (5x8)  | 1        |
| H38CRNI-2    | 38 RT CORNR D/V F/P-NG WITH LOGS (5x8)   | 1        |
| H38DFLI      | MON 38 FLUSH BLK FP-LP ELE IGN-USES P 5/8  |          |
| H38DFNI      | MON 38 D/V F/P W/LOGS-NG IPI IGN-FLUSH FACE  | 6        |
| H38FSDLI     | MON 38C-THRU W/LOGS-LP GAS IPI IGN-HIGH GLASS-5/8  |          |
| H38FSDNI     | 38" NG SEE THRU FIREPLACE WITH LOGS  | 1        |
| H38PFNI-2    | 38 PENINSULA NG FIREPLACE IPI;LOGS;FLUSH FACE  | 1        |
| H38SFPSB     | H38 FACEPLATE SATIN BLACK FOR SCREEN   |          |
| H38SVOL      | 36" SEE THRU LP VF   |          |
| H38SVON      | 36 SEE THRU NG VF S/S OUTDOOR FIREPLACE  |          |
| H38VOL       | MON 36 S/S LP OUTDOOR W/GLS DOOR-VENT FREE   |          |
| H38VON       | MON 36 S/S NG OUTDOOR W/GLS DOOR-VENT FREE   |          |
| H42DFNI      | MON 42D/V HI-GLASS W/LOGS NAT GAS W/ELEC IGN   | 7        |
| H42FSDNI     | MON 42 C-THRU DV NG-W/LOGS HI GLASS W/HSI IPI IGN  |          |
| H42SFPSB     | DECORATIVE SURROUNDS (SATIN BLACK)   |          |
| H42VOL       | MON 42 S/S-VENT FREE-LP W/LOGS-W/PILOT-OUTDOOR   |          |
| H42VON       | MON 42 S/S VENT FREE-NG W/LOGS W/PILOT-OUTDOOR   | 3        |

|              |  |    |
|--------------|--|----|
| HBK34H       | HERRINGBONE FIBER LINING H34 ONLY  |    |
| HBK34HSR     | HERITAGE FIBER BRICK LINING BROWN H34 ONLY   |    |
| HBK34SHC     | COLONIAL FIBER BRICK LINING WHITE H34 ONLY   |    |
| HBK34SRB     | RUSTIC FIBER BRICK LINING BROWN H34 ONLY   |    |
| HBK34SRR     | RUSTIC FIBER BRICK LINING RED H34 ONLY   |    |
| HBK38C       | COLONIAL FIBER BRICK LINING WHITE H38 ONLY   |    |
| HBK38H       | H38DF BRICK LINER-HB HERRINGBONE FIBER   | 1  |
| HBK38R       | MON H38VFO BRICK KIT-BRN HERITAGE FIBER  |    |
| HBK42H       | MON H42DF BRICK LINER-HB HERRINGBONE FIBER   | 1  |
| HBK42R       | MON H42VFO BRICK KIT-BRN HERITAGE FIBER  | 4  |
| HDKPD63      | COOL WALL ADVANTAGE KIT  | 4  |
| HDKPD63FK    | COOL WALL FLEX KIT   |    |
| HDKPD72      | COOL WALL ADVANTAGE KIT 72"  |    |
| HDKPDFK      | COOL WALL FLEX KIT (INCL 5" FLEX 24FT REQUIRED FOR CWAK)                                 | 8  |
| HDKSD        | COOL WALL ADVANTAGE SIDE DISCHARE KIT REQUIRES HDKPDFK                                   |    |
| HFK34        | MON BLOWER KIT-MAN CONTROL FOR H AND HL SERIES   |    |
| HFK34H       | MON BLOWER KIT-HEAT ACT NEEDS DRB001 OUTLET  | 2  |
| HFK42        | FAN KIT - MANUAL 2 PIECE CROSS FLOW  | 2  |
| HFK50        | FAN KIT - ON/OFF MANUAL SPEED  | 20 |
| HFK50R       | FAN KIT REQUIRES RX100 OR PF2RK  | 22 |
| HL38CLLI-2   | HL38 LEFT CORNER LINEAR BURNER - LP GAS  |    |
| HL38CLNI-2   | NG LEFT CORNER LINEAR FIREPLACE REMOTE TOP OR REAR VENT                                  | 1  |
| HL38CRL1-2   | H SERIES RIGHT CORNER W/LINEAR BURNER- LP  |    |
| HL38CRNI-2   | H SERIES PREMIUM CORNER RIGHT DIRECT VENT WITH LINEAR BURNER                             | 1  |
| HL38DFLE     | MON 38 LINEAR CLN FACE-LP HIGH GLASS W/ELE IGN   |    |
| HL38DFLI     | 38 LINEAR LP FIREPLACE 2ND GENERATION LINEAR BURNER ELECTRONIC IPI IGNITION              | 1  |
| HL38DFNI     | 38 LINEAR NG FIREPLACE 2ND GENERATION LINEAR BURNER ELECTRONIC IPI IGNITION              | 1  |
| HL38FSDLI    | MON 38C-THRU LINEAR-LP HIGH GLASS W/IPI IGN  | 1  |
| HL38PFLI-2   | MON PIER W/LINEAR BRNR-LP HI GLASS W/IPI IGN SYS   |    |
| HL38PFNI-2   | 3-SIDED PIER W/LINEAR-NG HI GLASS W/ IPI IGN   | 1  |
| HL38PRNI-2   | MON BAY W/LINEAR BRNR-NG W/IPI 2ND GEN BRNR 5/8  | 2  |
| HL38SVOL     | MON 38S/S C-THRU VF-LP OUTDOOR-HS38ODC CAB EXTRA   |    |
| HL38SVON     | MON 38 S/S C-THRU VF-NG OUTDOOR-HS38ODC CAB EXTRA  | 1  |
| HL42DFLI     | MON 42 LINEAR CLN FACE-LP HIGH GLASS W/IPI IGN   |    |
| HL42DFNI     | MON 42 LINEAR CLN FACE-NG HIGH GLASS W/IPI IGN   | 1  |
| HL42FSDNI    | MON 42C-THRU LINEAR-NG HIGH GLASS W/IPI IGN  |    |
| HLB34DFNI-2  | 18,000 BTU NG W/PROFLAME 2 IPI REFLECTIVE GLASS PANELS REMOTE FAN KIT 4X7 VENT           | 9  |
| HR38DFNI     | MON 38 NG FLUSH FIREPLACE IPI IGN ROCKS;FLUSH FACE                                       |    |
| HS38ODC      | MON S/S ENCLOSURE-STAND ALONE FOR HL38SVON/L OUTDOOR VF                                  | 2  |
| HW1082       | WHITE, OPAL, OPAQUE AS SUPPLIED  |    |
| HW1106       | OPAL AS SUPPLIED (3 LBS)   |    |
| HW1113       | BLACK ICE - DGM21  | 4  |
| HW1219B      | DIAMOND GLACIER PREM FIRESTONES  | 16 |
| HW38DFNI-2   | 34000BTU NG PROFLAME 2 IPI WILDFIRE BURNER WROUGHT IRON GRATE HB PANELS DESIGNER LOG SET | 4  |
| HW42DFNI-2   | 34000BTU NG HI/LO VALVE WILDFIRE BURNER WROUGHT IRON GRATE HB LINING DESIGNER LOGSET     | 7  |
| HWIG38       | WROUGHT IRON GRATE H38 ONLY  |    |
| INPV-BFBV-10 | INLINE POWER VENT (10" B-VENT)   |    |
| L38DFLI      | 38LINEAR BLK FP-LP IPI IGN-USES P 5/8  |    |
| L38DFNI      | MON 38LINEAR BLK FP-NG IPI IGN-USES P 5/8  |    |
| L38FSDLI     | MON 38C-THRU BLK FP-LP ELE IGN-USESP5/8PIPE  |    |
| L38FSDNI     | 38 SEE THRU BLK FP-NG ELEC IGN-USESP5/8PIPE  | 1  |
| L42DFLI      | 42LINEAR BLK FP-LP IPI IGN-USESP 5/8PIPE   |    |
| L42DFNE      | L42LINEAR GAS F/P-NG USES 5/8 PEX PIPE   | 1  |
| L42DFNI      | MON 42LINEAR BLK FP-NG IPI IGN-USESP 5/8PIPE   |    |
| L42FPSB      | L42DF SATIN BLK SURROUND NEW SCREEN MDL USE #P42FPSB                                     | 1  |
| L42FPSS      | MON L42DF S/S SURROUND FOR PRE-SCREEN MODELS   |    |
| L42FSDLI     | MON 42C-THRU BLK F/P-LP IPI IGN-USESP5/8 PIPE  |    |
| L42FSDNI     | MON 42C-THRU BLK F/P-NG IPI IGN-USESP5/7 PIPE  |    |
| L52DFLI      | MON 52BLK LINEAR D/V F/P-LP IPI IGN  | 1  |
| L52DFNI      | MON 52BLK LINEAR D/V F/P-NG IPI IGN-BLACK  |    |
| L52FSDLI     | MON 52CTHRU BLK FP-LP IPI IGN-USESP5/8PIPE   |    |
| L52FSDNI     | 52 SEE THRU NG FIREPLACE LINEAR IPI (5/8)  |    |
| LDVPV47-LM   | MON IN-LINE PWR VENT UNIT NEED CABLE,PRGE CNTRL,COLLAR                                   |    |
| LGS57        | R820 DRIFTWOOD LOGSET TAKES (1) SEE OTHER PART LGS58                                     | 12 |
| LGS58        | DRIFTWOOD LOGSET FOR R820 TAKES 3 SEE LGS57  | 26 |
| LGS59        | DRIFTWOOD KIT 2 OF 2   | 14 |
| LGSPSERIES   | DRIFTWOOD LOGSET   | 9  |
| LS42DFLE     | MON 42LINEAR S/S FP-LP ELE IGN-USESP58PIPE   | 1  |
| LS42DFNI     | MON 42 S/S LINEAR F/P-NG IPI USES 5/8  | 1  |
| LS52DFLE     | MON 52LINEAR S/S FP-LP ELE IGN-USESP5/8PIPE  | 1  |
| LVA52ST      | MON FLU REDCR-L52-DF-ST  | 6  |
| MCLED42VO    | PL42VO MULTI-COLOR LED LIGHT KIT WITH REMOTE   | 4  |
| MCLEDVO      | 25 LED Operation   |    |
| MEL90F/M     | MON 90 DEGREE ELBOW-4/7 FEMALE/MALE- USE WITH 34 F/P                                     | 1  |

|                |  |    |
|----------------|--|----|
| MEXT1          | MON 12 D/V PIPE-4/7 USE WITH 34 FIREPLACES                       | 2  |
| MEXT2          | MON 24 D/V PIPE-4/7 USE WITH 34 FIREPLACES                       | 7  |
| MEXT3          | MON 36 D/V PIPE-4/7 USE WITH 34 FIREPLACES                       |    |
| MEXT4          | MON 48 D/V PIPE-4/7 USE WITH 34 FIREPLACES                       | 1  |
| MTO4F          | HORIZ RD TERM CAP 4/7 W/ INTEGRAL MTNG FRAME                     | 1  |
| MVA            | MON 4 CNCTR-FOR 4/7PIPE  |    |
| MVTK1SS        | VERTICAL RD TERM KIT 4/7 S/S INCLUDES (1) MXT10                  |    |
| MXT10          | MON 10 ADJ D/V PIPE-4/7 USE WITH 34 FIREPLACES                   | 1  |
| P38DFLI-2      | P38 LINEAR FIREPLACE LP WITH PROFLAME 2                          | 1  |
| P38DFNI-2      | P38 MONTIGO DIRECT VENT NATURAL GAS ELECTRONIC IGNITION          | 1  |
| P38FSPB        | L38DF/ST SATIN BLK SURRND NEW # FOR SCREEN MDL-P38FSPB           | 1  |
| P38SFPS        | MON L38DF/ST S/S SURROUND USE W/NEW SCREEN MDL'S                 |    |
| P42DFLI-2      | P42 MONTIGO LINEAR LP GAS  |    |
| P42DFNI-2      | P42 MONTIGO DIRECT VENT NATURAL GAS FIREPLACE ELECTRONIC IGITION | 4  |
| P42EDFLI-2     | P42 FIREPLACE - LP GAS   |    |
| P42SFPSB       | 42IN DECORATIVE SURROUND SATIN BLACK                             | -1 |
| P42SFPS        | MON L42ST S/S SURROUND FOR NEW L42ST W/SCREENS MDL'S             |    |
| P52DFNI-2      | CLEAN FACE NG FIREPLACE REMOTE FLAME IPI IGIION                  | 5  |
| P52FSPB        | SATIN BLK SURROUND FOR L52 FOR NEW SCREEN MDL'S                  |    |
| P52SFPS        | 52 S/S SURROUND-L52 CTHRU FOR NEW SCREEN MDL'S                   | -1 |
| PC520ND        | CUSTOM PRODIGY, FP SINGLE SIDED NG 5'X20                         |    |
| PC620ND        | 6' PRODIGY (72") SINGLE SIDED 20" H GLASS                        |    |
| PC720ND        | CUSTOM PRODIGY FP SINGLE SIDED 7'X20"GLASS                       |    |
| PC820ND        | CUSTOM PRODIGY, FP, SINGLE SIDED 8'X20" GLASS                    |    |
| PC830ND        | CUSTOM PRODIGY FP SINGLE SIDED 8'X30"                            |    |
| PCCALVB-08     | COMBUSTION AIR VENT BOX w/ LOUVER, 8"                            | 2  |
| PCCC-9100      | Prodigy Control Cable, 9 Conductor-100 feet                      | 1  |
| PCCC-950       | PRODIGY CONTROL CABLE 9 CONDUCTOR 50FT                           |    |
| PCDAMPER08     | INLINE FRESH AIR DAMPER 8"                                       |    |
| PCDAMPER10     | INLINE FRESH AIR DAMPER 10"                                      |    |
| PCDAMPER12     | 12" AIR DAMPER INLINE  |    |
| PCDCC-530      | DAMPER CONTROL CABLE,5CONDUCTOR-30FT                             |    |
| PCFGDAMPER10   | INLINE FLUE GAS DAMPER 10"                                       |    |
| PCFGDAMPER12   | INLINEFLUE GAS DAMPER 12"  |    |
| PCFGLVBI-10    | FLUE GAS VENT BOX w/ LOUVER, 10"                                 | 1  |
| PCGCP1-2-05-DD | CONTROL BOX FOR ROOF & WALL MOUNT POWERVENT PRODIGY 5HP          | 1  |
| PCGCP1-2-10-DD | CONTROL BOX FOR INLINE MOUNT POWERVENT PRODIGY 1HP               | 1  |
| PCINPV-BFBV-12 | IN LINE POWER VENT, 1 HP 3 PHASE, 12"                            |    |
| PCINPV-BFSV-10 | IN LINE POWER VENT, 1 HP 3 PHASE, 10"                            | 1  |
| PCRGP520       | REFLECTIVE GLASS PANEL KIT FOR PC520                             |    |
| PCRGP620       | REFLECTIVE GLASS PANEL KIT FOR PC620                             |    |
| PCRGP720       | REFLECTIVE GLASS PANEL KIT FOR PC720                             |    |
| PCRGP820       | REFLECTIVE GLASS PANEL KIT FOR PC820                             |    |
| PCRGP830       | REFLECTIVE GLASS PANEL KIT FOR PC830                             |    |
| PCSBFPV-R03-10 | ROOF POWERVENT PRODIGY 4,5,6 & 7 VENTING-10"                     |    |
| PCSBFPV-R03-12 | ROOF POWERVENT PRODIGY 8' VENTING-12"                            | 1  |
| PCSBFPV-W03-10 | WALL POWERVENT PRODIGY 4,5,6 & 8 VENTING 10"                     |    |
| PCSBFPV-W03-12 | WALL POWERVENT PRODIGY 8' VENTING 12"                            |    |
| PCST660ND      | PRODIGY 72" X 60" SEE-THRU FIREPLACE W/MULTI-COLOR LED LIGHTS    |    |
| PCST820ND      | CUSTOM PRODIGY, FP, SEE THROUGH NG                               | 1  |
| PCST830ND      | CUSTOM PRODIGY FP SEE THRU 8' X 30                               |    |
| PEL45F/M       | 45' ELBOW (EA) 5x8   | 15 |
| PEL90F/M       | 90' ELBOW (EA) 5x8   | 19 |
| PEXT1          | 12 CHIMNEY LENGTH 5x8  | 10 |
| PEXT2          | 24 CHIMNEY LENGTH 5x8  | 10 |
| PEXT3          | 36 CHIMNEY LENGTH 5x8  | 12 |
| PEXT4          | 48 CHIMNEY LENGTH 5x8  | 10 |
| PEXT6          | 72 CHIMNEY LENGTH 5x8  | 6  |
| PF2RK          | WIRELESS REMOTE CONTROL ON/OFF                                   |    |
| PFL2           | MON 24FLEX D/V PIPE-5/8 EXP TO 3FT                               |    |
| PFL3           | MON 36FLEX D/V PIPE-5/8 EXP TO 4.5FT                             |    |
| PFL4           | MON 48FLEX D/V PIPE-5/8 EXP TO 6FT                               |    |
| PFL6           | MON 72FLEX -5/8 PIPE EXP TO 9FT                                  |    |
| PL42DFNI       | 32000BTU NG IPI ELECTRONIC IGN                                   | 2  |
| PL42VONE       | 28000 NG VENTFREE BLOWER 304 STAINLESS                           | 3  |
| PL52DFNI       | 52" NG DIRECT VENT LINEAR FIREPLACE TOP/REAR VENTING             | 6  |
| PL60VO         | 60" VENT FREE UNIT SS, DUAL BLOWERS                              |    |
| PL60VONE       | 47000BTU NG VENTFREE BLOWERS 304 STAINLESS                       | 2  |
| PPHW38         | PORCELAIN PANEL KIT HW38   |    |
| PPL42          | PORCELAIN PANEL KIT  | 2  |
| PPL52          | PORCELAIN PANEL KIT  | 4  |
| PRF12          | FLASHING & STORM COLLAR FOR 7/12 TO 12/12 PITCH                  | 1  |
| PRF7           | MON RF FLASH W/STRM COLLAR FOR 5/8 D/V PIPE                      | 15 |
| PTO4F          | HORZ RD TERM CAP-5/8 W/INTEGRAL MTNG FRAME                       | 1  |

|              |   |    |
|--------------|---|----|
| PVA          | MON 4 CPLR-MALE/MALE FOR 5/8 DV PIPE  | 15 |
| PVFCB        | FAN CONTROL - POWER VENT  |    |
| PVHEX510-300 | MON WALL MNT EXT PWR VENT 5/10, ADD CORD  |    |
| PVHEX58-300  | 5"/8" TERMINATION (MOUNTING FRAME INCLUDED) EXTERNAL WALL MOUNT POWER VENT SYSTEM |    |
| PVHFL510-300 | 5"/10" FLUSH MOUNT POWER VENT TERMINATION   |    |
| PVTK1S       | VERTICAL RD TERM KIT 5/8 S/S INCLUDES (1) PXT10                                   |    |
| PVTK1SS      | VERTICAL RD TERM KIT INCL PXT10   | 9  |
| PVVE510-300  | MON ROOF MNT EXT PWR VENT 5/10 FLUE, ADD CORD                                     | 4  |
| PVVE58-300   | 5"/8" POWER VENT - ROOF MOUNT   |    |
| PVVR15       | MON RESTRCTR PLT FOR 15FT-24FT RUNS   | 2  |
| PVVR25       | MON RESTRCTR PLT FOR 25FT AND UP RUNS   | 1  |
| PVVR8        | MON RESTRCTR PLT FOR 8FT-14FT RUNS  | 3  |
| PXT10        | MON 10 ADJ D/V PIPE-5/8   | 4  |
| PXT20        | MON 20 ADJ D/V PIPE-5/8   | 2  |
| PXT5         | MON 5 ADJ CPLR-5/8  | 1  |
| R324STION    | 50000BTU NG INDOOR OUTDOOR HSI IGN NO VENTING REQ                                 | 1  |
| R420N        | R SERIES FIREPLACE MODEL EQUIPPED WITH HONEYWELL HOT SURFACE IGNITION             |    |
| R520N        | R-SERIES R520 NATURAL GAS DIRECT VENT FIREPLACE                                   | 1  |
| R620N        | MON R620 6FTX20 F/P-NG ELEC ADD EPVRW OR EPVRR PRE VENT                           | 1  |
| R620STN      | Residential C-View, ST, (6 foot), NG  |    |
| R720N        | 84" NG LINEAR DIRECT VENT   | 1  |
| R820         | RESIDENTIAL C-VIEW(8FT) LP  |    |
| R820N        | RESIDENTIAL C-VIEW (8FT) NG   | 1  |
| RBGD63       | REFLECTIVE GLASS KIT-DL63   | 1  |
| RBHL38S17R   | LINEAR BURNER CONVERSIOT, IPI NG BASIC PROFLAME 2 (TRADITIONAL TO LINEAR)         |    |
| RDRH38SS     | MON H38DF ROBAX GLASS   |    |
| RDTL52       | L52 GLASS AND FRAME   | 1  |
| RECA011      | LED REMOTE (D6315)  | 1  |
| REL45F/M     | 45 ELBOW 5/10 PIPE FEMALE/MALE CONNECTOR  |    |
| REL90F/F     | MON.90ELBOW 5/10 PIPE FEMALE/FEMALE CONNECTOR                                     |    |
| REL90F/M     | MON.90ELBOW 5/10 PIPE FEMALE/MALE CONNECTOR                                       |    |
| REL90M/M     | MON.90 ELBOW 5/10 PIPE MALE/MALE CONNECTOR  |    |
| RESCB2       | C-VIEW CONTROL BOX  |    |
| REXT1        | MON. 12 RIGID PIPE 5/10 FEMALE/MALE CONNECTION                                    |    |
| REXT2        | MON. 24RIGID PIPE 5/10 FEMALE/MALE CONNECTORS                                     |    |
| REXT3        | MON. 36 RIGID PIPE 5/10 FEMALE/MALE CONNECTORS                                    | 1  |
| REXT4        | MON. 48 RIGID PIPE 5/10 FEMALE/MALE CONNECTORS                                    | 1  |
| REXT6        | MON. 72 RIGID PIPE 5/10 FEMALE/MALE CONNECTORS                                    | 4  |
| RFCB         | FAN SPEED CONTROL   |    |
| RFL1         | MON 12 FLEX PIPE 5/10 FEMALE/FEMALE CONNECTOR                                     |    |
| RFL2         | MON.24 FLEX PIPE 5/10 FEMALE/FEMALE CONNECTOR                                     |    |
| RFL3         | MON.36 FLEX PIPE 5/10 FEMALE/FEMALE CONNECTOR                                     |    |
| RFL4         | MON.48 FLEX PIPE 5/10 FEMALE/FEMALE CONNECTOR                                     |    |
| RFL6         | MON.72 FLEX PIPE 5/10 FEMALE/FEMALE CONNECTOR                                     |    |
| RGC3063      | REMOTE (D6315)  | 1  |
| RGPH34       | REFLECTIVE GLASS PANEL KIT H34 HLB34 ONLY   |    |
| RGPH38       | REFLECTIVE GLASS PANEL KIT H38 HL38   |    |
| RHS101       | MON RAD SHLD-HRZ VENTNG FOR 5/8 D/V PIPE  | 5  |
| RHS102       | THROUGH THE WALL RADIATION SHIELD FOR 5"/10" VENTING                              |    |
| RHS104       | THROUGH-THE-WALL RADIATION SHIELD FOR 5"/10" VENTING                              |    |
| RP620N       | 72" LINEAR FIREPLACE  |    |
| RR150SS      | RIVER ROCK SPECKLED STONE 150PC   | 1  |
| RR20BEIG     | 20 LARGE BEIGE ROCKS  | 1  |
| RR20GREY     | GREY CULTURED ROCKS   | -1 |
| RR300SS      | RIVER ROCK SPECKLED STONE 300PC 309   | 2  |
| RR350SS      | SPECKLED STONES   |    |
| RR50SS       | RIVER ROCK SPECKLED STONE 50 PC   |    |
| RR600SS      | RIVER ROCK SPECKLED STONE   | 1  |
| RSCP52       | BARRIER SCREEN  |    |
| RTO4F        | TERMINATION WITH INTEGRAL MOUNTING FRAME 5/10                                     |    |
| RTSCH38VO    | SCREEN BARRIER  |    |
| RVA          | MON. VENT CONNECTOR (5/10) MALE/MALE  | 2  |
| RVA108       | 10"-8" REDUCER  | 2  |
| RVA51058     | 5/10 TO 5/8 REDUCER   |    |
| RX100LP      | REMOTE - LP FULL LOAD SIT IPI PROFLAME 2  |    |
| RX100NG      | REMOTE - NG FULL LOAD SIT IPI PROFLAME 2  | 1  |
| RX200NG      | MONT SIT IPI PROFLAME 2 REMOTE ON/OFF, THERM, BATT BACK                           |    |
| RX60         | MON WIRELSS REMOTE CONTRL HSI COMP-THERM CONTROLLED                               | 1  |
| RX88LP       | REMOTE CONTROL (LP) SIT IPI SYSTEM  | 2  |
| RX88NG       | REMOTE CONTROL (NG) SIT IPI SYSTEM  | 1  |
| RXM5010      | WIRELESS REMOTE CONTROL KIT   |    |
| RXT10        | MON. 10RIGID PIPE 5/10 FEMALE/FEMALE CONNECTORS                                   |    |
| RXT20        | MON. 20 RIGID PIPE 5/10 FEMALE/MALE CONNECTORS                                    |    |
| SC7          | STORM COLLAR FITS 7 AND 8   | 8  |