



DISTRIBUTORS

AF DISTRIBUTORS
3423 East Atlanta Ave.
Phoenix, AZ 85040
(P)602.243.6245 (F)602.344.4202
www.AFDistributors.com
CustomerService@AFDistributors.com

WEEKLY INVENTORY REPORT

| <u>Item No.</u> | <u>Item Description</u> | <u>In Stock</u> | <u>Available</u> |
|-----------------|---|-----------------|------------------|
| 01748 | Patioflame Cover for GPF and GPF | | |
| 1100CN-1 | CAST IRON WOOD BURNING STOVE PORCELAIN ENAMEL MAJOLICA BROW | | |
| 1100CP-1 | CAST IRON WOOD BURNING STOVE METALLIC BLACK | | |
| 111KT | OUTSIDE AIR KIT 4" INSULATED FLEX PIPE | 1 | |
| 1400CN | BANFF CAST IRON WOOD BURNING PORC ENAMEL MAJOLICA BROWN | | |
| 1400CP | BANFF CAST IRON WOOD BURNING METALLIC BLACK | | |
| 1450M | INDEPENDENCE MEDIUM WOOD BURN METALLIC BLACK | 1 | 1 |
| 2100 | TIMBERWOLF SMALL WOODBURNING STOVE BLACK | 1 | 1 |
| 61855 | ROUND COVER FOR KENSINGTON | | |
| A4758AK | VENT REDUCER KIT 5/8 TO 4/7 (L38/L50/BHD4) | | |
| AFK82-1SB | ARCHED BLACK HERITAGE SURROUND W/ SAFETY BARRIER | | |
| ANI-K | BLACK TRADITIONAL ANDIRONS | 3 | 3 |
| AUB | Blower Kit with Variable Speed and Thermostatic Control | | -1 |
| AVS47KT-1 | ATTIC FIRESTOP/VENT SLEEVE | 2 | 2 |
| AVS58KT-1 | 5X8 ATTIC FIRESTOP/VENT SLEEVE | | |
| AVS811KT-1 | 8X11 ATTIC FIRESTOP/VENT SLEEVE | 2 | 2 |
| B19NL | LOG SET BURNER ASSEMBLY | | |
| B19NS | RIVER ROCK/ STONE SET BURNER ASSEMBLY | 1 | 1 |
| B30NTRE | ACSENT-30" NG BLACK | | |
| B35NG | STARFIRE HDX35NT BURNER ASSMB | 3 | 3 |
| B35NL | BURNER ASSY FOR HDX35NT LOGS | | |
| B35NT | DIRECT VENT NG MILLIVOLT | 1 | 1 |
| B35NTE | DIRECT VENT NG ELECTRONIC IGNITION | | |
| B35NTL | BURNER ASSEMBLY OAK LOG SET CONFIGURATION NG | 3 | 3 |
| B36NTR | TOP/REAR VENT FP W/BLK DOOR NG | | |
| B36NTRE | 36 NG DV ASCENT FIREPLACE 4x7 TOP/REAR VENT ELECTRONIC IGNITION 18,000 BTU | 3 | 2 |
| B42NTR | ASCENT MILLIVOLT 22,000 BTU NG BLACK FINISH | | |
| B42NTRE | 42 NG DV ASCENT FIREPLACE 4x7 TOP/REAR VENT ELECTRONIC IGNITION 22,000 BTU | 5 | 5 |
| B42PTRE | 42" LP DV ASCENT FIREPLACE 4"X7" TOP/REAR VENT ELECTRONIC IGNITION | | |
| B46NTR | DIRECT VENT NG MILLIVOLT IGNITION | | |
| B46NTRE | 46 NG ASCENT FIREPLACE 4x7 TOP/REAR VENT ELECTRONIC IGNITION 22,000 BTU | 2 | 2 |
| B52NTL | PHAZER OAK LOG SET TRAD LOG SET | 2 | 2 |
| B52PG-1 | BURNER ASSEMBLY, FIRE CRADLE CONFIGURATION WITH CRYSTALLINE EMBER BED (PROPANE) | | |
| B81NL-1 | LOG SET CONFIGURATION BURNER ASSEMBLY | | |
| B81NS | RIVER ROCK/ STONE SET BURNER ASSEMBLY | -1 | -1 |
| B81NS-1 | Mineral Rock Set Configuration Burner Assembly | | |
| BFKM | BEACH FIRE KIT (RECOMMEND WITH SHORE FIRE KIT) | 11 | 8 |
| BFKXL | BEACH FIRE KIT | 10 | 5 |
| BFKXS | BEACH FIRE KIT (RECOMMEND WITH SHORE FIRE KIT) | 2 | 2 |
| BGD36CFNTRSB | MILLIVOLT 22,000 BTU NG BLACK FINISH | | |
| BHD4PFCN | ASCENT MULTI-VIEW PENINSULA, DV, NG - FIRE CRADLE | | |
| BHD4PGN | ASCENT MULTI-VIEW PENINSULA, DV, NG - CRYSTALLINE GLASS BED | | |
| BHD4PN | ASCENT MULTI-VIEW PENINSULA, DV, NG - PHAZER LOGS | | |
| BHD4STFCN | C-THRU ASCENT DIRECT VENT NG | 1 | 1 |
| BHD4STGN | SEE THRU (2 SIDED), DIRECT VENT, NATURAL GAS (CONVERSION KIT AVAILABLE) | | |
| BHD4STN | SEE THRU NG DV FIREPLACE BRICK PANELS REQUIRED LOGS INCLUDED 5 x 8 VENTING | 2 | 2 |
| BILEX605RBINSS | BUILT-IN LEX 605 | | |
| BIPRO665RBNSS-3 | Built-in Prestige PRO™ 665 (NG) STAINLESS STEEL, 7 BURNER, 86K btu | | |
| BIPRO665RBPSS-3 | Built-in Prestige PRO™ 665 (LP) STAINLESS STEEL, 7 BURNER, 86K btu | 1 | |
| BL36NTE-1 | DIRECT VENT NG ELECTRONIC IGNITION FIREPLACE | 1 | 1 |
| BL46NTE | DIRECT VENT NATURAL GAS,ELECTRONIC IGNITION(*CONVERSION KIT AVAILABLE) | 6 | 6 |
| BLKL | BIRCH LOG KIT LVX62 | 6 | 3 |
| BLKM | Birch Log Kit (Recommended with Shore Fire Kit) | 13 | 9 |
| BLKS | BIRCH LOG KIT LVX38 | 5 | 5 |
| BLKXL | BIRCH LOG KIT LVX74 | 7 | 2 |
| BP3 | BACKER PLATE | 3 | 3 |
| BPD | BATTERY PACK (D CELL) | 5 | 5 |

| | | | |
|---------------|---|----|----|
| BT30K | BLACK 3" PREMIUM BEVELLED TRIM KIT | | |
| CFF | MATTE BLK CLEAN FACE FRONT | 1 | 1 |
| CFK19SB | CONTEMPORARY BLACK SURROUND W/ SAFETY BARRIER | | |
| CFS18SB | CONT BLK FACE KIT W/ SAFTY BARRIER | 1 | 1 |
| CFT36CV | SATIN CHROME LOWER TRIM | | |
| CGA74 | FRONT GLASS AND HARDWARE FOR LVX74NX | | |
| CLKL | CONTEMPORARY LOG KIT (FITS 62") | 1 | 1 |
| CLKM | CONTEMPORARY LOG KIT (FITS 50") | 1 | 1 |
| CLKXL | CONTEMPORARY LOG KIT (FITS 74") | 1 | 1 |
| CSL36K | CLASSIC BLACK SURROUND 36" ASCENT | 1 | 1 |
| CSL46K | CLASSIC BLACK SURROUND | 5 | 3 |
| DBPB42WH | DECORATIVE BROCK PANELS WESTMINSTER HERRINBONE - B42 | | |
| DC40K | BLACK SAFETY BARRIER WITH CURVED ACCENTS | | |
| DHCL1 | DYNAMIC HEAT CONTROL LINEAR (38/50) | 20 | 11 |
| DHCL2 | DYNAMIC HEAT CONTROL LINEAR (62/74) | 31 | 15 |
| DHCP-BK | DYNAMIC HEAT CONTROL PLUS BLOWER KIT | 16 | 12 |
| DHCP-EK | EXTERIOR MOUNTING KIT | 17 | 12 |
| DHCP-HK | HOT AIR GRILL KIT | 9 | 7 |
| DK31-HP | DOOR KIT PEWTER FINISH | 14 | 14 |
| DL45 | DRIFTWOOD LOG SET FITS GSS48 & LHD45 | 7 | 4 |
| DLE | BEACH FIRE KIT REQUIRES W655-0610K 4 DRIFTWOOD LOGS | 4 | 4 |
| DLTL | DYNAMIC LINEAR TRIM (62/74) | 43 | 24 |
| DLTM | DYNAMIC LINEAR TRIM (38/50) | 16 | 6 |
| DPBI3WS | WESMINSTER STD DECORATIVE BRICK PANELS | | |
| DPBIX4WS | WESTMINSTER STD DECORATIVE BRICK PANELS 4X | | |
| DS40K | BLACK SURROUND | | |
| EF31H | NAP CASALOMA ELEC F/P-ONLY HAMMRTNE PEWTR FINISH | 13 | 13 |
| EFCN | E FIRE BLUE TOOTHED ADV FOR NG(ELECTRONIC IGN ONLY) | 1 | 1 |
| EFMC31B | NAP CASALOMA ELEC F/P-COMBO W/BIRCH CORNR CABINET | 10 | 10 |
| EFMC31LO | NAP CASALOMA ELEC F/P-COMBO W/LIGHT OAK CORNER CABINET | 1 | 1 |
| EMT38 | MEDIA TRAY | | |
| EMT50 | MEDIA TRAY FOR L50 | | |
| EP21L | LEG KIT FOR 2100 | | |
| EP36 | Thermostatic Sensor Control | | |
| EP62M | VARIABLE SPEED BLOWER FOR 1100C BANFF | | |
| EP65M | Blower Kit with Variable Speed and Thermostatic Control | | |
| EPI3T | OAKDALE TRADITIONAL FIREPLACE INSERT , CAST IRON SURROUND BLK | 1 | 1 |
| EPT70 | BLOWER KIT WITH VARIABLE SPEED AND THERMOSTATIC CONTROL | 3 | 3 |
| F35K | STARFIRE BLK CLASSIC FRONT W/SCREEN | 4 | 4 |
| F45 | REMOTE - ON/OFF W/DIGITAL SCREEN | 12 | 11 |
| F60 | THERMOSTATIC HAND HELD BATTERY REMOTE WITH DIGITAL SCREEN | 16 | 15 |
| FD35K | DECO BLK FRONT W/ PREM SAFTY BARRIER | 1 | 1 |
| FF38K | FLUSH FRAME - BLACK WITH SAFTY SCREEN | 2 | 2 |
| FF38SS | FLUSH FRAME - STAINLESS WITH SAFTY SCREEN | 1 | 1 |
| FF50K | FLUSH FRAME - BLACK WITH SAFTY SCREEN | 6 | 6 |
| FF50SS | FLUSH FRAME - STAINLESS WITH SAFTY SCREEN | | |
| FK19PWSB | TRADITIONAL HAMMERTONE PEWTER FACING KIT | 1 | 1 |
| FPGI30-KSB | BLACK SURROUND | | |
| FPHK-H | HERITAGE PATTERN INSET | | |
| FPK-1 | BLACK SURROUND (MUST ORDER INSET & BLACK KEYSTONE) | | |
| FPK3-H | BLACK SURROUND | | |
| FPWI-1 | WROUGHT IRON SURROUND | | |
| FPWI3-H | WROUGHT IRON SURROUND | | |
| FT38K | FINISHING TRIM LV38 | 4 | 3 |
| FT38SS | 1" STAINLESS STEEL FINISHING TRIM | | |
| FT50K | FINISHING TRIM LV50 BLK | 9 | 7 |
| FT50SS | FINISHING TRIM LV50 STAINLESS | 2 | 2 |
| G010-0081-SER | CONTROL PANEL / PANNEAU DE CONTRÔLE | 1 | 1 |
| G190-0005-SER | MAIN PCB BOARD / CARTE DE CIRCUIT DE PUISSANCE | 1 | 1 |
| G190-0006-SER | CONTROL PANEL BOARD / PLAQUE DU PANNEAU DE CONTRÔLE | 1 | 1 |
| G660-0004 | TRANSMITTER (NEFI LOG SET) | | |
| GA-566 | HOT AIR DISTRIBUTION KIT | | |
| GA65 | 6" X 10' AIR CIRCULATION VENT AND COLLAR FOR USE WITH NZ64 BLOWER | | |
| GA-72 | Hot Air Exhaust Kit (LHAD also required) | | |
| GD-110 | ROOF TERMINAL KITS 1/12 TO 7/12 PITCH | 6 | 5 |
| GD-112 | ROOF TERMINAL KITS FLAT ROOF | 2 | 2 |
| GD-113 | ROOF TERMINAL 4X7 | 16 | 16 |
| GD178 | 3x5 HORIZONTAL KIT TERMINATION INCLUDED 12 OF VENTING | | |
| GD19-1NSB | VITTORIA DV, NG, ELEC IGNITION | | |
| GD-201 | PERISCOPE (SNORKEL) FOR WALL PENERTRATION BELOW GRADE | | |
| GD-220 | VENT KIT 5FT | 17 | 16 |

| | | | |
|---------------|---|----|----|
| GD-222 | 4x7 HORIZONTAL TERMINATION SIDING SHIELD INCLUDED ORDER IN 12 PACKS | 13 | 13 |
| GD-330 | VENT KIT 10 FT | 19 | 18 |
| GD410 | ROOF TERMINAL 5X8 | 9 | 9 |
| GD411 | ROOF TERMINAL KIT (8/12 to 12/12 pitch) | 3 | 3 |
| GD412 | ROOF TERMINAL KITS (FLAT ROOF) | | -1 |
| GD413 | ROOF TERMINAL 5X8 | 16 | 16 |
| GD420 | 5X8 VENT KIT 5FT | 25 | 25 |
| GD422-1 | WALL TERMINAL VINYL SIDING SHIELD | 2 | 2 |
| GD422R-2 | ROUND WALL TERMINAL KIT (5"x8") | 15 | 15 |
| GD430 | 5X8 VENT KIT 10FT | 38 | 35 |
| GD610 | ROOF TERMINAL KIT (8/10) 1/12 TO 7/12 PITCH | 3 | 2 |
| GD613 | ROOF TERM W/ STORM COLLAR | 3 | 3 |
| GD620 | 8x10x5FT FLEX KIT (1) 8x5FT; (1) 10x5FT | | -1 |
| GD630 | 8x10x10FT FLEX KIT (1) 8x10FT; (1) 10x10FT | 4 | 3 |
| GD7RVK | REAR VENT KIT 4X 7 20 FLEX | 1 | |
| GD7TVK | TOP VENT KIT-INCLUDES 1-5FT FLEX VENT | 2 | 2 |
| GD-810 | ROOF TERMINAL KITS (1/12 TO 6/12 PITCH) | | |
| GD811-KT | HERRINGBONE DECORATIVE BRICK PANELS | | |
| GD-812 | 8X11 ROOF TERMINAL KITS FLAT ROOF | | |
| GD-813 | ROOF TERMINAL 8"/11" DIRECT VENT | | |
| GD-820 | VENT KIT 5FT (INCL. 1-8X5 + 1-11X5 FLEXIBLE ALUMINUM LINER) | | |
| GD826N | Modulating Valve Regulator with Remote Control - Natural Gas | 2 | |
| GD826P | MODULATING VALVE REGULATOR W/ REMOTE CONTROL-LP | | |
| GD82NT-PA | PARK AVENUE DIRECT VENT | | |
| GD82NT-TESB | TUREEN NG DIRECT VENT FIREPLACE | 1 | |
| GD-830 | 8X11 VENT KIT 10 FT | | |
| GD840KT | SANDSTONE DECO BRICK PANELS | 1 | 1 |
| GD848KT | Decorative Brick Panels | | |
| GD851KT | DECORATIVE NEWPORT BRICK END PANEL (2 REQUIRED FOR SEE THRU) | 9 | 7 |
| GD855KT | NEW PORT FINISH BRICK PANEL STARFIRE | 2 | 2 |
| GD864KT | NEWPORT FINISH PANELS FOR HDX35NT | | |
| GD865KT | HERRINGBONE PANELS FOR HDX35NT | | |
| GD866KT | LEDGROCK ANTIQUE WHITE PANEL FOR HDX35NT | | |
| GD867KT | LEDGEROCK CUSTOM BLEND FOR HDX35NT | 1 | 1 |
| GD869KT | NEWPORT BRICK PANELS FOR GX70NTE | | |
| GD870KT | OLD TOWN RED BRICK PANEL FOR GX70NTE | 1 | 1 |
| GD871KT | B42 BRICK PANELS SANDSTONE | 1 | 1 |
| GD872KT | HERRINGBONE BRICK PANELS | 2 | 2 |
| GD873KT | B46 BRICK PANELS SANDSTONE | 1 | 1 |
| GD874KT | SANDSTONE DECORATIVE BRICK PANELS LOG SET ONLY | 1 | 1 |
| GD8TVK | TOP VENT KIT- 1-5FT FLEX VENT -, GD-422 WALL TERM/VINYL SIDING SHEILD | 4 | 4 |
| GDI-229 | TERMINAL HIGH WIND CO-LINEAR | | |
| GDI-2325KT | VENT KIT 25FT 1-2" AND 1-3" DOUBLE PLY ALUMINUM LINER AND EXHAUST | | |
| GDI-30NSB | ROXBURY INSERT DIRECT VENT NATURAL GAS MILLIVOLT IGNITION | | |
| GDI4XN | OAKVILLE X4 DV GAS INSERT | | |
| GDIX3N | OAKVILLE X3 GAS INSERT | | |
| GDIZC-NSB | DIRECT VENT, NAT. GAS, MILLIVOLT IGN | | |
| GDS20NSB | ARLINGTON CAST IRON STOVE | | -1 |
| GDS924N | DURAVENT ADAPTER DIRECT VENT | | |
| GDT10 | 3x5 x 10FT FLEX LINER ADD GD179 TERM CAP | 3 | 2 |
| GDT110 | 3x5 VERTICAL KIT 1/12-7/12 PITCH | 1 | |
| GDT112 | ROOF TERMINAL KITS FLAT ROOF | 4 | 4 |
| GDT5 | 3x5 x 5FT FLEX LINER ADD GD179 TERM CAP | 6 | 6 |
| GGA38 | GLASS FOR LVX38 | 4 | 4 |
| GGA50 | GLASS FOR LVX50 | 4 | 3 |
| GGA62 | GLASS FOR LVX62 | 5 | 1 |
| GGA74 | FRONT GLASS AND HARDWARE FOR LVX74NX | 6 | 2 |
| GIZTRM3 | TEXTURED SATIN BLACK 3 SIDED ALUM TRIM KIT - INSPIRATION ZC | | |
| GL18NE | FIBERGLow 18" LOG SET WITH ELECTRONIC IGNITION | | |
| GL22N | 22 NG LOG SET ELECTRONIC IGNITION 6 REVERSIBLE LOGS | 2 | 1 |
| GL22P | 22 LP LOG SET ELECTRONIC IGNITION 6 REVERSIBLE LOGS | 3 | 3 |
| GL28N | 28 NG LOG SET ELECTRONIC IGNITION 6 REVERSIBLE LOGS | 6 | 5 |
| GL28P | 28 LP LOG SET ELECTRONIC IGNITION 6 REVERSIBLE LOGS | 13 | 13 |
| GL32N | 32 NG LOG SET ELECTRONIC IGNITION 7 REVERSIBLE LOGS | 2 | 2 |
| GL32P | 32 LP LOG SET ELECTRONIC IGNITION 7 REVERSIBLE LOGS | 5 | 5 |
| GL-655 | COMPLETE LOGSET | 1 | 1 |
| GL-667 | COMPLETE LOGSET | 1 | 1 |
| GPFCE-WNDSCRN | ROUND WINDSCREEN FOR KENSINGTON | | |
| GPFL48MHP | 48 LP LINEAR FIREPIT PEWTER CABINET STAINLESS BURNER STAINLESS COVER NG KIT INCLUDE 6 | | 6 |
| GPFL-WNDSCRN | STAINLESS STEEL COVER | 5 | 5 |
| GPFN-1 | PATIOFLAME - NG OUTDOOR SS FIREPIT INSERT 60,000 BTU | 4 | 4 |

| | | | |
|-------------|--|----|----|
| GPV | POWER VENT (MUST ADD ADAPTOR KIT) | 2 | 2 |
| GS328KSB | METALIC BLACK DOOR HALIBURTON | | |
| GS350GSB | 24K GOLD PLATED DOOR | | |
| GS350KSB | METALLIC BLACK DOOR | | |
| GSS42CFN | Riverside 42 Clean Face NG Outdoor Fireplace (Non Vented) Milli Ign, Brushed SS) | 3 | 3 |
| GSS42COV | STAINLESS STEEL COVER - RIVERSIDE 42 | 2 | 2 |
| GSS48BRT | 3 BRACKET FOR COVER EXTENSION | 3 | 3 |
| GSS48COV | COVER FOR GSS48 2 REQUIRED FOR SEE THRU | 8 | 7 |
| GSS48N | 48 SS LINEAR FIREPLACE NG OUTDOOR ONLY LP KIT INCLUDED | 13 | 10 |
| GSS48NST | 48 SS SEE THRU LINEAR FIREPLACE NG OUTDOOR LP KIT INCLUDED | 9 | 5 |
| GSST8N | TORCH SS NG FIREPLACE SS FRONT INCLUDED | 1 | 1 |
| GSST8P | TORCH SS LP FIREPLACE SS FRONT INCLUDED | | |
| GT8N | TORCH NG FIREPLACE FACE KIT REQUIRED 3 x 5 REAR VENT ELECTRONIC IGNITION | | |
| GT8NSB | TORCH NG FIREPLACE FRAME/FRONT REQUIRED 3 x 5 VENTING REAR VENT 6,000 BTU | 1 | 1 |
| GT8PSB | TORCH LP FIREPLACE FRAME/FRONT REQUIRED | | |
| GV824KT | GRANDVILLE 42 DECORATIVE BRICK SANDSTONE PANELS | | |
| GV825KT | DECORATIVE BRICK PANELS SANDSTONE | | |
| GVF36-2N | VENT FREE FIREPLACE NG | | |
| GVF36-2P | VENT FREE, LP, MILLIVOLT IGNITION | 1 | 1 |
| GVF42-1N | 42 INCH GRANDVILLE VENT FREE (REQ LOUVRE OR INSERT KIT) | | |
| GVFL18N | Natural Gas, Millivolt Ignition, 18" Width | | |
| GVFL24N | 24 LOG SET NATURAL GAS BTU'S 40,000 | 1 | |
| GVFL24P | 24 LOG SET PROPANE BTU'S 40,000 | 1 | 1 |
| GVFL30N | FIBERGLOW 30 VF | 1 | 1 |
| GVFS20N | ARLINGTON VF | 1 | 1 |
| GVFS60-1NN | CAST IRON, NG, MILLIVOLT IGN, PORCELAIN ENAMEL MAJOLICA BROWN | | |
| GVFS60-IP | Cast Iron, Propane, Millivolt Ignition, Metallic Black | | |
| GVFT8N | TORCH VF | 3 | 3 |
| GX36NTR-1 | TOP/REAR VENT FIREPLACE W/ BLACK DOOR NG | 2 | 2 |
| GX36NTRE-1 | TOP/REAR VENT FIREPLACE W/ BLACK DOOR NG ELECT IGN | | -1 |
| GX36PTRE-1 | ASCENT X 36, ELECTRONIC LP (CONVERSION KIT AVAILABLE) | | |
| GX427K | ASCENT X70 BLACK SURROUND WITH OPERABLE SCREEN | | |
| GX70NTE | ASCENT X 70 ELECTRONI 35,000 BTU'S NG | 2 | 2 |
| GX70PTE-1 | ASCENT X70 DIRECT VENT NATURAL GAS ELECTRONIC IGNITION | | |
| GX725WI | WROUGHT IRON FRONT | 3 | 3 |
| GZ550-1KT | BLOWER KIT - THERMOSTATIC VARIABLE SPEED | 6 | 5 |
| GZ552 | BLOWER | | |
| H30F | BLACK HERITAGE DECORATIVE SAFETY BARRIER | | |
| H335-1K | ARCHED BLACK DOUBLE DOORS | | |
| H335-1WI | ARCHED WROUGHT IRON DOUBLE DOOR | | |
| H336H-WI | ARCHED WROUGHT IRON DOUBLE DOORS | | |
| H336-K | ARCHED BLACK DOUBLE DOORS | | |
| H35F | DECORATIVE FRONT HERITAGE BLACK | 3 | 3 |
| H42F | BLACK HERITAGE DECORATIVE SAFETY BARRIER | | |
| HD46NT-1 | TOP VENT FIREPLACE W/ BLK DOOR-NG | 1 | 1 |
| HD81NT-1 | HIGH DEFINITION 81 SEE THRU DIRECT VENT NG | 1 | 1 |
| HDX35NT | STARFIRE TOP VENT GAS FP NG ZERO CLEARANCE | 4 | 4 |
| HDX40NT-2 | TOP VENT FP W/ BLK DOOR NG | 1 | 1 |
| HDX52NT-2 | STARFIRE TOP VENT NG | 2 | 2 |
| HDX52PT-2 | STARFIRE 52 DIRECT VENT, PROPANE, ELECTRONIC IGNITION | | |
| HK82SS | BRUSHED SS HEARTH KIT | 1 | 1 |
| HP35K | HEARTH PAD | | |
| I4S9 | BLACK 9" FIVE PIECE FLASHING | | |
| IOL62K | INDOOR/OUTDOOR SEAL KIT FOR 62" | | |
| IOL74K | INDOOR/OUTDOOR SEAL KIT FOR 74" | | |
| KENS3-BZ | KENSINGTON ROUND, 48" DIAMETER, RUSTIC BRONZE | | |
| KSK | BLACK KEYSTONE | | |
| L36K | CONTOUR LOUVRE KIT UPPER AND LOWER | 1 | 1 |
| L38N | ACIES DV NG ELECTRONIC IGN SINGLE SIDED | 2 | 2 |
| L38N2 | ACIES DV NG ELECTRONIC IGN SEE THRU | 1 | 1 |
| L42K | GRANDVILLE 42 CONTOUR BLACK LOUVRE KIT | | |
| L50N | ACIES DV NG ELECTRONIC IGN SINGLE SIDED | 2 | 2 |
| L50N2 | ACIES DV NG ELEC IGN SEE THRU | | |
| LDNS | NICKEL STIX DESIGNER FIRE ART | 14 | 10 |
| LDS62KSB | SURROUND - BLACK COVERS 70 x 22 | 2 | 2 |
| LEX485PSS-1 | LEX SERIES STANDALONE GRILL LP 4 BURNER | | |
| LFG45SB | 45 LINEAR FRAME - STAINLESS WITH SAFETY BARRIER | 2 | 1 |
| LHAD | Hot Air Distribution Kit | | |
| LHD45NSB | 45 NG LINEAR FIREPLACE SURROUND REQUIRED 24,000 BTU 4 x 7 VENTING | 6 | 4 |
| LK8 | LIGHT KIT - LOW VOLTAGE (4) PRE-WIRED LED LIGHTS FOR TORCH FIREPLACES | -1 | -1 |
| LPS45SSSB | PREMIUM BRUSHED SS SURROUND W/ SAFTY BARRIER | 1 | 1 |

| | | | |
|-----------------|---|----|----|
| LPS62SSSB | SURROUND - STAINLESS STEEL COVERS 70 x 22 | 1 | |
| LS45KSB | 4 SIDED BLACK SURROUND 46-1/2x19 | 7 | 5 |
| LSD62KSB | Deluxe Gloss Black Surround with Safety Barrier | | |
| LT48SS | STAINLESS TRIM (GSS48) | 9 | 8 |
| LV38N | 38 NG LINEAR FIREPLACE FRAME OR SURROUND REQUIRED ELECTRONIC IGNITION | | |
| LV38N-1 | SINGLE SIDED DIRECT VENT NATURAL GAS ELECTRONIC IGN | 6 | 6 |
| LV38N2-1 | LINEAR SEE THRU DV GAS FIREPLACE | 1 | -1 |
| LV50N-2 | VECTOR DV NG ELECT IGN SINGLE SIDED 36000 BTU | 16 | 10 |
| LV50N2-2 | VECTOR DV NG ELEC IGN SEE THRU 36,000BTU | 5 | 4 |
| LV62N | VECTOR DV NG ELEC IGN SINGLE SIDED | 18 | 10 |
| LV62N2 | VECTOR DV NG ELEC IGN SEE THRU 42,000BTU | 5 | 5 |
| LV74N | 74" NG VECTOR LINEAR FIREPLACE | 15 | 11 |
| LV74N2 | VECTOR DV NG ELEC IGN SEE THRU 48,000BTU | 1 | 1 |
| LVX38N | 38" NG LUXURIA FIREPLACE (ADD GGA38) | 2 | 2 |
| LVX38N2 | 38" NG LUXURIA SEE THRU FIREPLACE (ADD (2) GGA38) | 1 | 1 |
| LVX50N | 50" NG LUXURIA FIREPLACE (ADD GGA50) | 4 | 3 |
| LVX50N2 | 50" NG LUXURIA SEE THRU FIREPLACE (ADD (2) GGA50) | 1 | 1 |
| LVX62N | 62" NG LUXURIA FIREPLACE (ADD GGA62) | 3 | 1 |
| LVX62N2 | 62" NG LUXURIA SEE THRU FIREPLACE (ADD (2) GGA62) | 1 | |
| LVX74N | 74" NG LUXURIA FIREPLACE **ADD (1) GGA74** | 4 | |
| LVX74N2 | 74" NG LUXURIA SEE THRU FIREPLACE (ADD (2) GGA74) | 1 | 1 |
| MKBA | GLASS BEADS AMBER | 36 | 24 |
| MKBB | GLASS BEADS BLUE | 5 | 5 |
| MKBC | GLASS BEADS CLEAR | 24 | 18 |
| MKBK | GLASS BEADS BLACK | 5 | 5 |
| MKBR | GLASS BEADS RED | 1 | 1 |
| MKBT | GLASS BEADS TOPAZ | 8 | 6 |
| MKE50 | MEDIA ENHANCEMENT KIT ROCKS SAND VERMICULITE | | |
| MKGA | MEDIA KIT-AMBER | 2 | 2 |
| MKGB | MEDIA KIT BLUE | 1 | 1 |
| MKGC | MEDIA-KIT CLEAR | 5 | 4 |
| MK GK | MEDIA KIT BLACK | 2 | 2 |
| MKGR | MEDIA KIT-RED | 1 | 1 |
| MKGT | MEDIA KIT TOPAZ | 3 | 2 |
| MKRM | ROCK - MULTI COLORED | 1 | 1 |
| MRKL | MINERAL ROCK KIT LVX62 | 5 | 3 |
| MRKM | MINERAL ROCK KIT (RECOMMENDED WITH SHORE FIRE KIT) | 5 | 2 |
| MRKS | MINERAL ROCK KIT LVX38 | 2 | 2 |
| MRKXL | MINERAL ROCK KIT | 4 | 3 |
| N0350130 | BASE FRONT/REAR OUTER | 1 | 1 |
| N080-0274 | BRACKET ELECTRODE | 1 | 1 |
| N190-0002 | CONTROLLED LED | 2 | 2 |
| N240-0028 | ELECTRODE W/WIRE FITS GSS48 | 10 | 10 |
| N300-0002 | GLASS EMBERS-TOPAZ 2X7 | 5 | 5 |
| N300-0003 | TEMPERED GLASS | 4 | 4 |
| N357-0013 | IGNITOR | 1 | 1 |
| N380-0023-RD | BURNER CONTROL KNOB | 4 | 4 |
| N402-0001 | LIGHT ASSEMBLY, HIGH TEMP | | |
| N5100013 | GSS48 COVER RUBBER BUMPERS | 8 | 8 |
| N570-0096 | THUMB SCREW | 10 | 10 |
| N585-0077 | WIND SHIELD | 1 | 1 |
| N680-0001 | THERMOCOUPLE (GSS48) | 18 | 18 |
| N707-0008 | TRANSFORMER | 9 | 9 |
| N725-0049 | SAFTY VALVE | 1 | 1 |
| N750-0026 | LED WIRING | 2 | 2 |
| NCB38 | NON-COMBUSTIBLE CEMENT BOARD KIT | 1 | 1 |
| NEFB24H-3A | allure | | |
| NEFB24HG-3A | CINIMA GLASS 24" ELEC GLASS FRONT POWDER COAT FINISH | | |
| NEFB27H-3A | CINEMA LOG 27 ELECTRIC FIREPLACE, GLASS FRONT, POWDER COATED BLABK | | |
| NEFB27HG-3A | CINEMA LOG 27 ELECTRIC FIREPLACE GLASS FRONT POWDER COATED BLACK FINIISH | 7 | 7 |
| NEFB29H-3A | CINEMA LOG 29 ELE FIREPLACE, GLASS FRONT, POWDER BLK FINSH | | |
| NEFB50H | CLEARION 50" SEE THRU ELECTRIC FIREPLACE - BLACK SURROUND / INC REMOTE | 12 | 11 |
| NEFB50H-DTRM | BLACK SURROUNDS (BOTH SIDES) FOR C-THRU ELECT | 14 | 12 |
| NEFB50H-SS-DTRM | STAINLESS STEEL SURROUND FOR CLEARION | | -1 |
| NEFI18H | 18 ELECTRIC LOG SET REMOTE | 4 | 4 |
| NEFI24H | 24 ELECTRIC LOG SET REMOTE INCLUDED 24w x 14-1/16d 14-1/16h 5,000BTU | 3 | 3 |
| NEFI27H | 27 ELECTRIC LOG SET REMOTE INCLUDED 26-5/8w x 14-1/16d 15-9/16h 5,000BTU | 4 | 6 |
| NEFL100FH | ALLURE 100 ELECT FP CRYSTAL EMBERS 5000BTU HEATER W/REMOTE | 1 | 1 |
| NEFL32FH | ALLURE 32 ELECTRIC FIREPLACE GLASS FRONT BLK | | |
| NEFL42CHD | 42" ALLURAVISION DEEP DEPTH | | |
| NEFL42CHS | ALLURAVISION 42" SLIMLINE ELEC. FIREPLACE, BLACK GLASS FRONT / INC REMOTE | 2 | 2 |

| | | | |
|---------------|--|---|----|
| NEFL42FH | ALLURE 42 ELECT FP CRYSTAL EMBER 5000BTU HEATER REMOTE | 4 | 4 |
| NEFL42FH-MT | ALLURE 42 PHANTOM MESH FRONT REMOTE LOW HIGH TEMP | 1 | 1 |
| NEFL50CHD | ALLURAVISION 50" DEEP DEPTH ELEC. FIREPLACE, BLACK GLASS FRONT / INC LOG SET & REMOT 1 | | 1 |
| NEFL50CHS | ALLURAVISION 50" SLIMLINE ELEC. FIREPLACE, BLACK GLASS FRONT / INC REMOTE | | |
| NEFL50FH | ALLURE 50 ELECT FP CRYSTAL EMBERS 5000 BTU HEATER REMOTE | 5 | 5 |
| NEFL50FH-MT | ALLURE 50 PHANTOM MESH FRONT REMOTE LOW HIGH TEMP | 6 | 6 |
| NEFL60CHD | ALLURAVISION 60" DEEP DEPTH ELEC. FIREPLACE, BLACK GLASS FRONT / INC LOG SET & REMOT 1 | | 1 |
| NEFL60CHS | ALLURAVISION 60" SLIMLINE ELEC. FIREPLACE, BLACK GLASS FRONT / INC REMOTE | | |
| NEFL60FH | ALLURE 60 ELECT FP CRYSTAL EMBERS 5000BTU HEATER REMOTE | 8 | 8 |
| NEFL60FH-MT | ALLURE 60 PHANTOM MESH REMOTE LOW HIGH TEMP | 5 | 5 |
| NEFL72FH | ALLURE 72 ELECT FP CRYSTAL EMBERS 5000BTU HEATER REMOTE | 6 | 6 |
| NEFL74CHS | ALLURAVISION 74 SLIMLINE ELECTRIC GLASS FRONT BLACK | | |
| NEFP42-1715BW | The Shelton Electric Fireplace Entertainment Package | | |
| NEFP42-1815B | ALANIS MANTEL PACKAGE (1) NEFL42FH-MT, (1) NEFE42-1815B-ALANIS | | |
| NEFT24BLK | Three or Four Piece Trim Kit (for 24" Unit) | | |
| NEFV38H | AZURE VERTICAL 38 ELEC FIREPLACE, CURVED BLACK GLASS FRONT / INC REMOTE | 1 | 1 |
| NEFVC32H | ALLURE VERTICAL 32 ELECTRIC FIREPLACE | 1 | 1 |
| NEFVC38H | ALLURE VERTICAL 38 ELECTRIC FIREPLACE | | |
| NI800 | 8" BLACK FLASHING WITH BLACK TRIM | | |
| NPI45 | PELLET INSERT PAINTED BLACK FINISH | | |
| NZ3000H | HIGH COUNTRY WOOD BURNING FIREPLACE | | |
| NZ5TBK | DECORATIVE BRICK PANELS TRADITIONAL | | |
| NZ6000-1 | HIGH COUNTRY 6000 ZERO CLEARANCE WOOD BURNING FIREPLACE | | |
| NZ620-KT | 6"x10" OUTSIDE COMB AIR EXT KIT | | |
| NZ64 | BLOWER SYSTEM W/ DECO GRILL | | |
| NZ7000 | HIGH COUNTRY LINEAR MASS WOOD BURNING FIREPLACE | 2 | 1 |
| NZ7SBK | DECORATIVE BRICK KIT | 2 | 1 |
| NZ8000 | HIGH COUNTRY LOW MASS WOOD BURNING FP BLACK | | |
| NZ8TBK | DECORATIVE BRICK KIT TRADITIONAL | 1 | 1 |
| NZAC10KT | AIR HOUSING FOR AIR COOLED CHIMNEY (10" DIA) | | |
| NZAC8KT | AIR HOUSING FOR AIR COOLED CHIMNEY (8" DIA) | | |
| PFT | TABLE - PATIOFLAME STAINLESS STEEL BLACK LEGS | | |
| PRP30 | MIRRO-FLAME PORCELAIN REFLECTIVE RADIANT PANELS | | |
| PRP35BK | BLK MIRRO FLAME PORCELAIN PANELS | 5 | 5 |
| PRP35BN | PORCELAIN REFLECT RADIANT BEIGE/BROW CAPPUCCINO FOR HDX3 | 1 | 1 |
| PRP35GY | PLATN REFLECT PANELS FOR HDX35NT | 1 | 1 |
| PRP36VF | MIRRO-FLAME PORCELAIN REFLECTIVE RADIANT PANELS | | |
| PRP4-1 | NEWPORT DECORATIVE BRICK PANELS | | |
| PRP45 | 45 PANELS - PORCELAIN FIT LHD45NSB | 5 | 3 |
| PRP52BK | BLACK MIRRO-FLAME PORCELAIN REFLECTIVE RADIANT PANELS | | |
| PRP81 | POCELAIN PANELS | | |
| PRP81-1 | MIRROR FLAME PORCELAIN PANELS | 1 | 1 |
| PRP82 | PORCELAIN PANELS PARK AVENUE | | |
| PRPB30-1 | MIRROR-FLAME PORCELAIN REFLECTIVE RADIANT PANELS | | |
| PRPB36 | MIRRO-FLAME™ Porcelain Reflective Radiant Panels | | -1 |
| PRPE | MIRRO-FLAME™ Porcelain Reflective Radiant End | | |
| PRPGX70 | GLOSS BLK PORCELAIN PANELS FOR GX70NTE | | |
| PRPH40 | MIRRO-FLAME PORCELAIN REFLECTIVE RADIANT PANELS | 1 | 1 |
| PRPHD4 | MIRRO-FLAME PORCELAIN REFLECTIVE END PANEL (2 REQUIRED FOR SEE THRU) | | |
| PRPL36 | MIRRO FLAME PORCELAIN REFLECTIVE RADIANT BARRIER | 1 | 1 |
| PRPL38 | PORCELAIN REFLECTIVE RADIANT PENELS (SINGLE SIDED) | | |
| PRPL46 | MIRRO FLAME PORCELAIN REFLECTIVE RADIANT PANELS | 3 | 2 |
| PRPL50 | PORCELAIN REFLECTIVE PANELS (SINGLE SIDED) | | |
| PSB50SS | 50" BRUSHED STAINLESS PREMIUM SAFETY BARRIER | 1 | 1 |
| PSB62SS | BRUSHED STAINLESS PREMIUM SAFTEY BARRIER LV62 | 4 | |
| PSB74SS | BRUSHED STAINLESS STEEL PREMIUM SAFETY BARRIER 74" | | |
| PSL36SS | PREMIUM BRUSHED STAINLESS STEEL SURROUND | | |
| PSL46SS | PREMIUM BRUSHED STAINLESS STEEL SURROUND | | |
| pval3 | POWERVENT ADAPTER KIT FOR BL36-1, BL46, L38 & L50 | 1 | 1 |
| PVALX3 | POWER VENT ADAPTOR KIT FOR LV38-1, LV50-2, LVX38, & IVX50 | 2 | 2 |
| PVALX5 | POWER VENT ADAPTOR KIT LUXURIA 62/74 | 3 | 3 |
| RAK30 | MEDIA TRAY FOR MINERAL ROCK KIT | | |
| REK | MINERAL ROCK KIT | 1 | 1 |
| RFK82-1SB | RECTANGLE BLK FACING KIT W/ SAFTY BARRIER | | |
| RP4 | RESTRICTOR PLATE | 5 | 5 |
| RP5 | RESTRICTOR PLATE | | |
| RP8 | RESTRICTOR PLATE FOR AGGRESSIVE VERTICAL VENT | 1 | 1 |
| RR36 | SUPPORT BRACKET FOR MEDIA KITS | | |
| S36 CVP | CONVEX DIAMOND DUST SURROUND FOR CRYSTALLO | | |
| S38K | SURROUND COMPLETE W/SAFETY SCREEN BLK | 2 | 2 |
| S38SS | SS SURROUND COMPLETE W/SAFETY SCREEN | 1 | 1 |

| | | | |
|---------------|--|----|----|
| S4 | NAPOLEON MEDIUM CAST IRON STOVE | 1 | |
| S50HS | LV 50 SURROUND HAMMERED STL | | |
| S50K | SURROUND COMPLETE W/ SCREEN LOW SHEEN BLACK | 2 | 2 |
| S50SS | SURROUND COMPLETE W/ SCREEN STAINLESS STEEL | 4 | 4 |
| SB52 | CLASSIC BLACK PREMIUM SAFETY BARRIER | | |
| SBHD40K | BASIC SAFETY BARRIER BLACK FOR HDX40NT-2 | 1 | 1 |
| SBHD46K | BASIC SAFETY BARRIER | | |
| SF30SB | Straight Black Safety Barrier | | |
| SFK82SSSB | BRUSHED STAINLESS STEEL SURROUND | 1 | |
| SFKL | SHORE FIRE KIT, MIX OF ROCKS, SAND, VERM AND GLASS | 14 | 7 |
| SFKM | SHORE FIRE KIT (MIXTURE OF ROCKS, SAND, VERMICULITE & GLASS | 14 | 6 |
| SFKS | SHORE FIRE KIT MIXTURE OF ROCKS, SAND, VERMICULITE AND GLASS (INCLUDES TRAY) | 4 | 4 |
| SL36K | CLASSIC 4-SIDED SURROUND WITH SAFETY SCREEN | | |
| SLF38K | CLASSIC BLACK FRONT WITH PREMIUM SAFETY BARRIER | 4 | 4 |
| SLF38SS | BRUSHED STAINLESS STEEL FRONT W/PREMIUM SAFETY BARRIER | 1 | 1 |
| SLF50K | CLASSIC BLACK SURROUND WITH PREMIUM SAFETY BARRIER | 6 | 5 |
| SLF50SS | BRUSHED STAINLESS STEEL FRONT W PREMIUM SAFETY BARRIER | 2 | 2 |
| SZCSB | BALCK SAFETY BARRIER - INSPIRATION ZC | | |
| T81KSB | TRIM KIT BLACK | 1 | 1 |
| TB336K | BLACK 3" BEVELLED TRIM KIT | | |
| TFK | FRAME FRONT - TORCH METALLIC BLACK FINISH | 1 | 1 |
| TFK8SB | FRAME FRONT - MET. BLACK W/SCREEN BARRIER | 1 | |
| TFP | FRAME FRONT - TORCH PEWTER FINISH | 3 | 3 |
| TFSS8SB | FRAME FRONT - STAINLESS W/SCREEN BARRIER | | |
| TI800 | Black Flashing with Trim (Covers Opening less Than 29 1/2" H X 38 1/2" W) | 1 | 1 |
| TK35 | KIT TRIM 2 BLACK | | |
| TMCK | METALLIC BLK ADJUSTABLE MOUNTING CABINET | 1 | 1 |
| TMCSS | BRUSHED STAINLESS STEEL MOUNTING CABINET | | |
| TPI35 | PELLET INSERT W/ BLK DOOR | | |
| UGK | ARCHED BLACK UPPER INSET | | |
| VICT3-BZ | VICTORIAN ROUND, 42" DIAMETER, RUSTIC BRONZE | | |
| W010-0370 | WALL SUPPORT ASSEMBLY | 2 | 2 |
| W010-0798 | PILOT ASSEMBLY | | |
| W010-1194 | PILOT ASSEMBLY NG | | |
| W010-1734 | ASSY TRIM BRACKET | 2 | 2 |
| W010-1797 | FIRESTOP (8/10) 2 CLEARANCE | 4 | 3 |
| W010-1986 | WIREHARNNESS FOR FIREGLO LOGS | | |
| W010-2363 | GLASS w/GASKET | | |
| W010-2763 | PILOT ASSEMBLY NG (SIT, EI) GL18E/24E/30E | 1 | 1 |
| W010-2808 | PILOT ASSEMBLY LP (SIT, EI) GL18E/24E/30E | | |
| W010-2842 | BURNER GD70NT | | |
| W010-2885 | DOOR LATCH TOOL | | |
| W010-3016 | BATTERY PACK (GL22/28/32) | | |
| W010-3079 | DRUM ASSEMBLY (EFL50H) | | 1 |
| W010-3364 | 8X11 FIRESTOP | | |
| W010-3490-SER | EXHAUST COLLAR ASSEMBLY | | |
| W010-3560 | FIBRE BAFFLE (2 PACK) | | |
| W010-3563 | BAFFLE KIT REPLACES W018-0118 | | |
| W010-3652 | ASSY LED SLEIGH | 1 | 1 |
| W010-4079-SER | LED LIGHT ASSEMBLY | | |
| W010-4144-SER | SAFETY SCREEN AND FRAME FOR VECTOR LV74N | 1 | |
| W010-4145-SER | SAFETY BARRIER LV62 | 2 | 1 |
| W010-4146-SER | SAFETY BARRIER SCREEN LV50 | | |
| W010-4317 | VALVE COVER | 1 | 1 |
| W018-0072-SER | BAFFLE BOARD | 1 | 1 |
| W018-0077 | !!!! PLEASE USE ITEM PART W010-3560 !!!!! | | |
| W018-0078 | BAFFLE (QTY2) | | |
| W020-0327 | BAGGIE SCREWS | 10 | 10 |
| W062-0017 | BLOWER GZ550-1KT | 1 | 1 |
| W062-0024 | BLOWER | | 1 |
| W062-0059-SER | BLOWER (ACSENT) | | |
| W062-0077 | BLOWER, 6.5" CROSSFLOW | | |
| W065-0034 | BOLT, SHOULDER (LHD50SS) | 4 | 4 |
| W100-0049 | REPLACEMENT BLOWER | 1 | 1 |
| W100-0128-SER | PAN BURNER | | |
| W135-0394 | FIBRE BURNER COVER | | |
| W165-0198-SER | SAFETY SCREEN LV50-2 | | |
| W170-0116 | VENT PIPE COLLAR | | |
| W170-0181 | 8X11 VENT PIPE COLLAR | | |
| W175 -0654 | PROPANE CONVERSION KIT FOR LVX62 | | |
| W175-0002 | 8X8 COUPLER KIT | 6 | 5 |

| | | | |
|---------------|---|----|----|
| W175-0053 | 4X7 SIMPSON DURAVENT ADAPTER | 16 | 13 |
| W175-0124 | NG -> LP KIT (GDS28) | 1 | 1 |
| W175-0166 | 5X5 COUPLER | 2 | 2 |
| W175-0170 | 5X8 SIMPSON DURAVENT ADAPTER | 57 | 31 |
| W175-0195 | 4X7 COUPLER KIT | 7 | 7 |
| W175-0196 | 5X8 COUPLER KIT | 37 | 33 |
| W175-0216 | CONVERSION KIT - NATURAL GAS TO PROPANE | | |
| W175-0222 | LP CONVERSION KIT FOR GD70 | | |
| W175-0234 | CONV KIT NG TO LP | 1 | 1 |
| W175-0239 | NG -> LP KIT (GD82) | 1 | 1 |
| W175-0249 | 10X10 COUPLER | 3 | 2 |
| W175-0271 | 3X5 COUPLER KIT | 5 | 4 |
| W175-0272 | GSS42CF CONVERSION KIT NATURAL GAS TO PROPANE | 1 | 1 |
| W175-0292 | NP -> LP KIT (GD82NT-TE) | | |
| W175-0308 | NG -> LP KIT (LOG CONFIG ONLY) | | |
| W175-0313 | Conversion Kit - Natural Gas to Propane Glass & Rock Config | | |
| W175-0347 | NG -> LP KIT (GL18NE) | 2 | 2 |
| W175-0358 | NG -> LP KIT (HDX40NT-2) | | |
| W175-0375 | CONVERSION KIT - NG - LP | | |
| W175-0383 | NG -> LP KIT (BHD4STN) | | |
| W175-0385 | 8X11 ALUMINUM COUPLER | 1 | 1 |
| W175-0387 | NG -> LP KIT (B36NTR) | | |
| W175-0399 | NG -> LP KIT (B36NTRE) SIT | | |
| W175-0401 | NG -> LP KIT (GX36NTR-1) SIT | | |
| W175-0409 | NG -> LP KIT (LV50) | 1 | 1 |
| W175-0414 | NG -> LP KIT (BL36NTE) | | |
| W175-0418 | NG -> LP KIT (B46NTRE & B42) | 2 | 2 |
| W175-0420 | NG -> LP KIT (B46NTR AND B42NTR) | | |
| W175-0424 | NG -> LP KIT (LV38) | 1 | 1 |
| W175-0640 | LP CONVERSION KIT FOR ACIES 50 | | |
| W175-0642 | NG -> LP KIT (LV38-1) | 2 | 1 |
| W175-0644 | NG -> LP KIT (LV50) | 5 | 4 |
| W175-0646 | NG -> LP KIT (VECTOR 62) | 12 | 10 |
| W175-0650 | CONVERSION KIT - NATURAL GAS TO PROPANE | 2 | 2 |
| W175-0652A | NG -> LP KIT (LVX50) | 3 | 3 |
| W175-0654. | PROPANE CONVERSION KIT FOR LVX62 | 1 | 1 |
| W190-0026 | CONTROL MODULE | 4 | 4 |
| W190-0035 | ELECTRONIC CONTROL BOARD | 1 | 1 |
| W190-0044 | BATTERY RELAY | | |
| W190-0047 | ELECTRONIC CONTROL BOARD | 1 | 1 |
| W190-0051 | EFL50H REMOTE CONTROL | | |
| W190-0072 | CONTROL MODULE (SIT) | 8 | 8 |
| W190-0073-SER | CONTROL BOARD | 1 | 1 |
| W190-0075 | CONTROL PANEL PCB | 1 | 1 |
| W190-0090 | MODULE, BLUETOOTH (VECTOR) | 5 | 5 |
| W190-0095 | REMOTE CONTROL | | |
| W190-0125 | LED CONTROLLER | 5 | 5 |
| W190-0127 | MAIN PCB BOARD FOR CLEARION ELECTRIC FIREPLACE | | |
| W200-0317-SER | CONTROL ACCESS DOOR | | |
| W200-0405 | COVER PROFLAME WALL MOUNT | 2 | 2 |
| W200-0620-SER | LIGHT COVER LV38 | | |
| W200-0655-SER | LED COVER | | |
| W200-0656 | ACCESS COVER LV62 | | |
| W240-0006 | CERAMIC ELECTRODE w/ WIRE | | |
| W290-0080 | GLASS LENSE GASKET | | |
| W290-0111 | COMBUSTION BLOWER GASKET | | |
| W290-0113 | CONVECTION BLOWER GASKET | | |
| W290-0119 | IGNITER GASKET | | |
| W290-0120 | BLOWER MOUNTING GASKET | | |
| W300-0108 | GLASS REPLACEMENT CRUSHED | 5 | 5 |
| W300-0207 | GLASS CLEAR 10 LBS (1/4") | | |
| W300-0227 | NAPOLEON ALLURE 50: REPLACEMENT GLASS | 1 | 1 |
| W305-0003 | REGISTER PLATE | | -2 |
| W320-0011M | BLOWER GUARD METALLIC BLK FOR 1100C BANFF | | |
| W335-0052 | HOOD FOR HD40-1 | | |
| W335-0053 | HOOD FOR HD46-1 | | |
| W340-0054 | BRACKETS FOR SLF50K FRAME | | |
| W350-0655 | PROFLAME 2 BATTERY PACK | 4 | 4 |
| W357-0001 | PIEZO | | |
| W385-0425 | NAPOLEON DECAL | 1 | 1 |
| W387-0009 | LAMP BULB | | |

| | | | |
|---------------|---|----|----|
| W405-0049-SER | ACCENT LIGHT (VECTOR) | 13 | 5 |
| W435-0008 | MOTOR STEPPER NG 1.3-3.5 | 1 | 1 |
| W435-0056 | FLAME EFFECT MOTOR | | |
| W435-0073 | SYNCHRONOUS MOTOR | | |
| W455-0076 | ORIFICE PROPANE #43 | 10 | 10 |
| W456-0026-SER | MAIN BURNER ORIFICE NG #26 - GL24 | | |
| W456-0031-SER | BURNER ORIFICE NG #31 | | |
| W470-0017A | PAINT, WROUGHT IRON 13oz | | |
| W475-0217 | Outside Air Pedestal Back Plate (Require with 111KT) | | |
| W475-0352 | FIBRE BAFFLE OLD TOWN RED | | |
| W475-0487 | PANEL DECORATIVE ST | 1 | 1 |
| W475-1028 | PANEL NON COMBUSTABLE SIDE (LV50N) | 2 | 2 |
| W475-1389 | SAFETY BARRIER FRAME 74" | | |
| W475-1390 | SAFETY BARRIER FRAME 62" | | |
| W497-0020 | CRYSTAL CLEAR CUBE EMBER BED | | |
| W500-0028 | 5X8 FIRESTOP | 22 | 19 |
| W500-0077 | FIRESTOP/ CEILING PLATE | | |
| W500-0292 | FIRESTOP | 2 | 2 |
| W500-0753 | BRACKETS 1 OR 2 | 1 | 1 |
| W500-0754 | BRACKETS 2 OF 2 | 1 | 1 |
| W535-0033 | KIT RETROFIT | 1 | 1 |
| W550-0006 | LAVA ROCK CINDERS | | -1 |
| W562-0009 | GLASS GASKET FOR BGNV40 | | |
| W562-0015 | GASKET, GLASS SIDE 7/8" - 2 PC. 38" EACH/CHAQUE | | |
| W565-0137 | SAFETY BARRIER SCREEN LHD42 | | |
| W565-0190-SER | SAFETY SCREEN FOR HD81 SEE THRU | | |
| W565-0193-SER | SCREEN, SAFETY (LHD62SB) | 1 | |
| W565-0198 | SAFETY SCREEN | | |
| W565-0263-SER | SAFETY SCREEN BHD4ST | 2 | 2 |
| W565-0276-SER | PREMIUM SAFETY SCREEN | | |
| W565-0277-SER | SAFETY SCREEN (PREMIUM) JUST THE SCREEN, PART 1 | | |
| W565-0278-SER | SAFETY SCREEN PREMIUM LV50-2 | | |
| W565-0279-SER | SAFETY SCREEN FOR LV-38 | | |
| W570-0001 | SCREWS | 1 | 1 |
| W570-0056 | SCREW #8 X 3/4 HEX DRIVE TEKS | 1 | 1 |
| W573-0007 | HI-TEMPERATURE SEALANT 10.3 OZ CARTIDGE | 17 | 17 |
| W585-0328 | VENT PIPE SHIELD - 3"/5" | 1 | |
| W585-0908 | VENT SLEEVE PART 1 | | |
| W585-0914 | VENT SLEEVE PART 2 | | |
| W655-0610K | MEDIA SUPPORT BRACKET FOR DLE OR REK | | |
| W660-0009 | ON/OFF SWITCH | 1 | 1 |
| W660-0071 | TRANSMITTER GTMF | | |
| W660-0074 | PROFLAME REMOTE | | |
| W660-0081 | DIGITAL THERMOSTAT WALL MOUNT | 1 | 1 |
| W660-0086 | FAN CONTROL MODULE GTMF | | |
| W660-0104 | RECEIVER GTMF | | |
| W660-0126-SER | PRO 2 TRANSMITTER | | |
| W660-0160 | WALL MOUNT CONTROL MODULE (0.584.045) | 11 | 10 |
| W660-0203 | HANDHELD REMOTE CONTROL (0.584.040) | 3 | 3 |
| W660-0204 | HIGH LIMIT SWITCH / INTERRUPTEUR DE LIMITE HAUTE | 10 | 10 |
| W660-0205 | PROFLAME2 TRANSMITTER | -1 | -3 |
| W680-0004 | THERMOPILE | | |
| W680-0005 | THERMOCOUPLE (SIT AFTER SERIAL 13204) | | |
| W707-0019 | TRANSFORMER (VECTOR) | 5 | 5 |
| W715-0890 | LOUVER FRONT COVER (LHD45) | 1 | 1 |
| W720-0160 | SECONDARY AIR TUBE - 2100 | | |
| W725-0039 | VALVE-ROBERT SHAW NG | | |
| W725-0056 | VALVE,SIT ELEC NG W/STEPPER 0.885.001 | 1 | 1 |
| w750-0202 | WIRE HARNESS | 1 | 1 |
| W750-0250 | WIRE HARNESS DEXEN 3V 8 TO 7 PIN | | |
| W750-0268 | WIRE HARNESS | | |
| W750-0365 | WIRE HARNESS LED LIGHTS | 1 | 1 |
| W750-0435 | WIRE HARNESS LED BLUETOOTH / HARNAIS DE FILS POUR BLUETOOTH LED | | |
| WD48LSS | WEATHER DOOR, 48-IN LINEAR, SS | | |
| WHD31NSB | PLAZMAFIRE WALL HANGING FP USE PN# WHD31N SLATE BRICK | | |
| WHV24P | 24 GAS PLAZMAFIRE LP | | |
| WHVF24N | PLAZMAFIRE VF NG ELEC IGN | | |
| WHVF24P | PLAZMAFIRE VF WALL HANGING FP LP | | |
| WIGL | WROUGHT IRON GLOBE KIT LARGE (62 & 74) | 24 | 10 |
| WIGM | WROUGHT IRON GLOBE KIT 38 OR 50 | 11 | 9 |
| X1R4N-1SB | DIRECT VENT NG ELECTRONIC IGNITION | | |

