



DISTRIBUTORS

AF DISTRIBUTORS
3423 East Atlanta Ave.
Phoenix, AZ 85040
(P)602.243.6245 (F)602.344.4202
www.AFDistributors.com
CustomerService@AFDistributors.com

WEEKLY INVENTORY REPORT

| <u>Item No.</u> | <u>Item Description</u> | <u>In Stock</u> | <u>Available</u> |
|-----------------|--|-----------------|------------------|
| 1001-PIS1410D | 24V SYNATEK CONTROL BOARD | 1 | 1 |
| 1002-P033SI | NG SIT PILOT ASSEMBLY TC IPI 199.033 | 4 | 4 |
| 1002-P302SI | !!!! PLEASE USE ITEM PART 1002-P322SI !!!!!!! | | |
| 1002-P322SI | MODULE PFI - IPI 584.622 | | |
| 1002-P850SI | 7 VOLT AC ADAPTOR 584.850 IPI - HBZDV36/42 | 3 | 3 |
| 3622RB-CKLP | Conversion Kit - Millivolt - To Propane | | |
| 3622RB-CKLP | Conversion Kit - Millivolt - To Propane | | |
| 3622RB-CKLPI | NG->LP CONVERSION KIT FOR IPI IGNITION | 1 | 1 |
| 3624HB-CKLPI | NG->LP CONVERSION KIT FOR IPI IGNITION | 3 | 3 |
| 3632HB-CKLP | CONVERSION KIT HBZDV3632 NG TO LP | | |
| 4224HB-CKLPI | NG->LP CONVERSION KIT FOR IPI IGNITION | | |
| 42HB-128 | MESH PULL SCREEN FOR HB42CVCK | | -1 |
| 46ZRB-141 | ACCESS PANEL VRB46NE | | |
| 46ZRB-CKLPI | NG->LP CONVERSION KIT FOR IPI IGNITION | 3 | 3 |
| 4740HB-CKLPI | NG->LP CONVERSION KIT FOR IPI IGNITION | | |
| EGTFRCN | REMOTE CONTROL IPI - THERMOSTAT/MODULATING/FAN - NG | | |
| EGTFRCP | REMOTE CONTROL IPI F1-THERMOSTAT/MODULATING/FAN-LP | | |
| EGTMRCN | REMOTE CONTROL IPI - TSTAT/MODULATING-NG | | |
| EGTRC | REMOTE CONTROL IPI/THERMOSTAT | | |
| F35FK | FAN KIT - VARIABLE SPEED TEMPERATURE SENSING FOR FREESTANDING STOVES | | |
| F450FBL | DOOR FRONT VENT LID-CHARCOAL W/ FLAT BK POSTS AND SAFETY SCREEN | | |
| F451RLT | BRICK LINER - TRADITIONAL | | |
| F45FK | FAN KIT W/ VARIABLE SPEED CONTROL (TEMP SENSING) | | |
| F52VVT | VERTICAL VENT TERMINATION FOR ZDV5245 | 10 | 10 |
| FDV451N | Free Standing Stove - (as above) Millivolt - Natural Gas | | |
| FDVHSQ | HORIZONTAL SQUARE TERMINATION 4 x 7 DIAMETER | 8 | 8 |
| FDVHT | HORIZONTAL VENT TERMINATION 4 x 7 DIAMETER | | |
| FDVVT40 | VERTICAL VENT TERMINATION CONVERTIBLE 15FT TO 40FT | 10 | 10 |
| FP2085LP | 20 ROUND FIREPIT - LP LOGS NOT INCLUDED 82,000 BTU WITH COVER | | |
| FP2785LP | 27 x 20 FIREPIT - LP LOGS NOT INCLUDED 82,000 BTU WITH COVER | | |
| GFRC | REMOTE CONTROL - ON/OFF MILLIVOLT OR IPI | 1 | 1 |
| GLMV40MVN | MULTI SIDED VF BURNER SYSTEM- 38,000 BTU NG | | |
| HB36CVCK | 36 DESIGNER CLEAN VIEW CIRCULATING KIT | 11 | 11 |
| HB36DDA1BL | 36 DOOR - BLACK DESIGNER ARCHED - SERIES 1 | | |
| HB36GBL | 36 GRILL KIT - BLACK | 5 | 5 |
| HB36PL | 36 PANELS - PORCELAIN REFLECTIVE LINER SET | | |
| HB36RLH | 36 PANELS - HERRINGBONE REFRACTORY BRICK LINER SET | 4 | 4 |
| HB36RLT | 36 PANELS - TRADITIONAL REFRACTORY BRICK LINER SET | | |
| HB42CSS | SAFETY SCREEN BARRIER (REPLACEMENT) | | |
| HB42CVCK | 42 DESIGNER CLEAN VIEW CIRCULATING KIT | 1 | 1 |
| HB42DDA1BL | 42 DOOR - BLACK DESIGNER ARCHED - SERIES 1 | | |
| HB42GBL | 42 GRILL KIT - BLACK | 10 | 10 |
| HB42PL | 42 PANELS - PORCELAIN REFLECTIVE LINER SET | | |
| HB42RLH | 42 PANELS - HERRINGBONE REFRACTORY BRICK LINER SET | 9 | 9 |
| HB42RLT | 42 PANELS - TRADITIONAL REFRACTORY BRICK LINER SET | | |
| HB47CVCK | 47 DESIGNER CLEAN VIEW CIRCULATING KIT | 1 | 1 |
| HB47GBL | 47 GRILL KIT - BLACK | 2 | 2 |
| HB47PL | KINGS 47PORCLN PNL FOR MQHBZDV4736N | | |
| HB47RLH | 47 PANELS - HERRINGBONE REFRACTORY BRICK LINER SET | | |
| HB47RLT | 47 PANELS - TRADITIONAL REFRACTORY BRICK LINER SET | 1 | 1 |
| HBZDV3624NE | 36 DV FIREPLACE - NG ELECTRONIC IGNITION LOGS & FACE NOT INCLUDED | 7 | 7 |
| HBZDV3628N | Fireplace, Millivolt Valve (as above) Natural Gas, 28,000 BTU | 1 | 1 |
| HBZDV4224 | 42 DV FIREPLACE - LP ELECTRONIC IGNITION LOGS & FACE NOT INCLUDED | | |
| HBZDV4224N | 42 DV FIREPLACE - NG STANDING PILOT LOGS & FACE NOT INCLUDED | | |
| HBZDV4224NE | 42 DV FIREPLACE - NG ELECTRONIC IGNITION LOGS & FACE NOT INCLUDED | | |
| HBZDV4736NE | 47 DV FIREPLACE - NG ELECTRONIC IGNITION LOGS & FACE NOT INCLUDED | 1 | 1 |
| HBZDV4740N | KIN 47 D/V F/P-STNADING PILOT ADD LOGS AND BRICKS 4/7 | | |

| | | | |
|---------------|---|----|----|
| HBZDV4740NE | 47 DV FIREPLACE - NG ELECTRONIC IGNITION LOGS & FACE NOT INCLUDED | | |
| I33CVBL | Clean View Kit - Black - 1 3/4" Depth | | |
| I33SR2BL | Surround - Clean View - Black (Covers 39" W x 27" H) | | |
| I33USR4BL | Surround Universal - Black (Covers 45" W x 35" H) | | |
| IDV33NE | Insert Direct Vent (as above) - CV Adaptable - IPI - Natural Gas | | |
| IDV33PRL | Porcelain Reflective Panel Liner (3 PCE) | | |
| IDV33RL | Refractory Brick Liner (3 PCE) | | |
| IDVFK25 | Flex Pipe Kit (2 x 3" Diameter x 25FT Gas Flex Liner) | | |
| IDVVT36 | Vertical Vent Termination - (3/3") Mill Pac and Screws | 1 | 1 |
| KF58AAF | FLASHING 8" C/W STORM COLLAR | | |
| KFZ58FK8 | FLEX KIT (5" & 8" DIA) SPRINGS, SCREWS, MILL PAC | | |
| KFZ58GP36 | GALV PIPE 5/8" DIA X 36 | | |
| KFZ58VT | VERTICAL VENT TERM 5/8" | | |
| KFZCV48PL | PORCELAIN PANEL LINER (3 PCE) | | |
| LOGC3 | Log Set - Five Piece - Glo-Cast - ZCV39/42 | | |
| LOGC31 | LOG SET - MDV31 7 PC CAST SPLIT OAK | 1 | 1 |
| LOGC43 | LOG SET-FOUR PIECE-TRADITIONAL OAK | | -1 |
| LOGC44 | LOG SET - HBZDV33/36/42 8 PC BURNT OAK | 3 | 3 |
| LOGC6 | Log Set - Five Piece Cast Split Oak with Ember Chunks (6000, VFI25/30) | | |
| LOGC60 | LOG SET - HBZDV4740 8 PC SPLIT OAK | | |
| LOGC85 | LOG SET - FIREPITS 4 PIECE CAST OAK | | |
| LOGF24 | LOG SET - ZDV5245 24 FIBER SPLIT OAK | | |
| LOGF30 | LOG SET - ZDV5245 30 FIBER SPLIT OAK | 14 | 14 |
| LOGF35 | Log Set - Fiber Split Oak (F350,F300,IDV33) | 1 | 1 |
| LOGF36 | LOG SET - SPLIT OAK FITS MQHBZDV36,42,47 | 2 | 2 |
| LOGF37 | LOG SET - OFP42 FIBER SPLIT OAK | | |
| LOGF451 | Log Set - Oak | | |
| M30PK | GLASS KIT - PENINSULA TEMPERED - (1) LG & (1) SMALL | | |
| M30SK | See-Through Kit - Tempered Glass, Shield & Panel, Safety Screen | | |
| M39SK | GLASS KIT - SEE-THRU CERAMIC - (2) LARGE | | |
| MCVP42LPHE | PENINSUAL DIRECT VENT FIREPLACE IPI PROPANE | | |
| MDV38RLE | REFRACTORY LINER - MDV31 END PANEL - SMALL | | |
| MDV38RLS | REFRACTORY LINER - MDV31 END PANEL - LARGE | | |
| MDVL3INE | MULTIVIEW DV FIREPLACE - NG ELECTRONIC IGNITION LOGS & FACE NOT INCLUDE | | |
| MGIKBL | GRILL KIT ISLAND- BLACK (FOUR SETS) | | |
| MGPKBC | GRILL KIT PENINSULA - MDV31 CHROME (THREE SETS) | | |
| MGPKBL | GRILL KIT PENINSULA - MDV31 BLACK (THREE SETS) | 1 | 1 |
| MQ33SWFBL | 33 WALL SURROUND - FLAT BLACK (Z33CVCK REQUIRED) | | |
| MQ39DD2BL | MQ39DD2BL Heavy Iron Door (38"W x 34-3/8") Black | | |
| MQ39RLH | LOG SET - FIBER SPLIT OAK | | |
| MQ39RLT | TRADITIONAL RERACTORY FITS MQZDV3927 | | |
| MQ453SDBL | SIDE DOORS BLK FRAME-DOOR PANEL-CHARCOAL W/ SAFETY SCREEN | | |
| MQ46D | DRIFT WOOD LOG SET | | |
| MQ46RLH | REFRACTORY FIBER BRICK LINER HERRINGBONE | | |
| MQ48DD1BL | Designer Door - Series 1 - Black c/w Safety Screen | | |
| MQFDV453LPE2 | LP FREE STANDING STOVE-PROFLAME 2 IPI-REMOTE-THERMOSTAT-MOD-FAN | | |
| MQHB36SWCCBL | SURROUND - CONCAVE - BLACK HB36CVCK REQUIRED TO INSTALL 49-1/2 WIDTH x 40-1/2 HEIGHT | 4 | 4 |
| MQHB36SWCCPW | SURROUND - CONCAVE - PEWTER HB36CVCK REQUIRED TO INSTALL 49-1/2 WIDTH x 40-1/2 HEIGHT | 4 | 4 |
| MQHB36SWCVBL | SURROUND - CONVEX - BLACK HB36CVCK REQUIRED TO INSTALL 40-1/2 WIDTH x 41 HEIGHT | 1 | 1 |
| MQHB36SWCVPW | SURROUND - CONVEX - PEWTER HB36CVCK REQUIRED TO INSTALL 49-1/2 WIDTH x 40-1/2 HEIGHT | 2 | 2 |
| MQHB42SWCCBL | SURROUND - CONCAVE - BLACK HB42CVCK REQUIRED TO INSTALL 55-1/2 WIDTH x 42-3/4 HEIGHT | | |
| MQHB42SWCCPW | SURROUND - CONCAVE - PEWTER HB42CVCK REQUIRED TO INSTALL 55-1/2 WIDTH x 42-3/4 HEIGHT | | |
| MQHB42SWCVBL | SURROUND - CONVEX - BLACK HB42CVCK REQUIRED TO INSTALL 44-1/4 WIDTH x 43 HEIGHT | 4 | 4 |
| MQHB42SWCVPW | SURROUND - CONVEX - PEWTER HB42CVCK REQUIRED TO INSTALL 44-1/4 WIDTH x 43 HEIGHT | | |
| MQHB47SWCCBL | SURROUND - CONCAVE - BLACK HB47CVCK REQUIRED TO INSTALL 61-1/2 WIDTH x 48-3/4 HEIGHT | 2 | 2 |
| MQHB47SWCCPW | SURROUND - CONCAVE - PEWTER HB47CVCK REQUIRED TO INSTALL 61-1/2 WIDTH x 48-3/4 HEIGHT | 1 | 1 |
| MQHB47SWCVBL | SURROUND - CONVEX - BLACK HB47CVCK REQUIRED TO INSTALL 50-1/2 WIDTH x 48 HEIGHT | 1 | 1 |
| MQHB47SWCVPW | SURROUND - CONVEX - PEWTER HB47CVCK REQUIRED TO INSTALL 61-1/2 WIDTH x 48-3/4 HEIGHT | | |
| MQHBZDV3636NE | 36 DV FIREPLACE - NG IPI IGNITION LOGS & FACE NOT INCLUDED | 1 | 1 |
| MQHBZDV4236NE | 42 DV FIREPLACE - NG STANDING PILOT - MH APPROVED LOGS & FACE NOT INCLUDED | 1 | 1 |
| MQHBZDV4236NE | 42 DV FIREPLACE - NG IPI IGNITION LOGS & FACE NOT INCLUDED | 1 | 1 |
| MQHBZDV4736N | 47 DV FIREPLACE - NG STANDING PILOT LOGS & FACE NOT INCLUDED | | |
| MQHBZDV4736NE | 47 DV FIREPLACE - NG ELECTRONIC IGN. - MH APPROVED LOGS & FACE NOT INCLUDED | 1 | 1 |
| MQLOGF39 | LOG SET - SPLIT OAK FITS MQZDV3927 | 2 | 2 |
| MQLOGF46 | LOG SET - FIBER SPLIT OAK | | |
| MQLOGF48 | LOGSET- OAK | | |
| MQLOGF48D | Log Set - Drift Wood - MQZCV48GT Tray Required - No Glass Media Required | | |
| MQRB3328NTE | 33 DV FIREPLACE - NG ELECTRONIC IGNITION LOGS & FACE NOT INCLUDED | | |
| MQRB33PB | 33 PANELS - REFLECTIVE PORCELAIN - BOTTOM | 2 | 2 |
| MQRB33PL | 33 PANELS - REFLECTIVE PORCELAIN - 3 PIECE | | |
| MQRB4236LPT | 42 DV FIREPLACE - LP STANDING PILOT - RIBBON BRNR LOGS & FACE NOT INCLUDED | | |

| | | | |
|--------------|--|----|----|
| MQRB4236LPTE | 42 DV FIREPLACE - LP ELECTRONIC IGNITION LOGS & FACE NOT INCLUDED | | |
| MQRB4236NTE | 42 DV FIREPLACE - NG ELECTRONIC IGNITION LOGS & FACE NOT INCLUDED | 1 | 1 |
| MQRB42PL | 42 PANELS - REFLECTIVE PORCELAIN - 3 PIECE | | |
| MQRB6961PLB | BLK PORCLN BACK WALL-SGL SIDED MQRM6961 | | |
| MQRB6961PLE | BLK PORLN END PNLS (2) FOR MQRB6961 SGL OR C-THRU | 1 | 1 |
| MQRB69SK | GRAND INFINITE C-THRU KIT (REQD ON MQRB6961) | | |
| MQRBD1 | DRIFT WOOD & ROCKS 4 OF EACH | 1 | 1 |
| MQROCK1 | ROCK SET - TAN CONTEMPORARY COLLECTION ROCK PLATFORM REQUIRED | 5 | 5 |
| MQROCK2 | ROCK SET - NATURAL CONTEMPORARY COLLECTION ROCK PLATFORM REQUIRED | 1 | 1 |
| MQROCK3 | ROCK SET - MULTI-COLORED CONTEMPORARY COLLECTION ROCK PLATFORM REQUIRED | | |
| MQRSP1 | ROCK PLATFORM - HB4736 | 2 | 2 |
| MQRSP2 | ROCK PLATFORM - HB36/42 | 1 | 1 |
| MQRSP3 | ROCK PLATFORM - HBZDV36/42 | | |
| MQRSP5 | ROCK PLATFORM - MQ3318/3622) | | |
| MQRSP7 | ROCK PLATFORM - MDV31/39 | 3 | 3 |
| MQZCV48GT | Glass Tray for MQZCV48 | | |
| MQZCV48LPE2 | FP HEATER, PRO AME 2 IPI- INCLUDES REMOTE-THERMO, MOD FAN LIGHTS-LP | | |
| MQZDV3927NE | COVE NG IPI FIREPLACE ADD LOGS & REFRACTORY | 1 | 1 |
| MQZDV4634NE | DIRECT VENT FP, IPI, 7/10 FLUE | | |
| MVF40 | ZERO CLEARANCE UNIVERSAL MULTI SIDED VF F/P | | |
| ULK2 | LIGHT KIT | 4 | 4 |
| V25S2640B | Surround Large Deluxe - Black - (Size 26 13/16"H x 40 3/16"W) | | |
| V25T2640B | Trim Kit - Black | | |
| VF125N | Fireplace Insert, Millivolt Valve (as above) Natural Gas | | |
| VI20GBL | Grill Kit - Black | | |
| Z1GBL | 36 GRILL KIT - BLACK FITS ZDV36 | | |
| Z3622PRL | PORCELAIN REFLECTIVE PANEL LINER 3 PCE | | |
| Z36FK | FAN KIT - VARIABLE SPEED TEMPERATURE SENSING WALL MOUNT CONTROL | | |
| Z36RL | REFRACTORY LINER - ZDV36 3 PIECE | 1 | 1 |
| Z42ADBL | 42 DOOR FRAME ARCHED - BLACK | | |
| Z42GBL | 42 GRILL KIT - BLACK | 2 | 2 |
| Z42RL | 42 REFRACTORY LINER 3 PIECE | 4 | 4 |
| Z46FK | Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing) | | |
| Z47PVA | FLEX PIPE ADAPTER KIT | | |
| Z52FK20 | 20 FT FLEX KIT - ZDV5245 5 STAINLESS x 7 ALUMINUM W/ SPRINGS, SCREWS, & MILPAC | | |
| Z52GBL | 52 GRILL KIT - BLACK | 1 | 1 |
| Z52HSK | 3 FT FLEX KIT - HORIZONTAL 5 STAINLESS x 7 ALUMINUM | | |
| Z52RL | REFRACTORY LINER - ZDV5245 3 PIECE | 10 | 10 |
| Z57DFA | 5x8 PIPE ADAPTOR FITS MQZDV3927 | | |
| Z57FK20 | FLEX KIT (5" & 7" DIA) X 20FT W/ SPRINGS | | |
| Z57GP36 | GALVANIZED PIPE 5&7 DIA X 36" (VERT INSTALL) | | |
| Z57VT | VERTICAL VENT TERMINATION - 5/7 | | |
| Z58DFA | M&G-Duravent Fireplace Adapter | | |
| Z65FAK | FRESH AIR KIT | | |
| Z6ADBL | 33 DOOR FRAME ARCHED - BLACK | | |
| Z710FK20 | KINGS 20FT FLEX KIT-7/10 FOR GRAND INFINITE SERIES | | |
| Z710FK5 | 5FT FLEX KIT 7/10 FLEX | | |
| Z710FS | KINGS FIRESTOP-7/10 FOR GRAND INFINITE SERIES | | |
| Z710GP48 | KINGS 48 GALV-710 HARD PIPE-VERT INSTALLS | | |
| Z710HSK5 | HORZ VENT KIT 7/10 FLEX(5FT) INC'S TERM, WALL THMBL-5FT FLE | | |
| Z710HT | HORIZONTAL TERMINATION 7/10 DIRECT VENT | 1 | 1 |
| Z710RS | KINGS RF SUPPORT-7/10 | | |
| Z710SC | KINGS STRM COLLAR-7/10 | | |
| Z710VT | VERT TERM CAP-7/10 | | |
| ZCV39GT | GLASS TRAY FOR ZC39 - REQUIRES 15LBS MEDIA | | |
| ZCV39NE | FIREPLACE, IPI VALVE NG | | |
| ZCV39PL | PORCELAIN REFLECTIVE PANEL FOR ZCV39 | | |
| ZCV39S2PFBL | SURROUND - PICTURE FRAME 1 5/8" | | |
| ZCV42NE | Fireplace, IPI Valve (as above) Natural Gas, 25,000 BTU | | |
| ZCV48RLH | Refractory Fiber Brick Liner (3 PCE) - Herringbone | | |
| ZCVRB3622N | FIREPLACE LINEAR, MILLIVOLT VALVE NG 4/7 TOP FLUE | 1 | 1 |
| ZCVRB36BL | BLACK SURROUND TRIM KIT-1-1/2 FOR ZCVRB36 | | |
| ZCVRB36SBL | Surround Trim Kit -1 1/2" Wide - Black | | |
| ZDV10FC | 10 FLEX CONCTR FOR 10 FLEX | | |
| ZDV10FCL | FLEX CLAMP 10" | | |
| ZDV48GP | 7 x 48 GALVANIZED PIPE VERTICAL INSTALLATIONS | | |
| ZDV4FC | 4 FLEX CONNECTOR | | |
| ZDV4FCL | 4 FLEX CLAMP | | |
| ZDV4FP20 | 4 x 20 FT FLEX PIPE 10 FT -> 20 FT EXPANDED | | |
| ZDV4FP8 | 4 x 8 FT FLEX PIPE 4FT -> 8 FT EXPANDED | | |
| ZDV4SS | 4 SPRING STANDOFF SPACER | | |

| | | | |
|--------------|--|----|----|
| ZDV5245N | 52 DV FIREPLACE - NG STANDING PILOT LOGS & FACE NOT INCLUDED 5 x 7 SLOPED TOP VENT | 7 | 7 |
| ZDV5245P | 52 DV FIREPLACE - LP STANDING PILOT LOGS & FACE NOT INCLUDED 5 x 7 SLOPED TOP VENT | 2 | 2 |
| ZDV5FC | 5 FLEX CONNECTOR | | |
| ZDV5FCL | FLEX CLAMP 5" | | |
| ZDV7FC | 7 FLEX CONNECTOR | | |
| ZDV7FCL | 7 FLEX CLAMP | | |
| ZDV7SC | 7 STORM COLLAR | | |
| ZDVAAF | 7 FLASHING - (1/12 -> 7/12) INCLUDES 7 STORM COLLAR | | |
| ZDV AIS | ATTIC INSULATION SHIELD 4/7 | 1 | 1 |
| ZDV DFA | DURAVENT FIREPLACE ADAPTOR ZDV33/36/42/47; ZDV6000; MDV31 | 58 | 58 |
| ZDVFK20 | 20 FT FLEX KIT - 4 x 7 WITH SPRINGS, SCREWS, MILPAC | | |
| ZDVFK5 | 5 FT FLEX KIT - 4 x 7 WITH SPRINGS, SCREWS, MILPAC | | |
| ZDVFK8 | 8 FT FLEX KIT - 4 x 7 WITH SPRINGS, SCREWS, MILPAC | | |
| ZDVFS | 7 FIRESTOP SPACER | | |
| ZDVHSK | 3 FT FLEX KIT - HORIZONTAL 4 x 7 DIAMETER | | |
| ZDVHSK5 | 5 FT FLEX KIT - HORIZONTAL 4 x 7 DIAMETER | | |
| ZDVHSKSQ | 3 FT FLEX KIT - HORIZONTAL 4 x 7 DIAMETER | | |
| ZDVHSKSQ5 | 5 FT FLEX KIT - HORIZONTAL 4 x 7 DIAMETER | | |
| ZDV RB3622NE | 36 NG LINEAR FIREPLACE IPI IGNITION 4/7 VENTING | | |
| ZDVRS | ROOF SUPPORT | | |
| ZDVWT | WALL THIMBLE-HORIZONTAL VENTING | | |
| ZRB46NE | 46 NG LINEAR FIREPLACE IPI IGNITION 4/7 VENTING | | |
| ZRB46PL | PANELS, PORCELAIN REFLECTIVE FITS ZRB46 | 1 | 1 |
| ZRB46S2SS | SURROUND TRIM KIT - 4" WIDE - STAINLESS STEEL | | |
| ZV6500N | KGS 32 B-VENT GAS FIREBOX | | |