



**DISTRIBUTORS**

AF DISTRIBUTORS  
3423 East Atlanta Ave.  
Phoenix, AZ 85040  
(P)602.243.6245 (F)602.344.4202  
www.AFDistributors.com  
CustomerService@AFDistributors.com

# WEEKLY INVENTORY REPORT

| <u>Item No.</u> | <u>Item Description</u>                             | <u>In Stock</u> | <u>Available</u> |
|-----------------|---|-----------------|------------------|
| Item No.        | Item Description                                    | In Stock        | Available        |
| Whse:           | AZFS  |                 |                  |
| 0000172         | REAR HEAT SHEILD                                    |                 |                  |
| 0000307         | fb-   |                 |                  |
| 0001976         | DEFIANT WOOD STOVE-BISCUIT ENAMEL                   |                 |                  |
| 0002768         | VC- DURAVENT DIRECT VENT ADAPTER                    | -1              | -1               |
| 0003226         | Radiance DV NG - Chestnut Brown (old style)         | 1               | 1                |
| 0003341         | Radiance NV NG - Bordeaux Enamel (old style)        |                 |                  |
| 0003365         | VC- RADIANCE DV LP CLASSIC BLACK                    |                 |                  |
| 000GK99         | GASKET KIT  | 1               | 1                |
| 057958          | IGNITOR SIT PIEZO                                   | 14              | 14               |
| 10001297        | 24 ELECTRODE W/CABLE                                | 9               | 9                |
| 10002056        | NG->LP CONVERSION KIT                               |                 | -1               |
| 10002387        | NG PILOT ASSEMBLY 3 WAY EN TOP                      | 49              | 49               |
| 10002688        | 360DVS NG-LP CONVERSION KIT 360DVS2/3/L/R           | 5               | 5                |
| 10002694        | DVRT43 NG-LP CONVERSION KIT                         | 3               | 3                |
| 10006400        | 360DVS NG-LP CONVERSION KIT 360DVS2/3/L/R (RN & EN) | 3               | 3                |
| 10006401        | 360DVS LP-NG CONVERSION KIT 360DVS2/3/L/R (RP & EP) | 7               | 7                |
| 10008233        | 33LDV NG-LP CONVERSION KIT                          | 2               | 2                |
| 10008234        | 33LDV LP-NG CONVERSION KIT                          | 2               | 2                |
| 10008235        | 36LDV CONVERSION KIT, NG TO LP                      |                 |                  |
| 10008236        | 36LDV LP-NG CONVERSION KIT                          |                 |                  |
| 10008241        | 33XDV NG-LP CONVERSION KIT                          | 2               | 2                |
| 10008242        | 33XDV LP-NG CONVERSION KIT                          | 4               | 4                |
| 10008243        | 36XDV NG-LP CONVERSION KIT                          | 10              | 10               |
| 10008274        | DV580RF NG-LP CONVERSION KIT DV580RFN TO RFP        | 3               | 3                |
| 10009559        | NVC36 NG-LP CONVERSION KIT                          | 1               | 1                |
| 11CF1           | 12 CHIMNEY SECTION 11 x 13-3/8 (ID x OD)            | 2               | 2                |
| 11CF30/2        | 30ø ELBOWS - PAIR 11 x 13-3/8 (ID x OD)             | 5               | 5                |
| 11CF4           | 48 CHIMNEY SECTION 11 x 13-3/8 (ID x OD)            |                 |                  |
| 20000407        | RP200 MBU/MR DOOR REPAIR                            |                 |                  |
| 20000975        | DVBR LP-NG CONVERSION KIT DVBR36 & DVBR42           | 4               | 4                |
| 20001731        | NVBR LP-NG CONVERSION KIT NVBR, NVBC, NVCR          |                 |                  |
| 20001732        | NVSTR36 NG-LP CONVERSION KIT NVSTR36, NVCVR36       | 7               | 7                |
| 20001733        | NVSTR36 LP-NG CONVERSION KIT NVSTR36, NVCVR36       | 5               | 5                |
| 20002007K       | RIGHT SIDE REFRACTORY PANEL                         |                 |                  |
| 20002008K       | LEFT SIDE REFRACTORY PANEL                          |                 |                  |
| 20002019K       | BACK REFRACTORY PANEL                               | -1              | -2               |
| 20002123        | DV360 LP-NG CONVERSION KIT                          | 3               | 3                |
| 20002125        | DV360 NG-LP CONVERSION KIT DV360, HDV36             | 4               | 4                |
| 20003739        | MANIFOLD TUBE ASSY DOUBLE                           |                 |                  |
| 20003868        | LOG SET FOR MAJ NVBR36                              |                 |                  |
| 20003893        | NVBR LP-NG CONVERSION KIT NVBR36/42, NVBC36/42      | 8               | 8                |
| 20003894        | CONVERSION KIT - LP                                 |                 |                  |
| 20003896        | NV360/580 NG-LP CONVERSION KIT                      | 3               | 3                |
| 20003898        | NV360 NG-LP CONVERSION KIT                          | 5               | 5                |
| 20005421K       | HEARTH BRICK SR42A                                  | -2              | -2               |
| 20005458        | CONV KIT NG TO LP NVSTR/CVR36                       | -1              | -1               |
| 20006414        | DVT44 NG-LP CONVERSION KIT DVT44RN & DVT44EN        | 3               | 3                |
| 20007229        | MANIFOLD ASSEMBLY (ODGR50                           |                 |                  |
| 20007493K       | FIREBRICK LT SIDE                                   |                 |                  |
| 20008548        | ODGSR36A NG-LP CONVERSION KIT                       | 4               | 4                |
| 20008549        | ODGSR36 LP-NG CONVERSION KIT                        | 10              | 10               |
| 20008550        | ODGSR42 LP-NG CONVERSION KIT                        | 10              | 10               |
| 20008551        | ODGSR42 NG-LP CONVERSION KIT                        | 1               | 1                |
| 20009119K       | ODGSR36 VALVE ACCESS PANEL ASSEMBLY                 | 22              | 22               |

|             |  |    |    |
|-------------|--|----|----|
| 20010751    | DV360 LP-NG CONVERSION KIT (RP/RFP-RN/RFN)   | 2  | 2  |
| 20010752    | DV360 NG-LP CONVERSION KIT (RN/RFN-RP/RFP)   | 2  | 2  |
| 20011025    | DV360E NG-LP CONVERSION KIT (DV360EN-DV360EP)  | 4  | 4  |
| 20012551    | LOG SET-STARDANCE  |    |    |
| 20012921    | LP CONVERSION KIT FOR INTREPID DV BY VERMONT CASTINGS                                  |    |    |
| 20302151K   | GLASS FRAME, SHORT, W/GLASS  |    |    |
| 20302401K   | ASSEMBLY GLASS FRAME W/GLASS   |    |    |
| 20303344K   | ASS'Y GLASS FRAME W/GLASS  | 1  |    |
| 20303729K   | WIRE PAIR, 9' LENGTH, VWD  | 1  |    |
| 20303786K   | NBST PILOT REPLACEMENT KI  |    |    |
| 20304686K   | SWITCH WALL ROCKER WHITE   |    |    |
| 20308519K   | LED MOUNTING PLATE   |    |    |
| 20308557K   | LED LIGHT STRIP  |    |    |
| 20308583K   | 4X4 MOUNTING PLATE   |    |    |
| 20308584K   | 4X4 OUTDOOR OUTLET BOX   |    |    |
| 20308585K   | 4X4 RECEPTACLE COVER   |    |    |
| 20308586K   | LED PANEL SWITCH   |    |    |
| 20308587K   | 14' AUX INPUT CABLE  |    |    |
| 20308590K   | ASSY WIRE WALL SWITCH  |    |    |
| 20DVTRN     | 20 BROOKHAVEN FIREPLACE NG ARCHED DV   | 2  | 2  |
| 3034102K    | LEFT SIDE BRICK SC42   |    |    |
| 3034103K    | RIGHT SIDE BRICK SC42  |    |    |
| 3034104K    | BACK BRICK SC42  |    |    |
| 30DVSGTKBKM | 30" Cast Georgian Surround - Majolica Brown (30.25"H x 41"W                            |    |    |
| 32737       | STORM COLLAR ASSY  |    |    |
| 360DVSRRN   | 36 REGAL CRNR DV NG RIGHT SIDE OPEN STANDING PILOT                                     | 3  | 3  |
| 36BDVRRN    | 36 BUILDERS NG DV FIREPLACE STANDING PILOT REAR VENT                                   | 2  | 2  |
| 36GDKBKSR   | 36 BI-FOLD GLASS DOORS BLACK   | 1  |    |
| 36LDVRRN    | 36 PERFECTVIEW DV FIREPLACE NG - STANDING PILOT REAR VENT                              | 1  | 1  |
| 36XDVRN     | 36 REAR/TOP VT DV-NG TOP/REAR VENT   | 1  | 1  |
| 37D0016     | VALVE SIT ELECT HI/LO NG   |    |    |
| 3943108     | BACK BRICK MBU36 SERIES  | -1 | -1 |
| 3943109     | SIDE BRICK MBUC36R/L   |    |    |
| 3943110     | HEARTH BRICK MBUC36  |    |    |
| 400DVBPVSL  | 36 LP DV FIREPLACE MILLIVOLT IGNITION REAR/TOP CONVERTIBLE SAFTEY BARRIER 4 x 7 VENT 3 |    | 3  |
| 4012-008    | ST42A/HST48D CS DM KIT   |    |    |
| 4072-107    | 42" BACK REFRACTORY HB   |    |    |
| 4072-108    | RH SIDE REFRACTORY HB  |    |    |
| 4072-109    | LH SIDE REFRACTORY HB  |    |    |
| 41127       | FLASHING 0/12-6/12 INCLUDES DB-8A  | 22 | 22 |
| 42CSBD      | WDV500 Certified Barrier Screen Pre 2015   | 1  | 1  |
| 42CSBL      | BLDV500 Certified Barrier Screen Pre & Post 2015                                       | 3  | 3  |
| 42GDKBK     | 42 BIFOLD BLACK GLASS DOOR - SEE GB SRBR42-BLK   | -1 | -1 |
| 42GDKBKSR   | MAJ 42 BLK DOOR FOR SR42   |    |    |
| 42SHGDKBK   |  | 11 | 11 |
| 43BDVRRP    | 43 DV LP FIREPLACE REAR VENT   | 3  | 3  |
| 43BDVTRN    | 43 DV NG FIREPLACE TOP VENT  | 1  | 1  |
| 43BDVTRP    | 43 DV LP FIREPLACE TOP VENT  | 2  | 2  |
| 43LDVREN    | MAJ 43 PERFECTVIEW ELEC REAR NO REFRACTORY-7TDV DV PIPE NG 1                           |    |    |
| 51704       | SENSOR TEMP FAN SWITCH   |    |    |
| 51738       | SWITCH FAN SPEED CONTROL   |    |    |
| 54912       | !!! PLEASE USE ITEM PART SRV54912 !!!!!  |    |    |
| 54D0122K    | LOG REAR 300DVB SERVICE  |    |    |
| 54D0123K    | LOG LEFT 300DVB SERVICE  |    |    |
| 54D0124K    | LOG RIGHT 300DVB SERVICE   |    |    |
| 54D0125K    | LOG CENTER 300DVB FOR SERVICE  |    |    |
| 57885       | SENSING ELECTRODE  | 10 | 10 |
| 61D0102     | REFRACTORY, REAR BWB400  |    |    |
| 73D0159K    | REPLACEMENT GLASS MAJESTIC   |    |    |
| 74D0038K    | PANEL, ACCESS, BLDV400 SE  |    |    |
| 74D0038TK   | BOTTOM ACCESS PANEL FITS BLDV400   |    |    |
| 74D0089K    | ASSY WELDED GRATE BLDV500  |    |    |
| 74D0098K    | ASSY BURNER BLDV500  |    |    |
| 74D0119K    | PANEL, ACCESS BLDV500  |    |    |
| 74D0119TK   | BOTTOM ACCESS PANEL FITS DVBL500   | 5  | 5  |
| 74D0211TK   | ASSY TEMPERED E-COAT GLAS  | 1  | 1  |
| 74D0515K    | BASE SHT METAL 1 BLDV500   |    |    |
| 7554338     | SCREEN ASSEMBLY FOR NVCR36   | 1  |    |
| 78D0027K    | DOOR ASSY WDV500   | 2  | 2  |
| 78D0040K    | ACCESS PANEL WDV500  |    |    |
| 78D0202K    | LOG, 1 ADW500 SERVICE  |    |    |

|               |   |    |    |
|---------------|---|----|----|
| 78D0203K      | LOG, 2 ADW5   |    |    |
| 78D1038K      | ASSEMBLY DOOR WDV600NTSC  |    |    |
| 78D1046K      | ACCESS PANEL WDV600   | 1  | 1  |
| 7DVFS         | MAJ 7DVFS FIRESTOP  | 28 | 28 |
| 7TDV45        | 45 DEGREE OFFSET MAJESTIC DIRECT VENT   |    |    |
| 7TDV90        | MAJ 7TDV90' ELBOW   | -2 | -2 |
| 7TDVP12       | MAJ 7TDVP12 12FLUE PIPE   | 13 | 13 |
| 7TDVP1218     |   | 1  | 1  |
| 7TDVP36       | MAJ 7TDVP36 36FLUE PIPE   | 5  | 5  |
| 7TDVP48       | MAJ 7TDVP48 48FLUE PIPE   | 5  | 5  |
| 7TDVP58       | 5X8 TO 4X7 TWIST LOCK ADAPTER   |    |    |
| 7TDVP8        | MAJ 7TDVP8 8FLUE PIPE   | 7  | 7  |
| 7TDVVRT       | REAR TERM CAP W/SIDING SHEILD-COOL TOUCH  | 3  | 2  |
| 7TDVSKV       | MAJ 7TDSKV VERT TERM CAP  | 1  | 1  |
| 80D0001       | VALVE, NG SCS   | 4  | 3  |
| 80D0002       | VALVE, LP SCS   |    |    |
| 80D0005       | COMMAND CENTER SWITCH BOX SCS   |    |    |
| 80D0007       | LP PILOT ASSEMBLY SIGNATURE COMMAND   | 11 | 11 |
| 80D0008       | WIRE SWITCH BOX CONTROL BOX   | 3  | 3  |
| 80D0010       | WIRE VALVE/CONTROL SIGNATURE COMMAND  | 6  | 6  |
| 80D0018       | !!!! WHILE SUPPLIES PLEASE USE ITEM PART SRV80D0018!!!!!!                             | 13 | 13 |
| 80D0019       | !!!! WHILE SUPPLIES PLEASE USE ITEM PART SRV80D0019 !!!!!!!                           | 17 | 17 |
| 80D0022       | PLATE, WALL SCS   | 1  | 1  |
| 80D0037K      | CONTROL BOX NG REPROG   |    |    |
| 8-6-12        | FLASHING 0/12 - 6/12  | 17 | 17 |
| AIS-SK        | AIS-SK ATTIC INSUL SHIELD. For units manufactured before 03/16/2015.                  |    |    |
| ALK-72        | AMBIENT LIGHT KIT.  |    |    |
| AMMHB36       | HERRINGBONE MOLDED BRICK PANELS (FITS 36")  |    |    |
| ASH36         | ASHLAND 36" RADIANT WOOD BURNING FIREPLACE  |    |    |
| ASH42         | 42" RADIANT WOOD BURNING FIREPLACE  |    |    |
| AVFL42NTSC    | 42" ARTISAN VENT FREE LINEAR FIREPLACE, SIGNATURE COMMAND NG                          |    |    |
| AVFL42PTSC    | 42" ARTISAN VENT FREE LINEAR FIREPLACE, SIGNATURE COMMAND CNTRL LP                    |    |    |
| AVFL42RLK     | ROPE LIGHTING KIT FITS AVFL42W FSURROUNDS   | 1  | 1  |
| AVFL42TKI     | Black Texture Inside Fit Trim Kit--Conceals unfinished edged                          |    |    |
| AVFL42WCSS-A  | Wide contemporary Stainless Steel face for AVFL42 and AVFLST42                        |    |    |
| AVFL42WFBT-A  | WIDE CONTEMPORARY BLACK TEXTURED FACE FOR AVFL42 AND AVFLST42                         |    |    |
| AVFL60CFBT    | Contemporary Black Textured face for AVFL60.  |    |    |
| AVFL60DLS     | Driftwood log set for AVFL60  |    |    |
| AVFL60NIP     | 60" Artisan Vent Free Linear Fireplace, IntelliFire Plus IPI Control, Natural Gas     |    |    |
| AVFLST42NTSC  | 42" SEE THROUGH FIREPLACE   | 19 |    |
| AVFLSTSSODK   | OUTDOOR SEE THROUGH KIT   |    |    |
| BC18-R        | 18" 6 PIECE BEACHCOMBER BURNCRETE REF LOGSET  |    |    |
| BC30-R        | 30" 6 piece Beachcomber Burncrete® refractory log set for Natural Blaze VF 24" burner |    |    |
| BCK400CKPA    | NG to LP Millivolt Gas Conversion Kit for 400 models                                  |    |    |
| BE36          | 36 RADIANT WOOD BURNING   |    |    |
| BE42          | 42 ROYALTON RADIANT   |    |    |
| BGK-36        | 36 REFLECTIVE BLACK LINER KIT FITS ECHEL36IN  | 1  | 1  |
| BGK-48        | 48 REFLECTIVE BLACK LINER KIT FITS ECHEL48IN  | 1  | 1  |
| BGK-60        | 60 REFLECTIVE BLACK LINER KIT FITS ECHEL60IN  | 2  | 1  |
| BGK-72        | 72 REFLECTIVE BLACK LINER KIT FITS ECHEL72IN  | 2  | 1  |
| BGK-LINEARST  | SEE THRU REFLECTIVE BLACK LINER KIT FITS ECHEL36ST FITS ECHEL48ST                     |    |    |
| BL400LK       | LIGHT KIT (BLDV400) FLOOR,CORD,DIMMER   | 1  | 1  |
| BL500LK       | LIGHT KIT (BLDV500) FLOOR,CORD,DIMMER   | 1  | 1  |
| BLCK400CKPS   | NG-LP CONVERSION KIT FOR 400DVBLNSC7  | 2  | 2  |
| BLCK500CKPS   | NG-LP CONVERSION KIT FOR 500DVBLNSC7  | 2  | 2  |
| BLCS          | STONE KIT - 400 & 500DVBL ADD GLASS KIT & LINER                                       |    |    |
| BLCS3         | STONE KIT - 300DVBL ADD GLASS KIT & LINER   | 1  | 1  |
| BLDV400NSCSL  | 36 NG SOLITAIRE DV FIREPLACE SCREEN BARRIER ELECTRONIC IGNITION SLP                   | 2  | 2  |
| BLDV500NSCSL  | 42 NG SOLITAIRE DV FIREPLACE SCREEN BARRIER ELECTRONIC IGNITION SLP                   | 11 | 11 |
| BLDV500SD     | MESH GLASS COVER FITS BLDV500   |    |    |
| BLOTBLDV      | BLOWER - THERMOSTATIC VARIABLE SPEED  | 1  | 1  |
| BLOTBLDVSC    | BLOWER - SIGNATURE COMMAND SCSACM & TSFSC REQUIRED                                    | 2  | 2  |
| BLOTSTSC      | BLOWER - SINGLE SCS NEED (1) FOR EACH SIDE FIT WDVST500                               | 1  | 1  |
| BLPB400       | PORCELAIN BLACK LINER FITS 400DVBL  | 2  | 2  |
| BLPB500       | PORCELAIN BLACK LINER FITS 500DVBL  | 1  | 1  |
| BO18-F        | 18" 7PC BERKELEY LOG SET  |    |    |
| BR42          | 42 RADIANT FIREBOX USE SK8 VENTING  |    |    |
| BREF36        | 36 ELECTRIC FIREPLACE WITH REMOTE & HEATER  | 1  | 1  |
| BRICK32TB     | BRICK INTERIOR PANELS 32" TAVERN BROWN  |    |    |
| BRICK36MERCER | BRICK INTERIOR PANELS-TRADITIONAL-COTTAGE RED   | 1  | 1  |
| BRICK36TB     | Brick interior panels 36" - Tavern Brown  |    |    |

|               |  |     |     |
|---------------|--|-----|-----|
| BRICKMQ42HB   | BRICK INTERIOR PANELS MARQ42 - TAVERN BROWN HERRINGBONE                              |     |     |
| BRICKMQ42HB-B | Brick interior panels Marq42 - Tavern Brown herringbone                              |     |     |
| BRICKMQ42STCR | BRICK INTERIOR PANELS ST42 - COTTAGE RED   |     |     |
| BRICKMQ42STTB | BRICK INTERIOR PANELS ST42- TAVERN BROWN   | 1   |     |
| BRICKPIER36CR | TRADITIONAL BRICK INTERIOR PANELS FOR PENINSULA - COTTAGE RED,                       |     |     |
| BRICKPIER36TB | TRADITIONAL BRICK INTERIOR PANELS FOR PENINSULA-TAVERN BROWN                         |     |     |
| BUF36         | Vent free circulating firebox with radiant face, 36" opening                         | 1   | 1   |
| BUF36-R       | VENT FREE CIRCULATING FIREBOX WITH RADIANT FACE, 36" OPENING AND REFRACTORY INTERIOR |     |     |
| BV4536NVC     | 36 BV FIREPLACE (8 BVENT) 50,000BTU  | 1   | 1   |
| CABL          | FLAT BLACK ADJ CANOPY 28-48  | 4   | 4   |
| cb876         | CHIMNEY BRACKET PACKAGE OF 3   | 2   | 2   |
| CFCRD130BK    | CLEAN FACE RECTANGULAR FRONT (REQUIRED)  |     |     |
| CFT-32-PT     | CLEAN FACE TRIM (PEWTER)   |     |     |
| CFT-36-BK     | 36 CLEAN FACE - BLACK FITS ECHEL36(ST) FITS MEZZO36(ST)                              | 2   | 2   |
| CFT-36-BZ     | 36 CLEAN FACE - BRONZE FITS ECHEL36(ST) FITS MEZZO36(ST)                             | 1   | 1   |
| CFT-42-PT     | CLEAN FACE TRIM - PEWTER   |     |     |
| CFT-48-BZ     | 48 CLEAN FACE - BRONZE FITS ECHEL48(ST) FITS MEZZO48(ST)                             | 1   | 1   |
| CFT-48-PT     | CLEAN FACE TRIM-PEWTER   |     |     |
| CFT-60-BZ     | 60 CLEAN FACE - BRONZE FITS ECHEL60 FITS MEZZO60(ST)                                 | 1   | 1   |
| CFT-60-PT     | CLEAN FACE PEWTER TRIM KIT FOR 60" ECHELON   | 1   |     |
| CFT-72-BZ     | 72 CLEAN FACE - BRONZE FITS ECHEL72 FITS MEZZO72(ST)                                 |     |     |
| CFT-72-PT     | 72 CLEAN FACE - PEWTER FITS ECHEL72  | 1   | 1   |
| CINDERS       | Ceramic Fiber Cinders, 1 lb. bag   | 2   | 2   |
| CK32          | CONTEMPORARY CONVERSION KIT FOR QUARTZ 32 - INCLUDES 2 BAGS MEDIA AND STONES         |     |     |
| CK36          | CONTEMPORARY CONV KIT FOR 36" QUARTZ   |     |     |
| COCPE33       | MAJ 33CRNR CAB CORTLAND PECAN - 33 FP  | 1   | 1   |
| CRD36BK       | CONTEMPORARY RECTANGULAR DOOR 36" OVERLAP FRNT BLK                                   |     |     |
| DBM36BK       | DECORATIVE BLACK MESH 36 INSIDE FIT FRONT  |     |     |
| DBX24NTC      | MONESSEN 24 V.F. NG F.P BEDROOM APPROVED 10KBTU'S                                    |     |     |
| DEF33         | MAJ 33 ELEC F/P W/HEATER   | 10  | 10  |
| DSR42         | 42" SEE THRU RADIANT WOOD BURNING FIREPLACE  |     |     |
| DT0134-CP     | DECORATIVE TERMINATION OCTAGON 34" -FAUX COPPER (Adapter required for wood)          |     |     |
| DV36GTS       | MAJESTIC PEWTER TRIM 2 PC  |     |     |
| DVR28IN       | CURVE-REAR D V FIREPLACE N G ONLY--TRIM REQ.   | 3   | 3   |
| DVRS3RN       | COVE DV NG FIREPLACE TOP/REAR VENT   | 1   | 1   |
| DVRT41RN      | 41 ND DV FIREPLACE   |     |     |
| DVT44RN       | MAJ 44CHATEAU DV F/P-NG-PILOT ADD REFRAC USE DVT44HCR 37                             | 1   | 1   |
| ECHEL36IN     | 36 NG LINEAR FIREPLACE ADD FRONT TO COMPLETE   | 2   | 2   |
| ECHEL36STIN   | 36 NG SEE THRU LINEAR FIREPLA ADD (2) FRONTS TO COMPLETE                             |     |     |
| ECHEL48IN     | 48 NG LINEAR FIREPLACE ADD FRONT TO COMPLETE   | 2   | 2   |
| ECHEL48STIN   | 48 NG SEE THRU LINEAR FIREPLA ADD (2) FRONTS TO COMPLETE                             |     |     |
| ECHEL60IN     | 60 NG LINEAR FIREPLACE ADD FRONT TO COMPLETE   | 2   | 1   |
| ECHEL72IN     | 72 NG LINEAR FIREPLACE ADD FRONT TO COMPLETE   | 2   | 2   |
| EMBERS        | EMBERS DECORATIVE CERAMIC FIBER - 1 BAG  | 133 | 133 |
| EYF18-NM      | 18" EYF 28k NG BURNER  | 2   | 2   |
| EYF18NV       | 18" EYF Burner Natural Gas 28,000 BTU, Natural Gas.                                  |     |     |
| EYF18PV       | 18" EYF Burner Propane Gas 28,000 BTU, Propane Gas.                                  | 3   | 3   |
| EYF18-PV      | 18" EYF Burner Propane Gas 28,000 BTU, Propane Gas.                                  | 4   | 4   |
| EYF18-R       | 18" MTN OAK 4PC LOG SET  |     |     |
| EYF24-F       | 24" MOUNTAIN OAK 5-PIECE MULTI-LOG SET. FOR USE WITH EYF 24 BURNER.                  | 1   | 1   |
| EYF24-NM      | 24" EYF Burner Natural Gas 36,000 BTU, Natural Gas.                                  | 3   | 3   |
| EYF24PM       | 24" EYF Burner Propane Gas 36,000 BTU, Propane Gas.                                  | 1   | 1   |
| EYF30-R       | 30 MOUNTAIN OAK - 5 PIECE SET  | 1   | 1   |
| FBBLDV400OE   | BLDV400 OLD ENGLISH FIRE BRICK   | 3   | 3   |
| FBBLDV400TB   | 36 FIREBRICK - TAVERN BROWN WALLS & HEARTH BRICKS                                    | 5   | 5   |
| FBBLDV500OE   | OLDE ENGLISH FIREBRICK HERRINGBONE (500DVBL)   | 4   | 4   |
| FBBLDV500TB   | 42 FIREBRICK - TAVERN BROWN WALLS & HEARTH BRICKS                                    | 1   | 1   |
| FBCDT36TB     | 36 FIREBRICK - TAVERN BRWN FITS CDVT36   | 3   | 3   |
| FBKHLST500OE  | OLDE ENGLISH FIREBRICK HERRINGBONE (KSTDV500)  | 3   | 3   |
| FBKHLST500TB  | TAVERN BROWN FIREBRICK FITS KSTDV500   | 1   | 1   |
| FK20-VC       | VARIABLE SPEED, HEAT ACTIVATED FAN KIT   |     |     |
| FK28          | VARIABLE SPEED HEAT ACTIVATED FAN KIT  |     |     |
| FLEXCON30     | 30 SS FLEXIBLE CONNECTOR   | 1   | 1   |
| FOWO36        | CAB 36FORESTER W-HRTH UNF 4--DVRT,BDVR,BDVT,UVC,UV                                   | 2   | 2   |
| FS2A          | FIRESTOP 11CF FLUE   | 28  | 27  |
| FSMQ42CH      | FIRESCREEN FRONT, 42" - CHARCOAL   |     |     |
| FSMQ42STBZ    | FIRESCREEN FRONT 42ST - BRONZE   |     |     |
| FSMQ42STCH    | FIRESCREEN FRONT 42ST- CHARCOAL  | 1   | 1   |
| FSMQ42STPT    | FIRESCREEN FRONT 42ST - PEWTER   |     |     |
| FSPR36BK      | PENINSULA FIRESCREEN FRONT - BLACK   |     |     |
| FSPREP36BK    | PENNSULA END PANEL FIRESCREEN FRONT - BLACK  |     |     |

|                 |  |    |    |
|-----------------|--|----|----|
| G36HVPI         |  | 1  | 1  |
| G42HVPI         |  | 1  | 1  |
| GBR36RN         |  | 3  | 3  |
| GCUF36C-F       | 36IN LOUVERED CRIC VENT FREE FIREBOX W COTTAGE CLAY BRICK                                      | 1  | 1  |
| GCUF36C-R       | CIRC FIREBOX W/ LOUVERS 36 W/ REFRAC FIRE BRICK STD  | 1  | 1  |
| GCUF42C-R       | 42 CIRC FIREBOX W LOUVERS REFRAC FIREBRICK STANDARD  |    |    |
| GDB54           | 48 GLASS DOORS - BLACK FITS SB44   | 1  | 1  |
| GKB             | CONTEMPORARY GLASS KIT--BRONZE   |    |    |
| GLA-36-MAJ      | GLASS ASSEMBLY ECHELON48   | 1  | 1  |
| GLA-48-MAJ      | GLASS ASSEMBLY ECHELON 48  |    |    |
| GLASS-BZ        | GLASS, BRONZE 1 BAG  |    |    |
| GLASS-SP        | SAPPHIRE CRUSHED GLASS (1 BAG)   |    |    |
| GLCF36C         | MAJ LEFT CRNR V F BOX W/ REFRA USE DST30 VF LOGS   | 1  | 1  |
| GLQUARTZ32      | BLACK GLASS INTERIOR PANELS 32"  |    |    |
| GLQUARTZ36      | BLACK GLASS INTERIOR PANELS 36"  | 2  | 2  |
| GRUF32C-F       | CIRC FIREBX W/ RADIANT CLN FAC 32 OPEN W COTTAGE CLAY FIREBK                                   | 1  | 1  |
| GRUF32C-R       | Circulating Firebox w/radiant clean face, 32" opening w/refractory firebrick standard          | 1  | 1  |
| GRUF36C-R       | Circulating Firebox w/radiant clean face, 36" opening w/refractory firebrick standard          |    |    |
| GRUF42C-F       | CIRCULATING FIREBOX W/RADIANT CLEAN FACE, 42" OPENING W/COTTAGE CLAY FIREBRICK STANDARD        |    |    |
| H7582           | NG-LP CONVERSION KIT FOR WDV500NTSC  |    |    |
| HTI-12-007      | WALL SWITCH KEYPAD   |    |    |
| INDVRCBSB       | INTREPID DIRECT VENT CLASSIC BLACK USE ADAPT 0002768 TO DURA4-6                                |    |    |
| IPIWK           | IntelliFire Plus & LED Lights Wall Switch Extension Kit, (15ft wire, rough-in box, wall cover) |    |    |
| JADE42IN        | JADE 42" DV GAS FIREPLACE  |    |    |
| KST500CKPS      | NG-LP CONVERSION KIT FO KSTDV500   | 1  | 1  |
| KSTDVP500NTSC   | 48" Top Vent Clean Face See-Thru DV Fireplace, Signature Command control Natural Gas           |    |    |
| LCOR-DV36IN     | MAJESTIC LEFT CORNER DIRECT VENT FIREPLACE   |    |    |
| LCUF32-R        | LO-RIDER CLEAN FACE 32 OPENING WITH HERRINGBONE REFRACTORY FIREBRICK                           |    |    |
| LCUF36CR-B      | Lo-Rider Clean Face Firebox, 36" opening with traditional refractory firebrick standard        |    |    |
| LOGS-DRTWOOD-36 | 36 DRIFTWOOD LOG SET FITS 36 ECHELON(ST)   |    |    |
| LOGS-DRTWOOD-48 | DRIFTWOOD LOG SET 48"  |    |    |
| LOGS-DRTWOOD-60 | 60 DRIFTWOOD LOG SET FITS 60 ECHELON   |    |    |
| LOGS-DRTWOOD-72 | 72 DRIFTWOOD LOG SET FITS 72 ECHELON   |    |    |
| LPK-ECHEL36     | NG->LP KIT (ECHEL36IN)   | 1  | 1  |
| LPK-ECHEL48     | NG->LP KIT (ECHEL48IN)   | 5  | 3  |
| LPK-ECHEL60     | NG->LP KIT (ECHEL60IN)   | 2  | 2  |
| LPK-ECHEL72     | NG->LP KIT (ECHEL72IN)   | 1  | 1  |
| LPKMARQ42       | LP CONVERSION KIT  |    |    |
| MAJ             | Fiber ceramic millivolt valve cover  |    |    |
| MARQ42IN        | MARQUIS II 42" TOP, DIRECT VENT FIREPLACE W/IPI  |    |    |
| MARQ42STIN      | MARQUIS II SEE-THRU TOP VENT DIRECT VENT WITH INTELLIFIRE TOUCH IGNITION                       |    |    |
| MBSPA           | ADAPTER-MAJ BOX-DURAVENT   |    |    |
| MCCH33          |  |    |    |
| mech36          | CORNER CABINET FINISH HONEY OAK 36"  |    |    |
| MDVI30IN        | RUBY 30" INSERT  |    |    |
| MERC32IN        | MERCURY 32" DIRECT VENT GAS FIREPLACE, TOP/REAR VENT W/IPI (NG)                                |    |    |
| MERIDPLA36IN    | MERIDIAN PLATINUM 36" TOP/REAR DV INTELLIFIRE TOUCH IGN  |    |    |
| MONTANA-36      | 36" OUTDOOR STAINLESS STEEL WOOD FIREPLACE WITH TRAD REFRACTORY                                |    |    |
| MONTPBM         | MONTPELIER CAST IRON WOOD INSERT-MAJOLICA BROWN  |    |    |
| MVVKNA          | MILLIVOLT NG GAS VALVE KIT   | 1  | 1  |
| MWCO36          |  | 1  | 1  |
| NB18PSCR        | 18" SC NATURAL BLAZE BURNER PROPANE GAS WITH REMOTE CONTROL, 28,000 BTU                        |    |    |
| NB18PV          | NATURAL BLAZE BURNER LP  |    |    |
| NB24PSCR        | 24" SC NATURAL BLAZE BURNER PROPANE W/REMOTE   | 1  | 1  |
| NB24PV          | 24 NATURAL BLAZE BURNER  |    |    |
| NBST27F         | !!!!!!DO NOT USE THIS PART PLEASE USE NBST27-F !!!!!!!!!!!!!!!                                 |    |    |
| NBST27-F        | 27" NATURAL BLAZE SEE/THR LOG SET USE WITH NBST27 BURNER                                       | 2  | 2  |
| NBST27NV        | !!!!!!USE NBST27NV-B AND NBSR27-F !!!!!!!!!!!!!!!  |    |    |
| NBST27NV-B      | 27" NG NATURAL BLAZE SEE-THROU BURNER 39,000 BTU   |    |    |
| NBST27PV        | !!!!USE NBST27PV-B AND NBST27-F !!!!   |    |    |
| NV360RN         | MAJ 36 B-VENT F/P W/GLAS-NG NO REFRACTORY  | 1  | 1  |
| NV580RN         |  | 8  | 8  |
| NVBC36RN        |  | 1  | 1  |
| NVBC42RN        |  | 1  | 1  |
| NVBR36EN        |  |    |    |
| NVBR36RN        | MAJ 36 BARRINGT PILOT NG RAD 6B-VENT   | 5  | 5  |
| NVBR36RP        |  | 1  | 1  |
| NVBR42RN        | MAJ 42 B-VENT F/P-NG-SP USES 6 B VENT PIPE   |    |    |
| NVC36RN         | MAJ 36 REMINGTON BV PILOT NG NO REFRACTORY-  | 11 | 11 |
| NVC39EN         | 39 BV NG FIREPLACE ELECTRONIC IGNITION   | 2  | 2  |
| NVC39RN         | 39 BV NG FIREPLACE WITH LOUVERS  | 3  | 3  |

|                |  |    |    |
|----------------|--|----|----|
| NVCR36LRN      | 36 CORNER LT STD PILOT NG 6 DURAVENT B6GV PIPE   | 3  | 3  |
| NVCR36RRN      | 36 CORNER RT STD PILOT NG 6 DURAVENT B6GV PIPE   | 2  | 2  |
| NVSR42RN       |  | 1  | 1  |
| ODG42WE        | Weather Enclosure for 42" AI Fresco  |    |    |
| ODGSR42ARN     | 42" OUTDOOR RADIANT VENTFREE NG FIREPLACE  |    |    |
| OXDV30P        | OXFORD DV GAS STOVE - CLASSIC BLACK - NG   |    |    |
| PEARL36PRIN    | PEARL II 36" PENINSULA DIRECT VENT MULTI SIDE TOP/REAR GAS FIREPLACE W/IPI                           |    |    |
| PEARL36STIN    | PEARL II 36" SEE THRU DIRECT VENT  |    |    |
| PFVDVNV        | PENINSULA DV NG FIREPLACE 4 x 6-5/8 VENTING  | 1  | 1  |
| PFF-42-CH      | PICTURE FRAME FRONT - CHARCOAL   |    |    |
| PFF-48-CH      | PICTURE FRAME FRONT- CHARCOAL (59"w X 23 3/8"h)  | 1  | 1  |
| PFF-48-PT      | PICTURE FRAME FRONT-PEWTER   |    |    |
| PL20NV         | 20 PARLOR VF FIREPLACE NATURAL GAS - VENT FREE 20,000 BTU  | 2  | 2  |
| QUARTZ32IL     | QUARTZ 32" TOP/REAR DIRECT VENT-LP   |    |    |
| QUARTZ32IN     | QUARTZ 32" TOP/REAR DIRECT VENT FIREPLACE W/IPI (NG)   |    |    |
| QUARTZ36IN     | QUARTZ 36" TOP/ REAR DV FIREPLACE W INTELLIFIRE  |    |    |
| QUARTZ42IL     | Quartz 42" top/rear direct vent fireplace with IntelliFire ignition (LP)                             | 1  |    |
| RBV4236IH      | REVEAL 36 36" OPEN HEARTH B-VENT GAS FIREPLACE RADIANT UNIT WITH IPI (NG) WITH HERRINGBONE REFRACTOR |    |    |
| RBV4236IT      | REVEAL 36 36" OPEN HEARTH B-VENT GAS FIREPLACE RADIANT UNIT W/IPI (NG) W/TRADITIONAL BRICK REFRACTOR |    |    |
| RCB            | HAND HELD ON/OFF W/BATTERY RECEIVER  | 5  | 5  |
| RCMT           | SOFT TOUCH ON/OFF W 90 MIN TMR LCD SCREEN -RCVR & WALL CVR   |    |    |
| RCST           | HAND HELD TSTAT LCD SCREEN WITH BATT RCVR AND WALL CVR   | 1  | 1  |
| RCT-MLT-MAJ    | IPI REMOTE CONTROL (ON/OFF, FAN, FLAME, TEMP, TIMER)   |    |    |
| RF371          | 7/12 - 12/12 PITCH ROOF FLASHING   |    |    |
| RLSCB400       | COVER - REAR LOG SUPPORT FOR 400DVBL   | 5  | 5  |
| RLSCB500       | COVER - REAR LOG SUPPORT FOR 500DVBL   | 4  | 4  |
| RLTCF11L       | VERTICAL LONG CAP 11CF VENTING   | 1  | 1  |
| RLTS8          | TERM CAP   |    |    |
| RLTS8L         | ROUND TERM CAP S8  | 1  | 1  |
| RLTSK8L        | VERTICAL LONG CAP SK8 VENTING  | -3 | -3 |
| RMSC           | ON/OFF REMOTE CONTROL FLAME ADJ. & TIMER   | 6  | 6  |
| SA36C          | 36" Heat Circulating Fireplace   | 4  | 4  |
| SA42C          | SOVEREIGN 42 HEAT CIRCULATING FIREPLACE  |    |    |
| SB100          | 50" BILTMORE RADIANT WOOD BURNING FIREPLACE STACKED BRICK.   |    |    |
| SB100HB        | 50 RADIANT WOOD FIREPLACE HERRINGBONE BRICK  |    | 1  |
| SB44HB         | 44 RADIANT WOOD FIREPLACE HERRINGBONE BRICK  |    |    |
| SB60HB         | 38 RADIANT WOOD FIREPLACE HERRINGBONE BRICK FORMERLY SB38HB  | 1  | 1  |
| SB80HB         | 44 RADIANT WOOD FIREPLACE HERRINGBONE BRICK  | 1  | 1  |
| SC30-R         | 30" 11PC STONY CREEK REFRACTORY LOG SET FOR NATURAL BLAZE  | 1  | 1  |
| SCSACM         | A/C CONTROL MODULE TSFSC & BLOTBLDVSC REQUIRED   | 7  | 7  |
| SCSWEK         | EXTENSION KIT - WALL MOUNT 15FT WIRE, BOX, COVER   |    |    |
| SD30NV         | Sundance, Cast Classic Black, Double Door, 28,000 BTU, Natural Ga                                    |    |    |
| SI30-4230-BK   | MEDIUM SURROUND 42 X 30 CLASSIC BLACK  |    |    |
| SI30-4-4034-BK | FOUR SIDED SURROUND 40" X 34" CLASSIC BLACK (REQUIRED)   |    |    |
| SK81           | 12 CHIMNEY SECTION 8 x 11 (ID x OD)  |    |    |
| SK830          | SK8 MAJ 30 DEG ELBOW SET OF 2  |    |    |
| SK84           | 48 CHIMNEY SECTION 8 x 11 (ID x OD)  | 1  | 1  |
| SK845          | MAJ SK 45° ELBOW (EA) FOR CHATEAU D/V ONLY   | 5  | 5  |
| SK890          | MAJESTIC SK 90 DEG ELBOW   | 3  | 3  |
| SK8DVRVT       | MAJ HORZ TERM (SK) FOR CHATEAU D/V ONLY  |    |    |
| SKAVFL42       | Stone kit for AVFL42   |    |    |
| SKFS2A         | FIRESTOP SK FLUE   | 7  | 7  |
| SL418          | 18 INCH CHIMNEY SECTION  |    |    |
| SL436          | 36 INCH CHIMNEY SECTION  |    |    |
| SLP-DVFAM      | SLP FLEX ADAPTER KIT W/ GEAR CLAMPS  |    |    |
| SLP-FLEX-10    | 10' SL PIPE LENGTH FLEXIBLE VENTING  |    |    |
| SLP-FLEX-TRAP  | Trapezoid termination kit (includes cap and wall thimble)  |    |    |
| SMART-STAT-MAJ | REMOTE CONTROL-IPI OR SP (ON/OFF, TEMP READOUT, THERMOSTAT MODE, TIMER MODE)                         | 1  |    |
| SR42A          | MAJ 42 DELXE WD FIREPLACE USES SK PIPE   |    |    |
| SRV14D0476     | MANUAL MT SERIES VF PILOT  |    |    |
| SRV20006149    | THERMOCOUPLE 72"   |    |    |
| SRV20308613    | REMOTE ACCESSORY KIT   |    |    |
| SRV4604-004    | AVFLST42ST INNER GLASS REPLACEMENT KIT   |    |    |
| SRV480-0510    | BAFFLE BOARD   |    |    |
| SRV480-0760    | CERAMIC BLANKET  |    |    |
| SRV80D0018     | CONTROL BOX NG SCS   | 5  | 5  |
| SRV80D0019     | MODULE CONTROL BOX LP SCS PROPANE GAS  | 5  | 5  |
| SRV80D0041     | AC ADAPTOR 6VDC 1.5A   | 1  |    |
| SSTB11         | 42 SEE-THRU WOOD F/P USES 11CF PIPE BLACK DOORS INCLUDED   | 1  | 1  |
| STLDVCKPS      | NG->LP KIT (STLDV)   |    |    |
| STLPB          | PORCELAIN LINER FITS STLDV   | 2  | 2  |

|                |  |    |    |
|----------------|--|----|----|
| STONES-NATURAL | NATURAL STONES (1 BAG) MULTIPLE REQUIRED 36 - 2 BAGS 48 & 60 - 3 BAGS 72 - 4 BAGS            |    |    |
| TS             | TSTAT BULB SENSOR for millivolt models only. Adds thermostat operation to a millivolt valve. |    |    |
| TSFSC          | TOUCH SCREEN REMOTE SCSACM & BLOTBLDVSC REQUIRED   | 8  | 7  |
| UD4            | 4" 100MM UNINSULATED D FLEX DUCT INCLUDES 2 42" SECTIONS                                     |    |    |
| UV36RN         | MAJ 36 VENT FREE MVK NAT GAS W/LOGS  |    |    |
| UVC43RN        | 43 VF NG FIREPLACE STANDING PILOT  | 1  | 1  |
| UVCVR36        |  | 1  | 1  |
| UVLC24RN       | 24 VF NG LOG SET MILLIVOLT - 6 LOGS  | 1  | 1  |
| UVLXM24RP      | 24V F MULTI SIDED LOG SET LP   | 4  | 4  |
| UVS36RN        | MAJ 36VENTLESS HEATER W/STANDING PILOT NAT.GAS   | 1  | 1  |
| VCEF26         | MAJ 26 ALLURA ELEC F/P   | 2  | 2  |
| VCEF33         | 33 ALLURA ELECTRIC FIREPLACE 120V - 4500BTU  | 2  | 2  |
| VCEF36         | 36 ALLURA ELECTRIC FIREPLACE 120V - 4500BTU  |    |    |
| VFC24LNV       | 24 VENT FREE FIREPLACE TRAD  | 2  | 2  |
| VLM24RP        | MAJ MULTI SIDE MVK VENT FREE LOGSET FOR UVCVR & UVSTR36                                      | 1  | 1  |
| VWDV70BT       | BLACK SURROUND FITS VWDV70   | 5  | 5  |
| VWDV70CSS      | STAINLESS STEEL SURROUND FITS VWDV70   | 1  | 1  |
| VWDV70PB       | BLACK PORCELAIN LINER FITS VWDV70NTSC  | 1  | 1  |
| VWDV70TKB      | TRIM KIT - INSIDE FIT TEXTURED BLACK   | 1  | 1  |
| VWF18-AO       | 18" American Oak 6-piece Refractory Log Set.   |    |    |
| VWF18-NA       | 18" Vented Burner. Natural Gas. 80,000 Btu.  |    |    |
| VWFMC          | MONESSEN FIBER CERAMIC MANUAL SAFETY COVER   |    |    |
| W600CKPS       | NG-LP CONVERSION KIT FOR WDV600NTSC  | 6  | 6  |
| WDV500CSS      | STAINLESS STEEL FACE (WDV500)  | 1  | 1  |
| WDV500FBT      | BLACK SURROUND (WDV500) FITS WDV500  | 2  | 2  |
| WDV500PBL      | BLACK PORCELAIN LINER FITS WDV500  | 2  | 2  |
| WDV500TKB      | ***USE ODMEZG36-CFT *****  |    |    |
| WDV600TKB      | TRIM KIT - INSIDE FIT TEXTURED BLACK   | 4  | 4  |
| WDVP500NTSC    | 42 ECHELON NG FIREPLACE SCREEN BARRIER TOP VENT (DVP) 12 RISE BEFORE 90                      | 1  | 1  |
| WDVP600NTSCSB  | MAJESTIC 60" LINEAR  |    |    |
| WDVPST500NTSC  | 42 NG SEE THRU FIREPLACE SCREEN BARRIER TOP VENT (DVP) 12 RISE BEFORE 90                     |    |    |
| WSHGC32F-O-A   | 32* OAK SURROUND WITH HEARTH   |    |    |
| WST500CKPS     | NG->LP KIT (WDVST500)  | 3  | 3  |
| WST500SSDK     | OUTDOOR FACING KIT STAINLESS STEEL   | 1  | 1  |
| 0000098        | WARMING SHELF CLASSIC BLACK  | 3  | 3  |
| 0000127        | SPARK SCREEN(FOR USE WITH 8" FLUE SYSTEM ONLY)   |    |    |
| 0000200        | WARMING SHELF-CLASSIC BLACK  |    |    |
| 0000218        | WARMING SHELF-BORDEAUX   | 2  | 2  |
| 0001571        | WARMING SHELF - BORDEAUX ENAMEL  |    |    |
| 0001855        | 8" X 11" Oval to Round Adapter - Classic Black   |    |    |
| 0001897        | OUTSIDE AIR ADAPTER  |    |    |
| 0001920        | ASPEN NC WOOD STOVE-CLASSIC BLACK  |    |    |
| 0001975        | Defiant FlexBurn® Wood Stove - Classic Black   |    |    |
| 0001979        | DEFIANT FLEXBURN WOOD STOVE-BORDEAUX ENAMEL  | 1  | 1  |
| 0002040        | ENCORE FLEXBURN STOVE BLK  |    |    |
| 0002115        | INTREPID FLEXBURN WOOD STONE-CLASSIC BLACK   | 1  | 1  |
| 046-530        | THERMOSTATIC KIT FOR FAN   | -2 | -2 |
| 050-721        | MINERAL WOOL- 1 OZ   | 1  | 1  |
| 060-235-25     | GLASS CLIPS PKG 25   |    |    |
| 060-500        | ROBERTSHAW VALVE NG  |    |    |
| 060-511        | ON/OFF ROCKER SWITCH SRV   | 3  | 3  |
| 060-520        | ROBERT SHAW NG VALVE   | 1  |    |
| 060-522        | NG VALVE, VARIABLE   | 10 | 10 |
| 060-523        | LP VALVE, VARIABLE   | 4  | 4  |
| 092-531        | HIGH LIMIT 325 NO  |    |    |
| 10002013       | SENSOR 52P-1 2 T 09 5-090  |    |    |
| 10002264       | PILOT ASSY 3 WAY N/DV RN   |    |    |
| 100-254A       | JUNCTION W/ DSI WIRE HARNESS   |    |    |
| 125-510A       | SOLENOID, H/L ASSY   |    |    |
| 13379B         | GLASS PANEL 21.50 X 35.62  |    |    |
| 14137          | DAMPER BLADE ASSY  | 1  | 1  |
| 14D0467        | VALVE MIV (NG) (060656) SIT NOVA 620-637   |    |    |
| 16674B         | ST42A ASH LIP  | 2  | 2  |
| 17177B         | 36* BACK REFRACTORY  |    |    |
| 17811          | ORIFICE (.113) NG  | 1  | 1  |
| 17812          | Orifice,LP,.067  |    |    |
| 18811A         | GLASS END PANEL (GC920)  |    |    |
| 20002266       | DV360 PILOT ASSEMBLY   | 3  | 3  |
| 20010680       | RP269-HONEYWELL TO SIT CO  |    |    |
| 20010684       | RP270-HONEYWELL TO SIT CO  |    |    |
| 2003-250A      | RELAY WIRE HARNESS   |    |    |

|             |   |    |    |
|-------------|---|----|----|
| 2012-010    | LIGHT BULB ASSEMBLY                                   |    |    |
| 2012-114    | ORANGE KAPTON LENSE                                   |    |    |
| 20300166    | LP TO NG CONVERSION KT-RA                             |    |    |
| 20303037K   | STONE L BLACK SERVICE                                 |    |    |
| 20303041K   | STONE M BLACK SERVICE                                 |    |    |
| 20303995K   | ASS'Y 4-STONE CLUSTER SE                              |    |    |
| 20307738K   | STARTER COLLAR ASM                                    |    |    |
| 20308497K   | EYEBROW HOOD LANAI 51                                 | 1  |    |
| 20308981    | NG 3WAY HOOD W/SEN W/THER                             | 2  | 2  |
| 2086-136MBK | DEFLECTION PLATE                                      | 1  | 1  |
| 2088-136    | EMBER BULB 20W  |    |    |
| 2090-012    | PILOT ASSEMBLY NG                                     | 5  | 5  |
| 2090-013    | PILOT ASSEMBLY LP                                     | 8  | 8  |
| 2103-011    | PILOT ASSY LP   |    |    |
| 2103-512    | THERMOPILE PSE  | 32 | 32 |
| 2106-009    | PILOT ASSEMBLY NG CERONA 36/42                        |    |    |
| 21544       | 42" LOWER GRILL ASSY                                  |    |    |
| 2155-150    | LOUVERED VENT GRILL FITS RED40 & RED60                | 1  | 1  |
| 21581       | 33" LOWER GRILLE ASSY                                 |    |    |
| 2159-219    | PORCELAIN END PANELS                                  |    |    |
| 2159-222    | PORCELAIN BACK PANEL                                  |    |    |
| 2159-223    | PORCELAIN SIDE PANEL                                  | 1  | 1  |
| 2166-136    | INSULATION BOARD                                      | 1  | 1  |
| 2166-302    | NG VALVE - VARIABLE IPI 6000C-IPI                     | 20 | 20 |
| 2166-303    | LP VALVE - VARIABLE IPI 6000C-IPI                     | 8  | 8  |
| 2166-304    | WIRE HARNESS (6000C)                                  | 13 | 13 |
| 2166-307    | !!!!!! WHILE SUPPLIES LAST. NEW PART 2166-347 !!!!!!! | 31 | 31 |
| 2166-315    | 3-GANG LED ASSEMBLY 6000/8000CLX                      | 1  | 1  |
| 2166-323    | BATTERY PACK 4 AA BATTERIES                           | 2  | 2  |
| 2166-330    | REMOTE TRANSMITTER RC300                              | 12 | 12 |
| 2166-335    | AUX300 MODULE   | 6  | 6  |
| 2166-336    | MODULE-LED 6000/8000CLX                               | 1  | 1  |
| 2166-347    | CONTROL MODULE, IPI PLUS                              | 9  | 9  |
| 2166-370    | PILOT ASSEMBLY, NG FITS 6000 SERIES                   | 6  | 6  |
| 2172-042    | ASSEMBLY, MESH FRAME (EVEREST-B)                      |    |    |
| 2179-300    | JUMPER WIRE HARNESS                                   | 4  | 4  |
| 2196-025    | BLOWER ASSY PVI-SLP-B                                 |    |    |
| 2196-150    | CONTROL MODULE PVI                                    | 1  | 1  |
| 2196-200    | WIRE HARNESS (8K1-PVI)                                | 4  | 4  |
| 2196-326    | PRESSURE SWITCH (PVK-80)                              |    |    |
| 22069B      | STARTER COLLAR (SL300)                                | 6  | 6  |
| 22072B      | SL1100 SERIES STARTER COLLAR                          |    |    |
| 2208-012    | PILOT ASSEMBLY, NG                                    | 1  | 1  |
| 22121A      | 30" UPPER GRILLE ASY                                  |    |    |
| 22122A      | 33" UPPER GRILLE ASY                                  |    |    |
| 2234-052    | CHILD SAFETY LOCK ASSY                                |    |    |
| 2271-753    | L/R GLASS SPACER MARQ. 42                             | 4  | 4  |
| 2271-755    | BACK GLASS SPACER MARQ. 42                            | 2  | 2  |
| 2281-012    | PILOT ASSEMBLY  | 1  | 1  |
| 2281-015    | GRATE ASSY TRUE 42                                    |    |    |
| 22922B      | HI LIMIT SWITCH                                       | 16 | 16 |
| 22952B      | NOVUS 36 WHOLE LOG SET                                |    |    |
| 2300-147    | PANEL, BOTTOM W/VENTS                                 |    |    |
| 2300-461    | SIDE NONE COMBUSTABLE                                 |    |    |
| 230-0710    | VALVE, GAS, NG, SIT 820                               | 1  |    |
| 2326-130    | MODULE, CONTROL IFT                                   | 10 | 10 |
| 2326-131    | TRANSFORMER, 6000C-IPI SAME AS 2166-305               | 76 | 74 |
| 2326-150    | AUX MODULE, B-TYPE                                    | 14 | 14 |
| 2368-030    | ASSEMBLY, TMOD-11 MESH                                |    |    |
| 2368-113    | HOOD  | 1  | 1  |
| 2372-099    | BAG ASSY, TOUCH UP KIT                                |    |    |
| 2373-074    | ASSEMBLY, SL-9 REFRACTORY                             | 1  | 1  |
| 2373-703    | REF, TOP, SL-9X                                       | 1  | 1  |
| 24033       | VALVE, R-SHAW   |    |    |
| 24522A      | GLASS PANEL ASSEMBLY 33"                              |    |    |
| 24523A      | GLASS PANEL ASSEMBLY 36"                              |    |    |
| 24937A      | GC421 GLASS ASSEMBLY                                  |    |    |
| 2509-700    | GLASS REFRACTORY, BACK                                |    |    |
| 2509-701    | GLASS REFRACTORY, SIDE                                |    |    |
| 2510-700    | GLASS REFRACTORY, BACK (8000C MOD W/IFT)              |    |    |
| 2510-701    | GLASS REFRACTORY, SIDE (8000C MOD W/IFT)              |    |    |



|            |   |    |    |
|------------|---|----|----|
| 25144      | 42" LOWER GRILL ASSY                      |    |    |
| 25616      | SPARK ELECTRODE (DSI) W/GROUND POST       | 10 | 10 |
| 25661      | LP PILOT ASSEMBLY WITH FLEX TUBE          | 9  | 9  |
| 25674      | 42* SCREEN ASSEMBLY                       |    |    |
| 26161      | FACE SCREEN ASSEMBLY                      |    |    |
| 26540      | IGNITOR - ELECTRONIC                      | 18 | 18 |
| 26541      | IGNITOR - ELECTRONIC                      | 20 | 20 |
| 26542      | IGNITOR - ELECTRONIC                      | 18 | 18 |
| 26637      | GRILL, UPPER 36"                          | 1  |    |
| 26638      | 42" TOP GRILLE ASSEMBLY                   |    |    |
| 26803      | 33" SCREEN ASSY                           |    |    |
| 26D2529    | ODS PILOT ASSEMBLY NG                     |    |    |
| 27069      | SIDE REFRACTORY HST48                     | 2  | 2  |
| 27070      | CORNER REF. HST48                         | 4  | 4  |
| 28048      | ELECTRODE                                 |    |    |
| 28394      | BACK REFRACTORY                           |    |    |
| 28404      | REPLACEMENT SCREEN ROD FOR I80 HEATILATOR |    |    |
| 29575      | HOOD GCDC60                               |    |    |
| 29576      | HOOD GCDC80                               |    |    |
| 29693      | END SCREEN ASSEMBLY                       |    |    |
| 29958      | FIRESCREEN ASSEMBLY FOR I80 HEATILATOR    |    |    |
| 30029      | ELECTRONIC IGNITOR                        | 11 | 11 |
| 30355      | ELECTRONIC IGNITOR                        | 18 | 18 |
| 30846      | GCDC80 LOG/GRATE                          |    |    |
| 319-835-25 | Shoulder bolts pkg of 25                  |    |    |
| 34051      | 33*/36* GRATE/LOG ASMBL                   |    |    |
| 34816      | HI LIMIT SWITCH W/ AUTO RESET             |    |    |
| 35106      | 36* SCREEN ASSEMBLY                       |    |    |
| 35410      | NG PILOT ASSEMBLY IPI ELECTRONIC          | 4  | 4  |
| 397-248A   | BOTTOM LOUVER ASSEMBLY                    |    |    |
| 4002-053   | GLASS/FRAME ASSEMBLY                      |    |    |
| 4013-055   | R.H. SIDE REFRACTORY (H)                  |    |    |
| 4013-056   | L.H. SIDE REFRACTORY (H)                  |    |    |
| 4013-061   | BACK REFRACTORY (H)                       |    |    |
| 4021-134   | #25 B-STYLE ORIFICE                       | 1  | 1  |
| 4021-296   | LAVA ROCK 2 LBS                           |    |    |
| 4021-324   | PILOT ASSEMBLY NG CB4236                  |    |    |
| 4021-330   | PILOT ASSEMBLY NG                         |    |    |
| 4021-422   | NG PILOT ASSEMBLY IPI                     | 7  | 7  |
| 4021-423   | LP PILOT ASSEMBLY IPI                     | 8  | 8  |
| 4021-512   | BULKHEAD FLEXIBLE                         |    |    |
| 4021-628   | PILOT ASSEMBLY, NG                        | 10 | 10 |
| 4021-642   | LIMIT SWITCH 350F                         |    |    |
| 4021-705   | PILOT TUBE 60*                            | 5  | 5  |
| 4021-736   | PILOT ASSEMBLY NG                         |    |    |
| 4021-737   | LP PILOT ASSY WITH T-COUPLE               |    |    |
| 4031-050   |   |    |    |
| 4031-078   | 36" LOWER GRILLE ASY                      |    |    |
| 4031-082   | 36" UPPER GRILL ASSEMBLY                  |    |    |
| 4031-083   | 42" UPPER GRILL ASSY                      |    |    |
| 4031-085   | LOG/GRATE ASY 33*                         |    |    |
| 4036-035   | BURNER TUBE ASSY                          |    |    |
| 4036-040   | SWITCH BOX ASSY DAKOTA                    |    |    |
| 4036-041   | CONVERSION KIT FOR DAKOTA42               |    |    |
| 4036-067   | GRATE DAKOTA 42B                          |    |    |
| 4036-068   | 1 1/4 BURNER TUBE ASSY NG                 | 1  | 1  |
| 4036-082   | TOP DOOR SUPPORT ASSEMBLY                 | 1  | 1  |
| 4036-145   | REFRACTORY SIDE RT                        | 1  | 1  |
| 4036-179   | DAKOTA 42 VALVE ASSEMBLY BRACKET          |    |    |
| 4036-195   | GAS HOOD                                  | 1  | 1  |
| 4036-226   | DOOR LOCK 2REQ                            |    |    |
| 4036-248   | PILOT SHIELD                              | 2  | 1  |
| 4036-315   | SHUTTER                                   |    |    |
| 4036-698   | LOG SET 2/3                               | 1  |    |
| 4036-699   | LOG SET 3/3                               |    |    |
| 4036-711   | LOG ASSEMBLY, 1 OF 3 DAKOTA42             | 1  | 1  |
| 4036-712   | LOG ASSEMBLY, 2 OF 3 DAKOTA               | 1  | 1  |
| 4036-713   | LOG ASSEMBLY, 3 OF 3 DAKOTA               | 1  | 1  |
| 4036-740   | HEARTH REFRACTORY DAKOTA                  | 1  | 1  |
| 4042-055   | BURNER ASSY LP                            |    |    |
| 4042-073   | LOG/FOAM ASSEMBLY                         |    |    |

|                 |  |     |     |
|-----------------|--|-----|-----|
| 4042-291        | TRADITIONAL REFRACTORY RETAINER BRACKET  |     |     |
| 4042-334        | PILOT ASSY IPI LP  |     |     |
| 4042-733        | BACK REFRACTORY PANEL  |     |     |
| 4042-737        | TRADITIONAL HEARTH REFRACTOR   |     |     |
| 4042-738        | LEFT SIDE REFRACTORY TRADITIONAL PNL- ICON   |     |     |
| 4042-739        | TRADITIONAL RIGHT SIDE REFRACTORY PANEL  |     |     |
| 4042-744        | TRADITIONAL LEFT HEARTH REFRACTOR  |     |     |
| 4042-745        | RIGHT HEARTH REFRACTORY PANEL  |     |     |
| 4066-077        | LOG SET (CARODG36L-C)  | 6   | 6   |
| 4066-127        | PILOT SHIELD   | 1   | 1   |
| 4066-325        | CONTROL ENCLOSURE  | 4   | 4   |
| 4067-077        | CAROLINA LOG ASSY  |     | -1  |
| 4067-258        | DEFLECTOR, BURNER  | 1   | 1   |
| 4067-305        | SCREEN ROD   | 1   | 1   |
| 414-360         | BAR GRATE  |     |     |
| 416-591         | ELECTRODE 6000GDVFL-DSI  | 1   | 1   |
| 446-301         | 1/4 PILOT TUBE FLEX  |     |     |
| 446-360A        | GRATE ASSEMBLY   |     |     |
| 446-505         | Pilot Orifice,NG   |     |     |
| 446-510A        | PILOT ASSEMBLY NG W/TUBE   |     |     |
| 446-511         | THERMOCOUPLE   | 38  | 38  |
| 446-512A        | NG PILOT ASSEMBLY  | 6   | 6   |
| 446-513A        | LP PILOT ASSEMBLY  | 4   | 4   |
| 446-517         | Pilot Orifice,LP   | 17  | 12  |
| 462-500         | NG VALVE, DSI  | 1   | 1   |
| 485-511A        | LP PILOT ASSEMBLY WITH THERMOCOUPLE  |     |     |
| 492-500         | VALVE, NG DSI  | 1   | 3   |
| 501-591         | IGNITOR 5 MIN DELAY  | 22  | 22  |
| 501-592         | MODULE DSI 5 MIN DELAY   | 23  | 23  |
| 550-252A        | TOP LOUVER   |     |     |
| 582-844         | #44 BURNER ORIFICE   | -1  | -1  |
| 593-500         | VALVE NG - FIXED   | 7   | 7   |
| 593-512A        | NG PILOT ASSEMBLY FITS EVEREST   | 3   | 3   |
| 593-590A        | WIRE HARNESS   | 1   | 1   |
| 593-592         | MODULE, DEXEN GREEN MODULE   | 111 | 107 |
| 593-593         | ***USE ELE-351 *** 3V TRANSFORMER  | -3  | -3  |
| 593-594A        | !!!!!! PLEASE USE ITEM PART SRV593-594 !!!!!!!   |     |     |
| 6000C-IFT       | 6000C 36" Direct Vent Gas Fireplace Top/Rear Vent with IntelliFire Touch Ignition (NG)               | 9   | 6   |
| 6000C-IFTLP     | 6000C 36" Direct Vent Gas Fireplace Top/Rear Vent with IntelliFire Touch Ignition (LP)               |     |     |
| 6000CL-IFT-G    | 36" DIRECT VENT GAS TOP/REAR W INTELLIFIRE BLK GLASS REFRACTORY                                      |     |     |
| 6000CL-IFTLP-G  | 6000CL 36" Direct Vent Gas Fireplace Top/Rear Vent with IntelliFire Touch ignition and black glass r |     |     |
| 6000CL-IFTLP-S  | 6000CL 36" Direct Vent Gas Fireplace Top/Rear Vent with IntelliFire Touch ignition and Stratford bri |     |     |
| 6000CL-IFT-S    | 6000CL 36" Direct Vent Gas Fireplace Top/Rear Vent IntelliFire Touch ignition and Stratford brick    | -1  | -1  |
| 6000CL-IPI-T    | 36 DV IPI NG TOP/REAR TAHOE BRK, FRONT REQ'D   |     |     |
| 6000CLX-IFT-G   | 36" DIRECT VENT GAS TOP/REAR W INTELLIFIRE BLK GLASS REFRACTORY                                      |     | -1  |
| 6000CLX-IFTLP-G | 36 Direct Vent Gas Fireplace Top/Rear Vent with IntelliFire Touch ignition and black glass refracto  | 1   | 1   |
| 6000CLX-IFTLP-S | 36 Direct Vent Gas Fireplace Top/Rear Vent with IntelliFire Touch ignition and Stratford brick refr  | 2   | 2   |
| 6000CLX-IFT-S   | 36" NG / Direct Vent Gas Fireplace Top/Rear Vent with IntelliFire Touch & Stratford Brick            | 7   | 3   |
| 6000CLX-IPILP-S | 36 DV IPI LP TOP/REAR STRATFORD BRK, FRT REQ'D   | 1   | 1   |
| 6000CLX-IPILP-T | 36 DV IPI LP TOP/REAR TAHOE BRK, FRT REQ'D   | 1   | 1   |
| 6000CLX-IPI-S   | 36 DV IPI NG TOP/REAR STRATFORD BRK, FRT REQ'D   |     |     |
| 6000MOD-IFT     | 6000 Modern 36" Direct Vent Gas Fireplace top vent with IntelliFire Touch                            |     |     |
| 700-540         | HALOGEN BULB, 75 W   |     |     |
| 700-790         | TICO-SIL   | 1   | 1   |
| 74D0053K        | LOG, #1 BLDV500  |     |     |
| 74D0054K        | LOG, #2 BLDV500  |     |     |
| 74D0055K        | LOG, #3 BLDV500  |     |     |
| 74D0056K        | LOG, #4 BLDV500  |     |     |
| 74D0057K        | LOG, #5 BLDV500  |     |     |
| 74D0058K        | LOG, #6 BLDV500  |     |     |
| 750-500         | VALVE, NG VARIABLE IPI   | 10  | 10  |
| 750-501         | VALVE, LP VARIABLE IPI   | 8   | 8   |
| 750-TRIM4-BK    | TRIM KIT, FOUR-SIDED BLACK   |     |     |
| 78D0089K        | GRATE (BLDV500NSCSL  |     |     |
| 78D0136K        | STONE, WHITE WDV50   |     |     |
| 78D0139K        | STONE, BROWN WDV500  |     |     |
| 78D0140K        | STONE, SAND WDV500   |     |     |
| 8000C-IFT       | 42" Direct Vent Gas Fireplace Top/Rear Vent with IntelliFire Touch Ignition (NG)                     |     |     |
| 8000CL-IFT-G    | 8000CL 42" Direct Vent Gas Fireplace Top/Rear Vent with IntelliFire Touch Ignition and black glass r |     |     |
| 8000CL-IFTLP-S  | 42 DV IFT LP TOP/REAR STRATFORD BRK, FRONT REQ'D   |     |     |
| 8000CL-IFT-S    | 8000CL 42" Direct Vent Gas Fireplace Top/Rear Vent IntelliFire Touch Ignition and Stratford brick    | 1   |     |

|                 |   |    |    |
|-----------------|---|----|----|
| 8000CL-IPILP-T  | 42 DV IPI LP TOP/REAR TAHOE BRICK, FRONT REQ'D  |    |    |
| 8000CLX-IFT-G   | 42" Direct Vent Gas Fireplace Top/Rear Vent with IntelliFire Touch ignition and black glass refract |    |    |
| 8000CLX-IFTLP-G | 42" DIRECT VENT GAS FIREPLACE TOP/REAR VENT W/ INTELLIFIRE TOUCH BLACK GLASS                        |    |    |
| 8000CLX-IFTLP-S | 42" Direct Vent Gas Fireplace Top/Rear Vent with IntelliFire Touch ignition and Stratford brick ref | 6  | 5  |
| 8000CLX-IFT-S   | 8000CLX 42" Direct Vent Gas Fireplace Top/Rear Vent IntelliFire Touch ignition and Stratford brick  | 4  | 1  |
| 8000CLX-IPI-S   | 42 DV IPI NG TOP/REAR STRATFORD BRK, FRONT REQ'D  | 1  | 1  |
| 8000CMOD-IFT    | MODERN 42" DIRECT VENT, TOP VENT W/ INTELLIFIRE TOUCH   | 1  |    |
| 812-0261        | CONTROL BOX,800/1000/111  |    |    |
| 812-4900        | Blower,Convection,Service   |    |    |
| 832-0460        | GLASS GASKET W/ TAPE  |    |    |
| 832-3390        | BLANKET,CERAMIC,1/2 INCH  |    |    |
| 842-1420        | Rope, Door, 5/8 x 9   |    |    |
| AERO-42-BK      | 42 AERO FRNT BLACK INSIDE FIT, FITS SL-950TR-IP-E   | 1  | 1  |
| AFAAAUC         | ACADIA FLUSH MANTAL, UNFINISHED MAPLE   |    |    |
| AFAAMPC         | ACADIA FLUSH MANTEL, PRIMED MDF   |    |    |
| AFBEAUB         | BELLEVUE FLUSH MANTEL UNFINISHED MAPLE  |    |    |
| AFBEAUB-G       | BELLEVUE FLUSH MANTEL MAPLE FINISHED IN GINGER  |    |    |
| AFKDAUC         | KENWOOD FLUSH MANTLE MAPLE UNFINISHED #C  |    |    |
| AFKDMPA         | KENWOOD FLUSH MANTEL PRIMED MDF   |    |    |
| AFPOAUC         | PORTICO FLUSH MANTEL, UNFINISHED MAPLE  |    |    |
| AFWTMPB         | WESCOTT B FLUSH MANTEL, PRIMED MDF  |    |    |
| AK14            | OUTSIDE AIR KIT (FLEX NOT INCLUDED)   |    |    |
| AK22            | PHOENIX Outside air kit - (flex not included)   |    |    |
| ARC-32-BK       | ARCADIA OVERLAP ARCHED FRONT-BLACK  |    |    |
| ARC-36-BK       | 36 ARCH FIRESCREEN FNT OVERLAP FOR 6000'S   |    |    |
| ARC-36-GT       | 36 ARCH FIRESCREEN OVERLAP, GRAPHITE 6000'S   |    |    |
| ARC-36-NB       | 36 ARCH FIRESCREEN OVERLAP NEW BZ 6000'S  |    |    |
| ARC-42-BK       | 42 ARCH FIRESCREEN BLK OVERLAP, 8000 SERIES   |    |    |
| ARC-42-GT       | 42 ARCH FIRESCREEN FRNT GRAPHITE, OVERLAP, 8000'S   | 1  | 1  |
| ARC-42-NB       | 42 ARCH FIRESCREEN FRNT NEW BZ, OVERLAP, 8000'S   |    |    |
| ARC-G135-BK     | ARCADIA ARCHED FIRESCREEN FRONT-BLACK   |    |    |
| ARCH-KIT-36     | ARCH KIT, REQUIRED FOR ARCHED FRONTS  |    |    |
| ARCH-KIT-42     | ARCH KIT, REQUIRED FOR ARCHED FRONTS  |    |    |
| ARCH-KIT-50     | ARCH KIT, REQUIRED FOR ARCHED FRONTS  |    |    |
| AS10            | SL400 ATTIC INSULATION SHIELD   |    |    |
| AS8             | ATTIC INSULATION SHIELD, STRAIGHT FLUE  |    |    |
| ATLAS-GE        | CAST MANTEL - GREIGE FITS EVEREST   | 2  | 1  |
| ATLAS-GY        | CAST MANTEL - GRAY FITS EVEREST   |    |    |
| ATRIMSTONE36-MH | CAST ARCH TRIM STONE (MARSH) FOR CERONA-36  |    |    |
| ATRIMSTONE42-MH | CAST ARCH TRIM STONE MARSH, FITS CERONA-42  |    |    |
| AW-COSMO42-IFT  | ASHTON WOODS- COSMO 42- BID # B6567   | 2  | 2  |
| BC10            | Fan motor rheostat control, wall mounted (for use on circulating models only)                       |    |    |
| BK-GAS          | FAN KIT WITH HOUSING  |    |    |
| BLPVFIC         | BLACK PORCELAIN PANELS FOR VFI  |    |    |
| BRICK-36PR-S    | BRICK PANEL FOR PIER  |    |    |
| BRICK-36ST-S    | TRAD. BRICK LINER FOR 36" SEE THROUGH - STRATFORD   | 1  | 1  |
| BRICK-6C-S      | STRATFORD BRICK PNLS, 3 PC FOR 6000 SERIES  | 19 | 15 |
| BRICK-750TR-E   | METAL TRAD BRICK PATTERN STRATFORD COLOR  | 3  | 3  |
| BRICK-8C-S      | 42 STRATFORD, 3 PC BRK PNLS W/BAFFLE, 8000 SERIES   |    |    |
| BRICK-950TR-E   | METAL TRAD BRICK PATTERN STRATFORD COLOR  | 2  | 2  |
| BRICK-S135      | REFRACTORY KIT-TRADITIONAL BRICK PATTERN  |    |    |
| BRICK-SL5       | STRATFORD BRICK PNLS, 3 PC FITS SL-5  |    |    |
| BRICK-SL7       | STRATFORD BRICK PNLS, 3 PC FITS SL-7  | 9  | 6  |
| BRICK-SL9       | STRATFORD BRICK PNLS, 3 PC FITS SL-9  | 6  | 5  |
| BRICK-TS        | BRICK SET, 2 SIDES, TIARA I   |    |    |
| CARODG361-B     | *** USE CARODG361-C ****  |    |    |
| CERONA-36       | 36 DV ARCH IPI NG TOP ONLY FRONT REQ'D, WSK-MLT INCL  |    |    |
| CERONA-42       | 42 DV ARCH IPI NG TOP FRONT REQ'D, WSK-MLT INCD   |    |    |
| CF-32-BK        | 32 CLEAN FACE KIT BLK W/ TOP/BTM SOLID LVRS   | 1  | 1  |
| CF-32-GT        | GRAPHITE CLEAN FACE FRONT FOR SL-5  | -1 | -1 |
| CF-32-NB        | NEW BRONZE CLEAN FACE FRONT FOR SL-5  | 1  | 1  |
| CF-36-BK        | 36 CLEAN FACE KIT BLK W/ TOP/BTM SOLID LVRS   | 18 | 8  |
| CF-36-GT        | 36 CLEAN FACE KIT GRAPHITE W/TOP/BTM SOLID LVRS   |    |    |
| CF-36-NB        | 36 CLEAN FACE KIT NEW BRZ W/ TOP/BTM SOLID LVR&HOOD   |    |    |
| CF-42-BK        | 42 CLEAN FACE KIT BLK W/ TOP/BTM SOLID LVR & HOOD   | 17 | 7  |
| CF-42-GT        | 42 CLEAN FACE KIT GRAPHITE W/ TOP/BTM SOLID LVRS & HOOD   |    |    |
| CF-42-NB        | 42 CLEAN FACE KIT NEW BRZ W/ TOP/BTM SOLID LVR&HOOD   |    |    |
| CF-750-BK       | 36 CLEAN FACE KIT W/TOP/BTM SOLID LVRS BLACK  | 1  | 1  |
| CFL-24LP-C      | 24" Campfire fiber gas log set with Stainless Steel Burner and hearth kitt                          |    |    |
| CFL-30NG-C      | CAMPFIRE 30 LOG SE  |    |    |
| CFT-32-BK       | CLEAN FACE TRIM BLACK   | 1  |    |

|              |   |    |    |
|--------------|---|----|----|
| CFT-32-GT    | Clean face trim - Graphite  |    |    |
| CFT-32-GY    | CLEAN FACE TRIM FOG GRAY  |    |    |
| CFT-32-NB    | CLEAN FACE TRIM NEW BRONZE  |    |    |
| CFT-42-BK    | CLEAN FACE TRIM- BLACK  | 12 | 8  |
| CFT-42-EB    | CLEAN FACE TRIM-EBONY   |    |    |
| CFT-42-GT    | CLEAN FACE TRIM GRAPHITE  |    | -1 |
| CFT-42-GY    | CLEAN FACE TRIM-FOG GRAY  |    |    |
| CFT-42-NB    | CLEAN FACE TRIM- NEW BRONZE   | 1  |    |
| CFT-42-SS    | CLEAN FACE TRIM - STAINLESS STEEL   |    |    |
| CFT-48-BK    | 48 CLEAN FACE - BLACK FITS ECHEL48(ST) FITS MEZZO48(ST)                         | 6  | 4  |
| CFT-48-NB    | CLEAN FACE TRIM - NEW BRONZE  |    |    |
| CFT-48-SS    | CLEAN FACE TRIM STAINLESS STEEL   |    |    |
| CFT-60-BK    | 60 CLEAN FACE - BLACK FITS ECHEL60 FITS MEZZO60(ST)                             | 10 | 5  |
| CFT-60-NB    | CLEAN FACE TRIM - NEW BRONZE  |    |    |
| CFT-60-SS    | CLEAN FACE TRIM - STAINLESS STEEL   |    |    |
| CFT-72-BK    | 72 CLEAN FACE - BLACK FITS ECHEL72 FITS MEZZO72(ST)                             | 4  | 3  |
| CFT-72-BN    | 72 NICKEL CLEAN FACE FITS MEZZO72(ST)   |    |    |
| CFT-72-NB    | CLEAN FACE TRIM - BLACK   |    |    |
| CFT-72-SS    | CLEAN FACE TRIM - STAINLESS STEEL   |    |    |
| CF-TON32-GT  | TONIC MESH FRONT WITH CLEAN FACE TRIM - GRAPHITE                                |    |    |
| CF-TON32-NB  | TONIC MESH FRONT WITH CLEAN FACE TRIM - NEW BRONZE                              |    |    |
| CFX-DIAMOND  | HNG DIAMOND D/V F/P-NG-DSI ADD DF-DIAMOND FRNT-NOT INCLUD                       | 1  | 1  |
| CHA-28-BK    | Chateau overlap arched front - Black, 28 INCHES                                 |    |    |
| CHA-28-NB    | CHATEAU OVERLAP ARCHED FRONT-NEW BRONZE   | 1  | 1  |
| CHA-32-BK    | CHATEAU OVERLAP ARCHED FRONT - BLACK  |    |    |
| CHA-36-BK    | CHATEAU OVERLAP ARCHED FRONT - BLACK  |    | -1 |
| CHA-36-GT    | Chateau overlap arched front - Graphite   | 1  |    |
| CHA-36-NB    | CHATEAU OVERLAP ARCHED FRONT - NEW BRONZE                                       | -1 | -2 |
| CHA-42-BK    | CHATEAU OVERLAP ARCHED FRONT - BLACK  | 1  |    |
| CHA-C36-BK   | CHATEAU ARCHED FRONT-BLACK  | 1  |    |
| CHA-C42-BK   | CHATEAU ARCHED FRONT - BLACK  |    |    |
| CHA-C42-NB   | CHATEAU TRUE ARCH 42 NEW BRONZE FRONT FOR CERONA                                | 1  |    |
| CHA-CER36-BK | 36 CHATEAU FLAT ARCH FRNT BLK, FOR CERONA36                                     |    |    |
| CHAD-36E-NB  | 36 CHATEAU DLX ARCH FRNT NEW BRONZE, INSIDE FIT                                 | 1  | 1  |
| CHAD-6-BA    | 36 CHATEAU DLX ARCH BA OVERLAP, SCALP, 6000'S BRASS                             | 1  | 1  |
| CHAD-8-BK    | 42 CHATEAU DLX ARCH FRNT BLK, OVERLAP, 8000'S                                   |    |    |
| CHAD-8-NB    | 42 CHATEAU DLX ARCH FRNT NEW BZ, OVERLAP, 8000'S                                | 1  | 1  |
| CHAD-C36-BK  | CHATEAU DELUXE ARCHED FRONT - BLACK   |    |    |
| CHAD-C42-BK  | CHATEAU DELUXE ARCHED FRONT - BLACK   |    |    |
| CHAD-C42-GT  | Chateau Deluxe arched front - Graphite  | 2  |    |
| CHAF-36      | 36 CHATEAU FORGE FRONT FITS 6000 SERIES   | 5  | 3  |
| CHAF-42      | 42 CHATEAU FORGE FRONT FITS 8000 SERIES   | 3  | 2  |
| CHAF-FB30    | CHATEAU FORGE, HAND-CRAFTED, WITH FORGED BARS AND STRIPS - NATURAL IRON FINISH  |    |    |
| CHAF-FB35    | CHATEAU FORGE, HAND-CRAFTED, WITH FORGED BARS- NATURAL IRON FINISH              |    |    |
| CHA-G135-BK  | CHATEAU ARCHED FRONT- GRAPHITE  |    |    |
| CKVP         | CONVERSION KIT NG-LP  |    |    |
| CMOD-36-BK   | BLACK MODERN FRONT W OVERLAPPING SURROUND                                       |    |    |
| CMOD-42-BK   | MODERN FRONT WITH BUILT IN OVERLAPPING SURROUND - BLACK                         |    |    |
| CMOD-6-BK    | MOD. FRT/SURROUND BLK HAS BUILT-IN OVERLAP FRT                                  |    |    |
| COR-36BK     | CORNER FIRESCREEN FRONT - BLACK   | 1  | 1  |
| COREP-36BK   | CORNER END PANEL FIRESCREEN FRONT - BLACK                                       |    |    |
| COSMO32-IFT  | COSMO 32" direct vent gas fireplace with IntelliFire Touch ignition system (NG) |    |    |
| COSMO42-IFT  | COSMO 42" DIRECT VENT FIREPLACE   | 8  | 8  |
| COSMO-I35-C  | COSMO-I35 LARGE DIRECT VENT GAS INSERT WITH IPI PLUS IGNITION                   |    |    |
| CP-FOL36-BK  | FOLIO END PANEL   |    |    |
| CRESCENTII   | TOP DV ARCH IPI NG FRONT REQD, INC'D 4041-128                                   |    |    |
| CUST-2215-F  | CUSTOM SURROUND   |    |    |
| DAKOTA42-B   | 42 NG IPI VF F/P OUTDOOR SS TRAD BRK PANELS                                     |    |    |
| DAKOTA42H-B  | 42 NG IPI VF F/P OUTDOOR SS HB BRK PANELS                                       |    |    |
| DAKOTA42L-B  | 42 LP IPI VF F/P OUTDOOR SS TRAD BRK PANELS                                     |    |    |
| DAKOTA42LH-B | 42 (LP) IPI VF F/P OUTDOOR SS HB BRICK PNLS                                     |    |    |
| DBK          | IPI WIRING KIT  |    |    |
| DCKN-AZTEC   | NG CONVERSION KIT, AZTEC  |    |    |
| DCKP         | LP conversion kit (dexten)  |    |    |
| DCKP-RBV     | LP GAS CONVERSION KIT FOR INTELLIFIRE   |    |    |
| DCKVN        | CONVERSION KIT, NG  |    |    |
| DCKVN-CAL36  | CONVERSION KIT, NG  |    |    |
| DCKVP        | NG->LP CONVERSION KIT   |    |    |
| DF-36H       | DECORATIVE FRONT: 6000'S  |    |    |
| DF421        | FIXED DOOR FOR RBV4842IH  |    |    |
| DF-6000      | NOT FOR CURRENT TWILIGHT SEE FS-TWI-BLK BLACK FRONT WMESH                       | 3  | 3  |

|                 |   |     |    |
|-----------------|---|-----|----|
| DF-6-ESSENCE-BK | ESSENCE DOORS BLACK FITS TWILIGHT II  |     |    |
| DF-8TRC         | HNG BLACK FRONT W/LOUVRES- OBSOLETE SEE DF-8-BK                             | 1   | 1  |
| DF-CRES2-BK     | DESIGNER CLASSIC FRT BLK FITS CRESCENTII                                    |     |    |
| DF-CRESCENT-BK  | BLK ARCHED FRONT FOR CRESCENT   | 1   | 1  |
| DF-DIAMOND      | HNG DF-DIAMOND FACE PLATE REQD FOR CFX-DIAMOND F/P                          | 1   | 1  |
| DF-ESSENCE-2-BZ | ESSENCE FRT BRONZE ACCEPTS DEC PANELS                                       |     |    |
| DFG4036BK       | GLASS BI-FOLD DOOR, BLACK   |     |    |
| DFG4042BK       | 42" GLASS BI-FOLD DOOR - BLACK  |     |    |
| DFG4050BK       | 50" GLASS BI-FOLD DOOR - BLACK  |     |    |
| DM100           | 50" BI-FOLD DOORS - BLACK   |     |    |
| DM1036          | 36 BI-FOLD DOOR BLACK TRM   | 4   | 4  |
| DM1036S         | 36 BI-FOLD DOOR BRUSH SS  |     |    |
| DM1039          | 39 BIFOLD DOOR-BLACK FOR E39 FIREPLACE                                      |     |    |
| DM1042          | 42 BI-FOLD DOOR BLK TRIM  | 4   | 4  |
| DM1042S         | 42 BI-FOLD DOOR BRUSH SS  | 1   | 1  |
| DM1242          | 42 BI-FOLD DOOR BLK TRIM  | -2  | -2 |
| DM1736          | ORIGINAL BI-FOLD GLASS DOORS W/ BLK TRIM                                    |     |    |
| DM1742          | BI-FOLD GLASS DOOR WITH BLACK TRIM FOR 42                                   | 1   | 1  |
| DM1842S         | BI-FOLD DOORS - STAINLESS STEEL (CHROME)                                    |     |    |
| DM6036          | BIFOLD DOOR BLK 36  |     |    |
| DM8042          | BIFOLD DOOR 42 BLK  |     |    |
| DRC-RADIUS      | DECORATIV RADIUS COVER  |     |    |
| DRIFTLOGS-36    | DRIFTWOOD LOG SET   |     |    |
| DRIFTLOGS-60    | DRIFTWOOD LOG SET   |     |    |
| DRIFTWOOD-60    | DRIFTWOOD LOG SET   |     |    |
| DRIFTWOOD-72    | DRIFTWOOD LOG SET   | 2   |    |
| DRIFTWOOD-C32   | DRIFTWOOD LOGS FOR COSMO 32   |     |    |
| DRIFTWOOD-C42   | DRIFTWOOD LOGS  |     |    |
| DSCAR36         | 36 SS SCREEN DOOR BRONZE FINISH   | -4  | -4 |
| DSCAR42         | CABINET STYLE STAINLESS STEEL SCREEN DOORS W/BRONZE FINISH                  |     |    |
| DSVILLA36       | 36" STAINLESS STEEL SCREEN DOORS  |     |    |
| DSVILLA42       | 42" STAINLESS STEEL SCREEN DOORS  |     |    |
| DTS134-CP       | Decorative Termination Square 34" - faux copper (Adapter required for wood) |     |    |
| DV-06D          | HNG 6 LENGTH DV PIPE  |     |    |
| DV-12D          | HNG 12 LENGTH DV PIPE   | 1   | 1  |
| DV-24D          | HNG 24 LENGTH DV PIPE   |     |    |
| DV-36D          | HNG 36 LENGTH DV PIPE   |     |    |
| DV3732-B        | 36 NG DV FIREPLACE ELECTRONIC IGNITION TEMPERED GLASS SLP TOP COLLAR        |     |    |
| DV-45D          | HNG 45' ELBOW DV PIPE   |     |    |
| DV-48D          | HNG 48 LENGTH DV PIPE   | 1   | 1  |
| DV-8DP-06       | 8X6 DURAPLUS PIPE   |     |    |
| DV-8DP-09       | 8X9 DURAPLUS PIPE   |     |    |
| DV-8DP-24       | 8X24 DURAPLUS PIPE  |     |    |
| DV-8DP-36       | 8X36 DURAPLUS PIPE  |     |    |
| DV-90D          | HNG 90' ELBOW DV PIPE   |     |    |
| DV-FCD          | HNG FIRESTOP -DV PIPE   |     |    |
| DVK-01TRD       | HNG SQ TERM CAP-DV PIPE   | 1   | 1  |
| DVK-TVCD        | HNG VERT TERM CAP-DV PIPE   | 1   | 1  |
| DVP12           | 12 PIPE LENGTH (5x8) (5x8) DIRECT VENT                                      | 78  | 45 |
| DVP12A          | 12 ADJ. PIPE LENGTH (5x8) (5x8) DIRECT VENT                                 | 68  | 44 |
| DVP24           | 24 PIPE LENGTH (5x8) (5x8) DIRECT VENT                                      | 58  | 44 |
| DVP-2SL         | DVP -> SLP ADAPTOR COVERTS 8 TO 6-5/8 DV                                    | 8   | 2  |
| DVP36           | 36 PIPE LENGTH (5x8) (5x8) DIRECT VENT                                      | 50  | 15 |
| DVP45           | 45' ELBOW EACH (5x8) (5x8) DIRECT VENT                                      | 103 | 62 |
| DVP48           | 48 PIPE LENGTH (5x8) (5x8) DIRECT VENT                                      | 124 | 68 |
| DVP6            | 6 PIPE LENGTH (5x8) (5x8) DIRECT VENT                                       | 41  | 35 |
| DVP6A           | 6" ADJ VENT 3"-6" (5x8) DIRECT VENT   |     |    |
| DVP90           | 90' ELBOW EACH (5x8) (5x8) DIRECT VENT                                      | 31  | 21 |
| DVP-AD1         | VP-DVP ADAPTER  | 1   | 1  |
| DVP-DV          | DVP TO DV ADAPTOR   |     |    |
| DVP-FBHT        | HORIZONTAL FIREBRICK TEERMINATION CAP, DVP PIPT                             |     |    |
| DVP-FS          | FIRESTOP - VERTICAL (5x8)   | 133 | 99 |
| DVP-RVT         | ***** USE DVP-TRAP2 *****   | -3  | -3 |
| DVP-SLP24       | DVP -> SLP ADAPTOR 24 LENGTH ADAPTOR  | 4   | 4  |
| DVP-TRAP1       | HORIZONTAL TERM CAP W/ SHORT FLUE   | -3  | -3 |
| DVP-TRAP2       | HORZ TERM CAP W/ SHORT FLUE, SLIP AND WALL SHIELD                           | 27  | 17 |
| DVP-TRAPK2      | HORIZONTAL TERMINATION KIT INCLUDES SLIP SECTION, WALL SHEILD, & DVP90ST    |     |    |
| DVP-TVHW        | TERMINATION CAP HIGH WIND - VERTICAL STORM COLLAR INCLUDED                  | 50  | 29 |
| DVP-WS          | FIRESTOP - HORIZONTAL (5 x 8)   | 29  | 26 |
| E36-PANEL-KIT   | REFRACTORY PANEL KIT  |     |    |
| ELEC-CARODG     | KIT TO CONVERT TO AC PWR FOR CAROLINA                                       |     |    |

|                |   |    |    |
|----------------|---|----|----|
| ELEC-DAKOTA    | ELECTRICAL KIT COVERTS TO AC POWER  | 5  | 5  |
| EM-415         | ENERGY MASTER 415 WOOD FIREPLACE  |    |    |
| EP-CHA36-BK    | CHATEAU END PANEL 36 -BLACK   |    |    |
| EP-FOL36-BK    | FOLIO END PANEL - BLACK   | 3  | 3  |
| ESC-42ST-IFT   | 42 ST DV F/P IPI NG TOP ESCAPE SEE-THRU   | 1  |    |
| ESCAPE-30-IFT  | 30" DIRECT VENT FIREBRICK INSERT WITH INTELLIFIRE TOUCH IGNITION SYSTEM, NG       |    |    |
| ESCAPE-35-IFT  | 35" Direct Vent FireBrick Insert with IntelliFire Touch Ignition System, NG       |    |    |
| ESCAPE-130LP-F | ESCAPE-130 MEDIUM FIREBRICK DIRECT VENT GAS INSERT W/IPI (LP)                     |    |    |
| ESCAPE-135F    | ESCAPE-135 LARGE FIREBRICK DV GAS INSERT W/IPI NG                                 |    |    |
| EVEREST-B      | HOLD FOR SHEA ** DO NOT SELL** TOP DIR VENT F/P-NG DF-EVEREST FRNT INCL'D         | 18 | -5 |
| EXCLAIM-36H    | 36 WOOD F/P HB BRICK PNL 36 X 28 1/2 OPENING                                      |    |    |
| EXCLAIM-36T    | 36 WOOD F/P W/TRAD BRK PNL 36 X 28 1/2 OPENING                                    |    |    |
| EXCLAIM-42H    | 42 WOOD F/P HB BRK LINER 42 X 28 1/2 OPENING                                      |    |    |
| EXCLAIM-42T    | 42 WOOD F/P TRAD BRK LINER 42 X 28 1/2 OPENING                                    |    |    |
| EXCLAIM-50H    | 50 WOOD F/P HB BRICK LINER 50 X 33 OPENING  |    |    |
| EXCLAIM-50T    | 50 WOOD F/P TRAD BRK LINER 50 X 33 OPENING  |    |    |
| FBI30-4027-NB  | Small surround, 40" x 27" - New Bronze  |    |    |
| FBI35-4229-NB  | Small surround, 42" x 29" - New Bronze  |    |    |
| FBI35-4832-BK  | LARGE SURROUND, 48" X 32", CLASSIC BLACK  |    |    |
| FBI35-4832-GT  | LARGE SURROUND 48"X 32" GRAPHITE  |    |    |
| FDN-6-SS       | Foundation series 6 ft. single-sided linear fireplace, NG                         |    |    |
| FDN-7-SS       | Foundation series 7 ft. single-sided linear fireplace, NG                         |    |    |
| FK12           | FAN ASSEMBLY  |    |    |
| FK18           | FK18 FAN KIT  | 1  | 1  |
| FK23           | FAN KIT 160 CFM NO CONTROL INCLUDED   |    |    |
| FK24           | FK24 FAN V/SPD HEAT ACTIVATED   |    |    |
| FK26           | VARIABLE SPEED HEAT ACTIVATED FAN KIT   | 2  | 2  |
| FMOKAU72       | 72" Ozark Unfinished Maple  |    |    |
| FOL-32-BK      | 32 FOLIO FRONT BLACK INSIDE FIT   | 1  | 1  |
| FOL-32-NB      | 32 FOLIO FRONT BRONZE INSIDE FIT  | 2  | 2  |
| FOL-36-BK      | 36 FOLIO FRONT BLACK INSIDE FIT   | 69 | 9  |
| FOL-36-GT      | 36 FOLIO FRONT GRAPHITE INSIDE FIT  |    |    |
| FOL-36-NB      | 36 FOLIO FRONT BRONZE INSIDE FIT  |    |    |
| FOL-36-PBK     | FOLIO - INSIDE FIT FACE W/ SCREEN   |    |    |
| FOL-42-BK      | 42 FIRESCREEN FRT BLK, INSIDE FIT, 8000 SERIES                                    | 20 | 14 |
| FOL-42-GT      | 42 FOLIO FRONT GRAPHITE INSIDE FIT  | 1  | 1  |
| FOL-42-NB      | 42 FOLIO FRONT BRONZE INSIDE FIT  |    |    |
| FOL-950-BK     | 42 FIRE SCREEN - BLACK FITS SL-950  |    |    |
| FORGE-36AIFT   | FORGE, HAND-CRAFTED, WITH FORGED BARS ADN STRAPS, NATURAL FINISH                  |    |    |
| FORGE-36IFT    | 36" TRUE FRONT - Forge, hand-crafted, with forged bars and straps, natural finish | 1  |    |
| FORGE-42AIFT   | ARCHED FORGE, HAND-CRAFTED, WITH FORGED BARS AND STRAPS, NATURAL FINISH           |    |    |
| FORGE-42IFT    | FORGE, HAND-CRAFTED, WITH FORGED BARS AND STRAPS, NATURAL FINISH                  | 2  | 1  |
| FORGE-50       | FORGE FRONT (TRUE-50) FORGED BARS   |    |    |
| FORGE-50AIFT   | ARCHED FORGE, HAND-CRAFTED, WITH FORGED BARS AND STRAPS, NATURAL FINISH           |    |    |
| FORGE-50IFT    | FORGE, HAND-CRAFTED, WITH FORGED BARS AND STRAPS, NATURAL FINISH                  |    |    |
| FRW124         | 24 REALWOOD LOGS ONLY BURNER NOT INCLUDED   | 6  | 6  |
| FS338          | FIRESTOP SL300 PIPE   | 45 | 45 |
| FS339          | FIRESTOP 15 DEGREE ANGULAR FLUE   |    |    |
| FS-36AIFT-BK   | ARCHED FIRESCREEN FRONT - BLACK   |    |    |
| FS-36AIFT-NB   | ARCHED FIRESCREEN FRONT - NEW BRONZE  |    |    |
| FS-36IFT-BK    | 36" FIRESCREEN FRONT - BLACK  |    |    |
| FS-3-BK        | Firescreen inside fit front- Black  |    | -1 |
| FS-42AIFT-BK   | ARCHED FIRESCREEN FRONT - BLACK   | 2  | 2  |
| FS-42IFT-BK    | TRUE 42 BLACK FIRESCREEN FRONT  | 1  |    |
| FS-42STIFT-BK  | FIRESCREEN FRONT FOR ESCAPE 42- BLACK   | 2  | 1  |
| FS-50AIFT-BK   | ARCHED FIRESCREEN FRONT - BLACK   |    |    |
| FS-50IFT-BK(A) | FS-50IFT-BK BLACK FIRESCREEN FOR TRUE-50  |    |    |
| FS538          | FIRESTOP, SL1100 PIPE   | 26 | 25 |
| FS-5-BK        | 32 FIRESCREEN BLACK INSIDE FIT  | 2  | 2  |
| FS-7-BK        | 36 FIRESCREEN BLACK INSIDE FIT  | 14 | 7  |
| FS-9-BK        | 42 FIRESCREEN BLACK INSIDE FIT  | 22 | 6  |
| FS-E36-GT      | FIRESCREEN FRONT IRON FOR ESCAPE-36DV   |    |    |
| FS-EI35-BK     | FIRESCREEN FRONT - BLACK  |    |    |
| FSI-36-BK      | IRON AGE OVERLAP FRONT - BLACK  |    |    |
| FSI-36-GT      | Iron Age overlap front - Graphite (for 6000 Series)                               |    |    |
| FSI-42-BK      | IRON AGE OVERLAP - BLACK  |    |    |
| FSI-42-GT      | IRON AGE OVERLAP FRONT - GRAPHITE   |    |    |
| FS-TWI-BK      | FIRESCREEN - BLACK FITS TWILIGHT-II   | 8  | 3  |
| GAL-EI30-BK    | OPERABLE CABINET ARCHED DOOR - BLACK  |    |    |
| GALLERIA-6-BK  | OPERABLE OVERLAP DOOR ARCHED-BLK  | -1 | -1 |
| GALLERIA-6-GT  | Operable overlap door arched - Graphite   | 1  | 1  |

|                 |  |    |    |
|-----------------|--|----|----|
| GALLERIA-8-BK   | OPERABLE OVERLAP DOOR ARCHED - BLACK                               |    |    |
| GE-93           | GOLDEN EMBERS  | 9  | 9  |
| GFK-160A        | FAN KIT 160 CFM (INC RHEOSTAT & TEMP SENSOR)                       | 18 | 14 |
| GFK-160B        | FAN KIT WITH TIMER   |    |    |
| GFK-160T        | FAN KIT (TWILIGHT)   | 4  | 4  |
| GFK21B          | FAN KIT W/TIMER CIRCUIT  |    |    |
| GFK4B           | FAN KIT WITH TIMER   | 1  | 1  |
| GH-SL-7         | 36 DV F/P IPI NG TOP/REAR SLIMLINE, FRONT REQ'D                    |    |    |
| GL-36D          | GLASS LINER KIT BLACK  | 2  |    |
| GL-36XD         | GLASS REFRACTORY FOR 6000CLX                                       | 1  | 1  |
| GL-42D          | GLASS LINER KIT  | 1  |    |
| GL-42XD         | GLASS LINER KIT  |    |    |
| GLA-2130        | END PANEL GLASS SRV  |    |    |
| GLA-2282        | GLASS ASSEMBLY NO GLARE 50" TRUE 50                                |    |    |
| GLA2507-018     | ASSY, 42 CERAMIC AR  |    |    |
| GLA4031-095     | GLASS ASSEMBLY,36*   |    | -1 |
| GLA4031-096     | GLASS ASSEMBLY,42*   |    |    |
| GLA4031-540     | GLASS ASSEMBLY 33"   | -2 | -2 |
| GLA-550TR       | GLASS REPLACEMENT  | 1  | 1  |
| GLA-5DV         | GLASS DOOR ASSEMBLY - 4000GDV                                      |    |    |
| GLA-5V          | GLASS DOOR ASSEMBLY - 4000GDV                                      |    |    |
| GLA-6000G       | GLASS  | -1 | -1 |
| GLA-6DVL        | GLASS 22* X 34*  | 1  | 1  |
| GLA-6GLX        | GLASS ASSEMBLY   | 1  | 1  |
| GLA-6TROC       | GLASS ASSEMBLY 6000TR  |    |    |
| GLA-6TRXI       | GLASS ASSEMBLY   |    |    |
| GLA-750TR       | GLASS FOR SL-750   |    |    |
| GLA-8FL         | GLASS ASSEMBLY   | 1  |    |
| GLA-8FT         | !!! PLEASE USE ITEM PART GLA-8FL !!!!!!                            |    |    |
| GLA-950TR       | 42 REPLACEMENT GLASS   | -1 | -1 |
| GLA-BRAVO       | GLASS ASSEMBLY BRAVO   |    |    |
| GLA-DV36        | GLASS ASSEMBLY GTI 6000GDV   |    |    |
| GLA-EVEREST     | Glass Door Assembly  |    |    |
| GLA-INFINITY    | REPLACEMENT GLASS ASSEMBLY   | 1  | 1  |
| GLA-OUTDOOR2    | TWILIGHT 2 OUTSIDE GLASS   |    |    |
| GLA-PDV-F       | GLASS DOOR ASSY W/ FIBER   |    |    |
| GLA-PIER        | GLASS REPLACEMENT KIT  |    |    |
| GLASS-32LINEAR  | Fade-resistant reflective black glass interior panels              | 1  | 1  |
| GLASS-32LINER   | Fade-resistant reflective black glass interior panels              |    |    |
| GLASS32-LINER   | BLACK REFLECTIVE LINER FITS SLR32                                  | 1  | 1  |
| GLASS-3X        | REFLECTIVE BLACK GLASS REFRACTORY                                  |    |    |
| GLASS-42LINEAR  | FADE-RESISTANT REFLECTIVE BLACK GLASS PANELS                       | 9  | 8  |
| GLASS-5         | REFLECTIVE BLACK GLASS REFRACTORY                                  |    |    |
| GLASS550-LINER  | Reflective black ceramic glass refractory                          |    |    |
| GLASS-5X        | REFLECTIVE BLACK GLASS REFRACTORY                                  | -1 | -1 |
| GLASS-7         | REFLECTIVE BLACK REFRACTORY FITS SL-7                              | 1  | 1  |
| GLASS750-LINER  | REFLECTIVE BLACK CERAMIC GLASS REFRACTORY                          |    |    |
| GLASS-7X        | REFLECTIVE BLACK REFRACTORY FITS SL-7X                             | 3  | 2  |
| GLASS-9         | REFLECTIVE BLACK REFRACTORY FITS SL-9                              | 1  | 1  |
| GLASS-9X        | REFLECTIVE BLACK REFRACTORY FITS SL-9X                             | 3  | 2  |
| GLASS-V12-B     | GLASS PANELS FO REVO-V12 - GLOSS BLACK                             |    |    |
| GO30-IPI-LP     | 30 LP GRAND OAK LOG SET IPI BURNER                                 |    |    |
| GO30-IPI-NG     | 30 NG GRAND OAK LOG SET IPI BURNER                                 |    |    |
| GO330           | 30 3T GRAND OAK LOG SET 12 PIECE, LOG SET REQUIRED TO COMPLET      |    |    |
| GO330-IPI-NG    | 3 TIER 30 FIRESIDE GRAND OAK GAS LOG SET W/IPI HEARTH KIT          |    |    |
| GO330-IPI-NG-HK | FIRESIDE GRAND OAK 330 (IPI), MUST ADD GO330 TO COMPLETE           |    |    |
| GRAND-50        | HNG GRAND 50 DIR VNT F/P NEEDS DF-OLY-CARCH FRONT                  | 1  | 1  |
| GRAND-I35-C     | Grand-I35 Large Direct Vent Gas Insert unit with IPI Plus ignition |    |    |
| GR-ODCOUG       | STAINLESS STEEL GRATE W/ LAVA ROCK                                 | 44 | 15 |
| GV80BK          | GRAND VISTA CABINET STYLE MESH DOORS - BLACK                       |    |    |
| HAL-28-BK       | HALSTON OVERLAP FIXED FRONT - BLACK                                |    |    |
| HAL-32-BK       | HALSTON OVERLAP FIXED FRONT - BLACK                                |    |    |
| HAL-36-BK       | 36 HALSTON FRONT OVERLAP, BLK, 6000'S                              |    | -1 |
| HAL-36-GT       | 36 HALSTON FRONT OVERLAP, GRAPHITE, 6000'S                         |    |    |
| HAL-36-NB       | 36 HALSTON FRONT OVERLAP, NEW BZ, 6000'S                           |    |    |
| HAL-42-BK       | 42 HALSTON FRONT BLK, OVERLAP, 8000'S                              | 2  | 2  |
| HAL-42-GT       | 42 HALSTON FRONT GRAPHITE, OVERLAP, 8000'S                         |    |    |
| HAL-42-NB       | 42 HALSTON FRONT NEW BZ, OVERLAP, 8000'S                           |    |    |
| HAL-FB35-GT     | HALSTON FRONT, GRAPHITE  |    |    |
| HALO-GI35-BK    | RECTANGULAR FRONT WITH CONVEX FACE - BLACK                         |    |    |
| HALO-GI35-GY    | RECT FRONT WITH CONVEX FACE-FOG GRAY                               |    |    |

|                 |   |    |    |
|-----------------|---|----|----|
| HALST-GI35-GT   | HALSTON FRONT- GRAPHITE   |    |    |
| HDLOGS-ODCOUG   | High definition log set, requires GR-ODCOUG to complete   | 14 | 9  |
| HEAT-DUCT       | HEAT DISTRIBUTION KIT INCLUDES 20FT OF 6 ROUND DUCT, VENT, ADAPTOR, ADJUSTMENT CON-2                |    | -2 |
| HEAT-OUT-BEK    | EXTERIOR HEAT ZONE BRICK EXTENSION KIT  |    |    |
| HEAT-OUT-PRIMO  | HEAT DUMP TO EXTERIOR INCLUDES: TERM CAP 25FT OF 6 FLEX ADAPTOR, DAMPER, FAN, WALL 3                |    | 1  |
| HEAT-ZONE-GAS   | HEAT ZONE KIT (INCLUDES FAN, 20' OF 6" ROUND DUCT, VENT AND ON/OFF CONTROL)                         | 4  | -3 |
| HEAT-ZONE-PRIMO | INTERIOR HEAT ZONE KIT INCLUDES: (2) 25FT x 6 FLEX (2) VENTS, (2) ADAPTORS, (2) FANS AT REG 1       |    | 1  |
| HEAT-ZONE-TOP   | REQUIRED ADAPTOR HEAT ZONE GAS / DUCT   | 4  | -2 |
| HHT-TEMPLATE-B  | NORTHSTAR FINISHING TEMPLATE  |    |    |
| HNG050-721      | MINERAL WOOL  |    |    |
| HST-42D         | 36 SEE-THRU WOOD F/P USES SL300 VENTING   | 1  | 1  |
| HST-48D         | 42 SEE-THRU WOOD F/P USES SL1100 VENTING  | 1  | 1  |
| HTI-13-007      | CONTROL BOX WSK-MLT   |    |    |
| HTI-17-006      | SOLENOID 110 VOLT HI/LO   | 2  | 2  |
| HTI-21-007      | COVER PLATE   | -2 | -2 |
| HTKDAUC         | KENWOOD OPTIONAL BASE UNFINISHED MAPLE #C   |    |    |
| HTKDMPA         | KENWOOD - OPTIONAL BASE PRIMED MDF  |    |    |
| HX4M            | HEARTH EXTENSION FOR 42" MODELS   |    |    |
| IA-FB30-NB      | IRON AGE FRONT NEW BRONZE   |    |    |
| IA-FB35-NB      | Iron Age Front, New Bronze  |    |    |
| IFT-RC150-HNG   | INTELLIFIRE TOUCH WHITE WIRELESS WALL SWITCH (ON/OFF, COLD CLIMATE, BATTERY STREN 6                 |    | 4  |
| IFT-RC400       | INTELLIFIRE TOUCH BLACK REMOTE CONTROL, DOCKING STATION AND AUXILIARY CONTROL 1 15                  |    | 9  |
| IFT-RC450-HNG   | WALL, IPI ON/OFF BATTERY  |    |    |
| IN-WALL-V12     | KIT TO PARTIALLY RECESS VERTICAL UNIT 3" INTO THE WALL  |    |    |
| IPIFKN2         | THREE STEP FLAME CONTROL KIT FOR NG   |    |    |
| KNOB-8-B        | 8 DECORATIVE KNOOBS FOR STUDIO GLASS/PANELS - GLOSS BLACK   |    |    |
| KS-5-BK         | FIRESCREEN INSIDE FIT FRONT - BLACK   |    |    |
| LCOR-36TRB-IPI  | LEFT CORNER NG DV FIREPLACE FRONT & END PANEL REQ'D   |    |    |
| L-CORNER-TRC    | HNG LT-CORNER D/V F/P- NG   | 1  | 1  |
| LDS46           | Vertical 4'x6' field adjustable, UL listed deco shroud use with TS and                              |    |    |
| LDS46           | CORNER SHROUD POST EACH - NEED 4 PER SHROUD   | 80 | 80 |
| LED-LINEAR      | LED ACCENT LIGHTS   | 11 | 8  |
| LINER-36PIER    | REFLECTRIVE BLACK GLASS INTERIOR PANELS FOR PENINSULA   |    |    |
| LINK-DV30B      | Direct vent insert kit - two 30 - liners, plus term cap components                                  |    |    |
| LINKSQB-DV30    | DIRECT VENT INSERT KIT TWO 30'LINERS PLUS BK TERM CAP AND COMPONENTS                                |    |    |
| LINKSQC-DV30    | Direct vent insert kit - two 30' liners, plus copper term cap components                            |    |    |
| LINTELBAR-HHT   | NORTHSTAR LINTEL BAR  |    |    |
| LM42-SS         | LONGMIRE 42" STAINLESS STEEL RADIANT WOOD FIREPLACE WITH HIDEAWAY GLASS/SCREEN DOOR AND SMOOTH GRAY |    |    |
| LOFTFORGE-48    | LOFT FORGE HAND-CRAFTED FRONT   |    |    |
| LOGS-2127       | LOG ASSEMBLY  |    |    |
| LOGS-48         | NATURAL LOG SET (REQUIRES MEDIA)  |    |    |
| LOGS-60         | NATURAL LOG SET (REQUIRES MEDIA)  |    |    |
| LOGS-6000CLX    | LOG ASSEMBLY FOR 6000CLX IPI/P-S  | 2  | 2  |
| LOGS-6C         | 6 PIECES LOG SET  | 1  | 1  |
| LOGS-6CL        | SRV LOGS FOR 6000CL   | 1  | 1  |
| LOGS-6FL-4      | LOG ASSEMBLY  |    |    |
| LOGS-6OAK       | LOG ASSEMBLY  | 1  | 1  |
| LOGS-72         | NATURAL LOG SET (MEZZO72) REQUIRES MEDIA  |    |    |
| LOGS-750        | LOG ASSEMBLY  |    |    |
| LOGS-8000CLX    | LOG ASSEMBLY FOR 8000CLX  | 1  | 1  |
| LOGS-8TRC       | LOG ASSEMBLY WITH GRATE   | 1  |    |
| LOGS-950        | LOG ASSEMBLY - SL-950   |    |    |
| LOGS-BE36-C     | LOG ASSEMBLY FOR BE-36-C  |    |    |
| LOGS-COSMO32    | TRADITIONAL LOG SET (INCLUDES BURNER) FOR COSMO 32  |    |    |
| LOGS-COSMO42    | TRADITIONAL LOG SET (INCLUDES BURNER) FOR COSMO 42  |    |    |
| LOGS-MSR        | LOG ASSEMBLY  | 1  |    |
| LOGS-SL9        | LOG SET ASSEMBLY (SL-9)   | 1  | 1  |
| LOGS-TRU42      | LOG ASSEMBLY, TRUE 42   |    |    |
| LOGS-TRUE36     | LOG SET FOR TRUE 36   |    |    |
| LOGS-TRUE42     | LOG ASSEMBLY, TRUE 42   |    |    |
| LPK-350TRS-IPI  | LP CONVERSION KIT IPI NG TO LP, FOR SL-350TRS-IPI   |    |    |
| LPK-42LINEAR    | LP CONVERSION KIT FOR COSMO 42  |    |    |
| LPK-4836        | LP CONVERSION KIT   |    |    |
| LPK-550F        | LP CONVERSION KIT   |    |    |
| LPK-550IPIE     | LP CONVERSION KIT FOR IPI NG TO LP FOR SL-550TR-IPI-E   |    |    |
| LPK-550METRO    | LP CONVERSION KIT   |    |    |
| LPK-550TM       | LP CONVERSION KIT NG TO LP, FOR ST-550TM-IPI  |    |    |
| LPK-6048        | LP CONVERSION KIT   |    |    |
| LPK-6C          | CONVERSION KIT, LP  | 3  | 3  |
| LPK-6CLX        | 6000CLX-IFP NG-LP CONVERSION KIT  |    |    |
| LPK-7260        | LP CONVERSION KIT   | 1  | 1  |



|                 |  |    |    |
|-----------------|--|----|----|
| LPK-750F        | LP CONVERSION KIT                                    |    |    |
| LPK-750IPIE     | NG->LP CONVERSION KIT SL-750 IPI                     | 1  | 1  |
| LPK-8472        | NG->LP CONVERSION KIT FOR MEZZO72(ST)                |    |    |
| LPK-8CLX        | LP CONVERSION KIT 8000CLX-IFT                        |    |    |
| LPK-8TRD        | HNG LP CONVERSION KIT                                | 1  | 1  |
| LPK-950IPIE     | NG->LP CONVERSION KIT SL-950 IPI                     | 3  | 3  |
| LPK-950TR-C     | CONVERSION KIT LP                                    |    |    |
| LPK-CARODG36    | NG->LP KIT (CARODG36)                                | 3  | 3  |
| LPK-CARODG36-C  | CAROLINA 36" CNVERSION KIT, LP                       |    |    |
| LPK-CARODG42    | NG->LP KIT (CARODG42)                                |    |    |
| LPK-CERONA36    | LP CONVERSION KIT NG TO LP, CERONA36 IPI             |    |    |
| LPK-CERONA42    | LP CONVERSION KIT NG TO LP                           |    |    |
| LPK-COSMOI35-C  | LP CONVERSION KIT                                    |    |    |
| LPK-ESCAPE-42DV | CONVERSION KIT LP                                    |    |    |
| LPK-EVEREST     | HNG LP CONV KIT-EVEREST                              |    |    |
| LPKI-6C         | NG->LP CONVERSION KIT FITS 6000C                     | -2 | -2 |
| LPKI-6CLX       | NG->LP CONVERSION KIT FITS 6000CLX                   | 1  | 1  |
| LPKI-8CLX       | 8000CLX LP CONVERSION KIT                            | -1 | -1 |
| LPKI-8CM        | LP conversion kit for IntelliFire Plus (8000 Modern) |    |    |
| LPKI-SGS        | LP CONVERSION KIT FOR SMALL CAST GAS STOVE           |    |    |
| LPKMARQ42ST     | LP CONVERSION KIT FOR ESCAPE-ST 42" SEE-THROUGH      |    |    |
| LPK-MS32        | LP CONVERSION KIT IPI NG TO LP                       |    |    |
| LPK-MS36        | LP CONVERSION KIT FOR MULTI-SIDED, NG TO LP          |    |    |
| LPK-MS36-IFT    | NG to LP conversion kit 36" multi side units         | 1  | 1  |
| LPK-ODCOUG      | LP conversion kit for Courtyard fireplace            | 4  | 2  |
| LPK-ODFORTG-36  | LP CONVERSION KIT FOR FORTRESS                       |    |    |
| LPK-ODLANAIG51  | LP CONVERSION KIT                                    |    |    |
| LPK-ODMEZG-36   | LP CONVERSION KIT/MEZZANINE                          |    |    |
| LPK-ODPALG-48   | HNG LP CONVERSION KIT FOR PALAZZO 48 OPALG-48        |    |    |
| LPK-ODVILLAG    | LP CONVERSION KIT FOR VILLA GAS                      |    |    |
| LPKP-BRAVO      | HNG LP CONV KIT-BRAVO D/V                            | 2  | 2  |
| LPKP-EVEREST    | LP CONVERSION KIT NG TO LP IPI                       | 2  |    |
| LPK-PRIMO48     | LP CONVERSION KIT PRIMO 48                           |    |    |
| LPK-PRIMO60     | LP CONVERSION KIT                                    |    |    |
| LPK-PTRC        | HNG LP CONV. -PIER/ST/CRNR DV                        | 1  | 1  |
| LPK-PTRCMS      | CONVERSION KIT, LP                                   |    |    |
| LPK-RED60       | LP CONVERSION KIT NG TO LP IPI                       | 1  | 1  |
| LPK-SL3X        | NG to LP conversion kit                              |    |    |
| LPK-SL5X        | LP CONVERSION KIT                                    |    |    |
| LPK-SL7         | NG->LP CONVERSION KIT SL-7                           | 13 | 10 |
| LPK-SL7X        | NG->LP CONVERSION KIT SL-7X                          | 5  | 5  |
| LPK-SL9         | NG->LP CONVERSION KIT SL-9                           | 9  | 9  |
| LPK-SL9X        | NG->LP CONVERSION KIT SL-9X                          | 7  | 7  |
| LPK-SLR-C       | LP CONVERSION KIT NG TO LP, FOR COSMO/SLR            | 4  | 4  |
| LPK-TRUE36      | LP CONVERSION KIT                                    |    |    |
| LPK-TRUE42      | LP CONVERSION KIT                                    |    |    |
| LPK-TRUE50      | LP CONVERSION KIT                                    |    |    |
| LPK-TWI         | NG->LP CONVERSION KIT FOR TWILIGHT-II-C              | 2  | 2  |
| MAR-COSMO32-GT  | MARTINI FRONT -GRAPHITE                              |    |    |
| MAR-COSMO32-GY  | MARTINI FRONT-FOG GRAY                               |    |    |
| MAR-COSMO32-NB  | MARTINI FRONT- NEW BRONZE                            |    |    |
| MAR-COSMO42-EB  | MARTINI FRONT - EBONY                                |    |    |
| MAR-COSMO42-GT  | MARTINI FRONT- GRAPHITE                              |    |    |
| MAR-COSMO42-GY  | MARTINI FRONT - FOG GRAY                             |    |    |
| MAR-COSMO42-NB  | MARTINI FRONT - NEW BRONZE                           |    |    |
| MAR-SLR-EB      | MARTINI FRAMED MESH, ANGLED TRIM FRONT-EBONY         |    |    |
| MAR-SLR-GT      | MARTINI FRAMED MESH, ANGLED TRIM FRONT GRAPHITE      | 1  | 1  |
| MAR-SLR-GY      | MARTINI FRAMED MESH,ANGLED TRIM FRONT-FOG GRAY       |    |    |
| MAR-SLR-NB      | MARTINI FRAMED MESH,ANGLED TRIM FRONT-NEW BRONZE     |    |    |
| MBBGMS1PK1      | ABSOLUTE BLACK GRANITE, SET 1, SINGLE PACK           |    |    |
| MBSGMS1PK1      | STEEL GRAY GRANITE (SET 1)                           |    |    |
| MEDIA-550-BK    | GLASS MEDIA, EBONY (BLACK)                           |    |    |
| MEDIA-AMBER     | GLASS MEDIA, AMBER                                   |    |    |
| MEDIA-AMBER-14  | GLASS MEDIA, AMBER                                   |    |    |
| MEDIA-AMBER-48  | GLASS MEDIA - AMBER                                  |    |    |
| MEDIA-AMBER-60  | GLASS MEDIA, AMBER                                   |    |    |
| MEDIA-AMBER-72  | GLASS MEDIA - AMBER                                  |    |    |
| MEDIA-BK2-GEMS  | GLASS BEADS, BLACK                                   | 1  |    |
| MEDIA-BLACK     | GLASS MEDIA, EBONY BLACK                             |    |    |
| MEDIA-CL2-GEMS  | GLASS BEADS-CLEAR                                    |    |    |
| MEDIA-CLEAR-36  | GLASS MEDIA, CRYSTAL (TRANSLUCENT WHITE)             |    |    |

|                 |  |    |    |
|-----------------|--|----|----|
| MEDIA-CLEAR-48  | GLASS MEDIA - CLEAR TRANSLUCENT WHITE  | 3  | 1  |
| MEDIA-CLEAR-60  | GLASS MEDIA - CLEAR TRANSLUCENT WHITE  | 2  |    |
| MEDIA-CLEAR-72  | GLASS MEDIA - CLEAR TRANSLUCENT WHITE  | 2  | 1  |
| MEDIA-COBALT    | GLASS MEDIA COBALT BLUE  |    |    |
| MEDIA-COBALT-48 | GLASS MEDIA - COBALT   | 3  | 3  |
| MEDIA-COBALT-60 | GLASS MEDIA, COLBALT (BLUE)  |    |    |
| MEDIA-COBALT-72 | GLASS MEDIA - COBALT   |    |    |
| MEDIA-CRYSTAL   | GLASS MEDIA, CRYSTAL   | 1  |    |
| MEDIA-EBONY-48  | GLASS MEDIA - EBONY  |    |    |
| MEDIA-EBONY-60  | GLASS MEDIA - BLACK FITS MEZZO60(ST)   |    |    |
| MEDIA-EBONY-72  | GLASS MEDIA - BLACK  |    |    |
| MEDIA-FOG-48    | ICED FOG MEDIA (REQUIRES BLACK SPRAY PAINT FINISH)   | 1  |    |
| MEDIA-FOG-60    | GLASS MEDIA - FOG REQUIRES BLACK SPRAY PAINT   | 2  |    |
| MEDIA-FOG-72    | GLASS MEDIA - FOG REQUIRES BLACK SPRAY PAINT   |    |    |
| MEDIA-RED-60    | GLASS MEDIA, SCARLET (RED)   |    |    |
| MEDIA-STONES-2  | LARGE, MULTI COLOR STONES FIBER MEDIA  |    |    |
| MEDIA-WH2-GEMS  | GLASS BEADS-WHITE  |    | -1 |
| MESH-EVERESTB   | MESH KIT   |    |    |
| MEZZO36-B       | MEZZO 36" TOP DIRECT VENT UNIT WITH INTELLI FIRE IGNITION (NG)                                       |    |    |
| MEZZO36ST-B     | TOP DIRECT VENT WITH INTELLIFIRE PLUS IGN  |    |    |
| MEZZO48-B       | 48 NG DV LINEAR FIREPLACE FRONT & MEDIA REQUIRED RC300 REMOTE INCLUDED                               |    |    |
| MEZZO48ST-B     | 48 NG DV SEE THRU LINEAR FIRE (2) FRONTS & MEDIA REQUIRED RC300 REMOTE INCLUDED                      |    |    |
| MEZZO60-B       | 60 NG DV LINEAR FIREPLACE FRONT & MEDIA REQUIRED RC300 REMOTE INCLUDED                               | 5  | 3  |
| MEZZO60ST-B     | 60 NG DV SEE THRU LINEAR FIRE (2) FRONTS & MEDIA REQUIRED RC300 REMOTE INCLUDED                      |    |    |
| MEZZO72-B       | 72 NG DV LINEAR FIREPLACE FRONT & MEDIA REQUIRED RC300 REMOTE INCLUDED                               |    |    |
| MEZZO72ST-B     | 72 NG DV SEE THRU LINEAR FIRE (2) FRONTS & MEDIA REQUIRED RC300 REMOTE INCLUDED                      |    |    |
| MIRROR-6-SS     | MIRRORED PANELS FOR 6 FT. SINGLE SIDED FOUNDATION FIREPLACES   |    |    |
| MIRROR-7-SS     | MIRRORED PANELS FOR 7 FT. SINGLE-SIDED FOUNDATION FIREPLACES   |    |    |
| MMHB36-B        | HERRINGBONE BRICK PANELS FITS RUTHERFORD-36-B  | 1  |    |
| MMHB42-B        | HERRINGBONE BRICK PANELS FITS RUTHERFORD-42-B  |    | -1 |
| MMHB50-B        | HERRINGBONE BRICK PANELS FITS RUTHERFORD-50-B  |    |    |
| MMMORTR         | MORTAR (10LB) 1 TRAD OR 2 HRRNGBNE   | 4  | 3  |
| MMTB36-B        | TRADITIONAL BRICK PANELS FITS RUTHERFORD-36-B  |    |    |
| MMTB42-B        | TRADITIONAL BRICK PANELS FITS RUTHERFORD-42-B  |    |    |
| MMTB50-B        | TRADITIONAL BRICK PANELS FITS RUTHERFORD-50-B  |    |    |
| MODERN-32-BK    | 32 MODERN FRONT BLACK FITS SL-550METRO   | 1  | 1  |
| MODERN-32-GT    | 32 MODERN FRT GRAPHITE FITS SL-550METRO  | 2  | 2  |
| MODERN-32-GY    | 32 MODERN FRT -FOG GRAY FITS SL-550METRO   |    |    |
| MODERN-32-NB    | 32 MODERN FRT - NEW BRZ FITS SL-550METRO   |    |    |
| MODLOGS-72      | 'The Dunes,' by Elisa Carlucci (Modern White Log Set, Requires Glass Media)                          | 2  |    |
| MOD-ODCOUG36    | Contemporary hearth kit for use with glass media, not recommended for use with LP conversion kit     |    |    |
| MOD-ODCOUG42    | Contemporary hearth kit for use with glass media, not recommended for use with LP conversion kit     | 2  |    |
| NBST27PV-B      | 27"LP Natural Blaze See-Through Burner Propane, 39,000 BTU   | 1  | 1  |
| NBV4236         | HTL 42 NOVUS-B-VENT PILOT-USES 5B-VENT   | 2  | 2  |
| NBV4236I        | HTL 42 NOVUS-IPI IGN USES 5 B-VENT   | 2  | 2  |
| NGK-550TRS-C    | CONVERSION KIT, NG   |    |    |
| NGK-8CLX        | CONVERSION KIT NG 8000CLX IFT  |    |    |
| NGK-CRESCENTII  | LP-NG CRESCENTII CONVERSION KIT  | 1  | 1  |
| NGKI-6CLX       | CONVERSION KIT, NG, IPI  | 1  |    |
| NGKI-8CLX       | CONVERSION KIT, NG, IPI  |    |    |
| NGKP-BRAVO      | CONVERSION KIT, NG   |    |    |
| NGK-TWI         | CONVERSION KIT, NG   |    |    |
| NORTHSTAR-BK    | EPA WOOD F/P BLK CAB DOOR USES SL300 PIPE  | 1  |    |
| NORTHSTAR-NT    | EPA WOOD F/P BRSH NICKEL   |    |    |
| ODCASTLEWD-42   | CASTLEWOOD 42" OUTDOOR WOOD FIREPLACE  |    |    |
| ODCOUG-36       | Courtyard 36 outdoor traditional fireplace with IntelliFireâ„¢ ignition, single-sided, stainless st  |    |    |
| ODCOUG-36PH     | Courtyard 36 outdoor traditional fireplace with IntelliFireâ„¢ ignition, single-sided, premium herr  | 10 | 7  |
| ODCOUG-36PT     | COURTYARD 36" PREMIUM TRAD.(MUST ADD LOGS OR MEDIA)  | 1  | 1  |
| ODCOUG-36T      | Courtyard 36" outdoor traditional fireplace with IntelliFireâ„¢ ignition, single-sided, traditional  |    |    |
| ODCOUG-42       | Courtyard 42" outdoor traditional fireplace with IntelliFireâ„¢ ignition, single-sided, stainless st |    |    |
| ODCOUG-42PH     | Courtyard 42" outdoor traditional fireplace with IntelliFire ignition, premium herringbone liner     | 8  | 11 |
| ODCOUG-42PT     | Courtyard 42" outdoor traditional fireplace with IntelliFireâ„¢ ignition, single-sided, premium st   | 6  | 5  |
| ODCOUG-42T      | Courtyard 42" outdoor traditional FPw/ IntelliFire ignition, traditionall basic interior             |    |    |
| ODFORTG-36      | FORTRESS INDOOR/OUTDOOR GAS FIREPLACE WITH INTELLIFIRE TOUCH IGNITION SYSTEM, SEE-THROUGH            |    |    |
| ODFORTG36-IH    | FORTRESS HERRINGBONE BRICK REFRACTORY  |    |    |
| ODGSR36ARN      | 36" OUTDOOR VENT FREE FIREPLACE W/ LOGSET NG   |    |    |
| ODLANAIG-51     | LANAI OUTDOOR LINEAR FIREPLACE W/ INTELLIFIRE TM ING SYSTEM, SINGLE SIDED                            | 6  | 5  |
| ODLANAIG-51CFT  | TRIM KIT   | 7  | 6  |
| ODLANAIG-51SCN  | SCREEN FOR LANAI   | 4  | 4  |
| ODMEZG-36       | MEZZANINE INDOOR/OUTDOOR LINEAR GAS FIREPLACE WITH INTELLIFIRE TOUCH IGNITION SYSTEM, SEE-THROUGH    |    |    |
| ODMEZG36-BGK    | ODMEZ36 BMG KIT  |    |    |

|                 |  |    |    |
|-----------------|--|----|----|
| ODMEZG36-CFT    | MEZZANINE INTERIOR CLEAN FACE FRONT  |    |    |
| ODPALG-48       | HNG PALAZZO NG OUTDOOR LINEAR GAS FIREPLACE (HTI3)   |    |    |
| ODPALGST-48     | PALAZZO OUTDOOR LINEAR FIREPLACE WITH INTELLIFIRE IGNITION, SEE-THROUGH                              |    |    |
| ODVILLA-36T     | VILLAWOOD 36 WITH TRADITIONAL REFRACTORY   |    |    |
| ODVILLA-42H     | Villawood 42 42" Outdoor Wood Fireplace with herringbone refractory                                  |    |    |
| ODVILLAG-36T    | 36" OUTDOOR GAS FIREPLACE WITH TRADITIONAL REFRACTORY  |    |    |
| ODVILLAG-42T    | 42" OUTDOOR GAS FIREPLACE WITH TRADITIONAL REFRACTORY  |    |    |
| PALOMA-BK-MOD   | PALOMA DV FREESTANDING GAS STOVE WITH INTELLIFIRE IGN NG BRONZE GLASS                                |    |    |
| PHOENIX42-IFT   | PHOENIX 42" TOP/REAR TRUE VIEW GAS FP WHISPER TONE W/ INTEELFIRE IGN NG INCLUDE HOR I                |    |    |
| PHSI-PRIMO      | PASSIVE HEAT KIT FOR PRIMO- SIDE OR TOP DISCHARGE- INCLUDES (2) REGISTER COVERS                      |    |    |
| PHX42-HK-GLA    | Reflective black glass refractory, high definition logs, molded fiber base front                     | 1  | 1  |
| PHX42-HK-TR     | TRADITIONAL STYLE FIBER BRICK REF HIGH DEF   | 1  |    |
| PIER-36TRB-IFT  | 36 PIER DV F/P IPI NG TOP/REA BLDR BX, 2 FRTS, 1 EP REQ'D  |    |    |
| PIER-36TR-IFT   | 36 PIER DV F/P IPI NG TOP/REA ELEC EMBER BED, RC400 INC'D  |    |    |
| PRIMO48         | TOP DIRECT VENT UNIT W/ INTELLIFIRE PLUS IGNITION(NG)  |    |    |
| PRIMO48-CF      | CLEAN FACE TRIM W FADE RESISTANT BLACK GLASS INTERIOR  | 1  |    |
| PRIMO48-GR      | ABSOLUTE BLACK GRANITE SURROUND WITH BLACK GRANITE INTERIOR  |    |    |
| PRIMO48ST       | 48" SEE-THROUGH TOP DIRECT VENT W/ INTELLIFIRE PLUS  | 3  | 2  |
| PRIMO48ST-CF    | CLEAN FACE TRIM W/ FADE-RESISTANT BLK GLASS INTERIOR   | 3  | 2  |
| PRIMO60         | 60 NG DV LINEAR FIREPLACE MULTI-COLORED LED LIGHTS RC300 REMOTE INCLUDED                             |    |    |
| PRIMO60-CF      | 60 CLEAN FACE TRIM FITS PRIMO60  | 3  | 1  |
| PRIMO60ST       | 60" SEE THROUGH TOP DIRECT VENT  |    |    |
| PRIMO60-ST      | ** USE PRIMO60ST **  |    |    |
| PRIMO60ST-CF    | CLEAN FACE TRIM W. FADE RESISTANT BLK GLASS INTERIOR   |    |    |
| PRIMO72         | 72 NG DV LINEAR FIREPLACE MULTI-COLORED LED LIGHTS RC300 REMOTE INCLUDED                             |    |    |
| PRIMO72-CF      | 72 CLEAN FACE TRIM FITS PRIMO72  |    |    |
| PRIMO72ST       | 72" SEE THROUGH TOP DIRECT VENT UNIT WITH INTELLIFIRE PLUS IGNITION                                  |    |    |
| PRIMO72ST-CF    | CLEAN FACE TRIM WITH FADE-RESISTANT BLACK GLASS INTERIOR. COMPLETE BOTH SIDES.                       | 2  |    |
| PV-IPI-CK       | POWER VENT CONVERSION KIT FOR INTELLIFIRE PLUS SYSTEM  |    |    |
| PVI-SLP-B       | PV INLINE SYSTEM SLP ONLY FOR USE ON SPECIFIC HHT UNITS  |    |    |
| PVI-WH10        | 10 FT PV WIRE HARNESS  |    |    |
| PVI-WH100       | 100 FT PV WIRE HARNESS   | 2  | 2  |
| PVI-WH20        | 20 FT PV WIRE HARNESS  |    |    |
| PVI-WH40        | 40 FT PV WIRE HARNESS  | 4  | 2  |
| PVI-WH60        | 60 FT PV WIRE HARNESS  |    |    |
| PVI-WH80        | 80 FT PV WIRE HARNESS  | 2  | 1  |
| PVK-67          | Power vent for 6 ft. and 7 ft. models  |    |    |
| PVK-80          | POWER VENT - VERTICAL IPI UNITS ONLY   | 1  |    |
| PVLP-SLP        | POWER VENT - LOW PROFILE   | 3  |    |
| QT-48-BK        | QUATTRO FRONT - BLACK  |    |    |
| QT-48-NB        | QUATTRO FRONT -NEW BRONZE  |    |    |
| QT-60-BK        | QUATTRO FRONT - BLACK  |    |    |
| QT-60-NB        | QUATTRO FRONT - NEW BRONZE   |    |    |
| RADIUS-V12-BK   | RADIUS FRONT (COVERS ENTIRE UNIT - NO IN-WALL FINISHING OR AMBIENT LIGHTS) - BLACK                   |    |    |
| RADVTBDSB       | RADIANCE BOURDEAUX ENAMEL NG INCLUDED LP CONVERSION KIT  |    |    |
| RBV4842IT       | REVEAL 42 42" OPEN HEARTH B-VENT GAS FIREPLACE UNIT WITH INTELLIFIRE (NG) WITH TRADITIONAL BRICK REF |    |    |
| RC100-HNG       | WALL, IPI ON/OFF, BAT BATTERY SIG/ BAT BACKUP  | 3  | 2  |
| RC200-HNG       | REMOTE, IPI, ON/OFF, FAN SPD FLAME HI/LO, BAT IND/BACKUP   | 18 | 17 |
| RC300-HNG       | REMOTE, IPI, ON/OFF, FAN SPD, FLAME HI/LO, AUX, TEMP/THERMO  | 8  | 8  |
| RCOR-36TRB-IPI  | R-CRNR DV F/P IPI NG TOP/REAR FRONT & END PANEL REQ'D  |    |    |
| RCOR-DV36IN     | 36" Right Corner Direct Vent Multi Side Top/Rear Gas Fireplace with Intellifire Touch Ignition (NG)  |    |    |
| RCT-MLT-HNG     | REMOTE, MULTI-FUNCTION FOR IPI ONLY  | 7  | 2  |
| REM-KITA        | REMOTE CONTROL ON/OFF HI/LO  |    |    |
| REVO-V12        | REVO REAR DIRECT VENT GAS FIREPLACE WITH IPI PLUS IGNITION SYSTEM                                    |    |    |
| RF370           | FLASHING, 0-6/12 PITCH FOR SL300 PIPE  | -1 | 9  |
| RF570           | ROOF FLASHING, 0-6/12 PITCH  | 4  | 4  |
| RF6             | DVP FLASHING (0/12-6/12)   | 36 | 30 |
| RH-36           | 36 WOOD F/P TRAD BRK LINER 36 X 21 OPENING, ADD AIRKIT   | 4  | 4  |
| RH-42           | 42 WOOD F/P TRAD BRK LINER 42 X 21 OPENING, ADD AIRKIT   | 4  | 4  |
| ROCK-COSMO-INS  | CERAMIC FIBER STONES   |    |    |
| RRCE            | REMOTE RECEIVER COVER FIBER EMBER  |    |    |
| RUTHERFORD-36-B | 36 WOOD F/P RADIANT HEAT 36X38 OPENING, BRICK REQ'D  |    |    |
| RUTHERFORD-42-B | 42 WOOD F/P RADIANT HEAT 42X38 OPENING   | 1  | 1  |
| RUTHERFORD-50-B | 50 WOOD F/P RADIANT HEAT ADD BRICK, 50X38 OPENING  |    |    |
| SCN-ODCOUG36    | Framed mesh screen for Courtyard 36"   |    |    |
| SCN-ODCOUG42    | Framed mesh screen for Courtyard 42"   | 2  |    |
| SDLOGS-ODCOUG   | STANDARD DEFINITION LOGS, REQUIRES GR-ODCOUG TO COMPLETE   | 36 | 12 |
| SF-ALL48-BK     | 48" RECESSED LINEAR ELECTRIC FIREPLACE   |    |    |
| SF-ALL60-BK     | 60" RECESSED LINEAR ELECTRIC FIREPLACE   | 2  | 1  |
| SF-BI30-EB      | 30" ELECTRIC BI FIREPLACE  |    |    |
| SF-BI36-E       | 36" SIMPLIFIRE BUILT IN ELECTRIC FIREPLACE W/REMOTE  |    |    |

|                 |   |     |    |
|-----------------|---|-----|----|
| SF-BI36-EB      | 36" SIMPLIFIRE BUILT IN ELECTRIC FIREPLACE W/REMOTE                               |     |    |
| SF-EF30-BK      | 30" ELECTRIC BI FRONT   |     |    |
| SF-EF36-BK      | 36" NON OPERABLE DOORS FOR SIMPIFIRE  |     |    |
| SF-MEDIA-LOGS   | Driftwood logs  |     |    |
| SF-MEDIA-STONES | CERAMIC WHITE STONE MEDIA   | 1   | 1  |
| SF-SC43-BK      | 43" SCION CLEAN FACE LINEAR ELECTRIC FIREPLACE                                    |     |    |
| SF-SC55-BK      | 55" SCION CLEAN FACE LINEAR ELECTRIC FIREPLACE                                    |     |    |
| SF-SC78-BK      | 78" Scion Clean Face Linear Electric Fireplace                                    |     |    |
| SF-WM58-BK      | SIMPLIFIRE 58" MODERN   |     |    |
| SI35-4229-BK    | SMALL SURROUND, 42" X 29", CLASSIC BLACK  |     |    |
| SI35-4432-BK    | MEDIUM SURROUND, 44" X 32", CLASSIC BLACK   |     |    |
| SIM-36C-K       | Simon inside fit front - Black  | 2   | 2  |
| SIM-4236        | SIMON SCREEN FRONT-BLACK  |     | -1 |
| SL1106          | 6 CHIMNEY PIPE 11 X 13  |     |    |
| SL1112          | 12 CHIMNEY SECTION 11 X 13  | 9   | 7  |
| SL1118          | 18 CHIMNEY PIPE 11 X 13   | 9   | 8  |
| SL1130          | ELBOW 30 DEGREE PIPE 11 X 13, OFFSET/RETURN (PAIR)                                | 10  | 9  |
| SL1136          | 36 CHIMNEY PIPE 11 X 13   | 10  | 9  |
| SL1148          | 48 CHIMNEY PIPE 11 X 13   | 33  | 30 |
| SL-2DVP         | SL TO DVP ADAPTER   |     |    |
| SL306           | 6 CHIMNEY PIPE 8 X 10 1/2   | 2   | 2  |
| SL312           | 12 CHIMNEY PIPE 8 X 10 1/2  | 10  | 10 |
| SL315           | 15 DEGREE ELBOW OFFSET AND RETURN   |     |    |
| SL318           | 18 CHIMNEY PIPE 8 X 10 1/2  | 12  | 12 |
| SL324           | 24 CHIMNEY PIPE 8 X 10 1/2  | 11  | 11 |
| SL330           | ELBOW 30 DEGREE (PR) 8 X 10 1/2, OFFSET/RETURN                                    | 8   | 8  |
| SL336           | 36 CHIMNEY PIPE 8 X 10 1/2  | 11  | 11 |
| SL348           | 48 CHIMNEY PIPE 8 X 10 1/2  | 31  | 31 |
| SL-3X           | 28" Direct Vent Gas Fireplace top/rear vent with IntelliFire Plus (NG)            |     |    |
| SL-3X-IFT       | SL-3X 28" Direct Vent gas fireplace top/rear vent with IntelliFire Touch (NG)     |     | -1 |
| SL412           | 12 INCH CHIMNEY SECTION   |     |    |
| SL-5            | 32 DV F/P IPI NG TOP/REAR FRONT REQ'D   |     |    |
| SL-550METRO     | Metro 32 32" Modern Direct Vent Gas Fireplace top/rear vent unit with IntelliFire |     |    |
| SL-5F           | SL-Fusion top/rear direct vent fireplace with IntelliFire (NG)                    |     |    |
| SL-5LP          | 32" LP FIREPLACE TOP/ REAR VENT   |     |    |
| SL-5X           | *** USE SL-5X-IFT ****  |     |    |
| SL-5X-IFT       | SL-5X 32" Direct Vent gas fireplace top/rear vent with IntelliFire Touch (NG)     | 1   | 1  |
| SL-5XLP         | 32 DV F/P IPI LP TOP/REAR SLIMLINE, FRONT REQ'D                                   |     |    |
| SL-5XLP-IFT     | SL-5X 32" Direct Vent gas fireplace top/rear vent with IntelliFire Touch (LP)     |     |    |
| SL-7            | 36 DV F/P IPI NG TOP/REAR SLIMLINE, FRONT REQ'D                                   | 6   | 4  |
| SL-7F           | SL-FUSION TOP/REAR DIRECT VENT FIREPLACE  |     |    |
| SL-7LP          | 36" LP FIREPLACE TOP/ REAR VENT   |     |    |
| SL-7X-IFT       | 36" Direct Vent gas fireplace top/rear vent with IntelliFire Touch (NG)           | 5   | 5  |
| SL-7XLP-IFT     | SL-7X 36" Direct Vent gas fireplace top/rear vent with IntelliFire Touch (LP)     |     |    |
| SL-9            | 42 DV F/P IPI NG TOP/REAR SLIMLINE, FRONT REQ'D                                   | 8   | 4  |
| SL950-TR-IPI-E  | 42" SLIM LINE DIRECT VENT FIREPLACE   | 1   | 1  |
| SL-9X-IFT       | 42" Direct Vent gas fireplace top/rear vent with IntelliFire Touch (NG)           | 2   | 1  |
| SLG12           | SNAP LOCK GAS 12" PIPE SECTION  | 1   |    |
| SLG12A          | Snap Lock Gas 2" - 10.5" adjustable pipe section                                  | 1   |    |
| SLG24           | SNAP LOCK GAS 24" PIPE SECTION  | 1   |    |
| SLG36           | SNAP LOCK GAS 36" PIPE SECTION  | 2   |    |
| SLG45           | Snap Lock Gas 45' elbow   | 2   |    |
| SLG48           | SNAP LOCK GAS 48" PIPE SECTION  | 2   |    |
| SLG90           | Snap Lock Gas 90' elbow   | 1   |    |
| SLG-FS          | Snap Lock Gas ceiling firestop  | 2   |    |
| SLMR-IFT-UPK    | IFT UPGRADE KIT   | 3   | 3  |
| SLP12           | 12 GALV PIPE 4X6 - DV SLIMLINE  | 52  | 45 |
| SLP12A          | 12 ADJ GALV PIPE 4X6 DV SLIMLINE  | 50  | 25 |
| SLP-12BK        | 12" PIPE SECTION-BLACK  |     |    |
| SLP24           | 24 GALV PIPE 4X6 - DV SLIMLINE  | 38  | 28 |
| SLP-24BK        | 24" PIPE LENGTH-BLACK   |     |    |
| SLP36           | 36 GALV PIPE 4X6 - DV SLIMLINE  | 60  | 45 |
| SLP-36BK        | 36" PIPE SECTION-BLACK  |     |    |
| SLP36-BK        | 36" PIPE LENGTH-BLACK   |     |    |
| SLP4            | 4" SECTION SLP PIPE   |     |    |
| SLP45           | 45 ELBW 4X6 DV SLIMLINE   | 89  | 53 |
| SLP45-BK        | 45 DEGREE ELBOW-BLACK   |     |    |
| SLP48           | 48 GALV PIPE 4X6 DV SLIMLINE  | 115 | 67 |
| SLP6            | 6 GALV. PIPE 4X6 DV   | 32  | 26 |
| SLP6A           | 2" - 6" (51 - 152mm) slip section to slide over pipe (can be cut to length)       |     |    |
| SLP90           | 90 ELBW 4X6 DV  | 24  | 19 |

|                |   |    |    |
|----------------|---|----|----|
| SLP-CCS-BK     | CATHERDERAL CEILING SUPPORT BOX-BLK   |    |    |
| SLP-FLEX-5     | 5' FLEX SECTION OF SLP PIPE   |    |    |
| SLP-FS         | FIRESTOP 4X6 DV SLIMLINE  | 70 | 40 |
| SLP-HRC-SS     | HORIZONTAL HIUGH RISE TERMINATION(INCLUDES SLP-WS)                          |    |    |
| SLP-HVTK       | HORIZONTAL VENT TERMINATION KIT   |    |    |
| SLP-TRAP2      | HORIZONTAL TRAPEZOID TERM KIT   | 19 | 15 |
| SLP-TVHW       | VERT TERM CAP 4X6 DV INC'D STORM COLLAR                                     | 33 | 25 |
| SLP-WS         | WALL FIRESTOP 4/6 DV SLIMLINE   | 14 | 10 |
| SLR32          | COSMO SLR32 32" DIRECT VENT LANDSCAPE FIREPLACE TOP VENT UNIT WITH IPI (NG) |    |    |
| SLR-LOGS-C     | LOG SET (SLR-D) INCLUDES NEW BURNER   |    |    |
| SMART-STAT-HNG | REMOTE ON/OFF, TEMP,THERM, TIMER, IPI OR SP, BATT OPER                      | 15 | 9  |
| SMART-WALL     | SMART WALL TV KIT INCLUDES FAN AND DUCT                                     | 5  | 4  |
| SOLARIS36-MR   | 36 SEE THRU NG FIREPLACE MIRRORED GLASS & LED                               | 1  | 1  |
| SP24NG         | 24 NG BURNER SAFTEY PILOT INCLUDED  | 6  | 6  |
| SPEAKER-KIT    | Speaker's (2) and blue tooth amplifier system                               |    |    |
| SRV-020        | LIGHT TRAY ASSEMBLY   |    |    |
| SRV10002       | SCREEN HANDLE QTY 1   |    |    |
| SRV107-570A    | RHEO/TEMP SENSOR ASSY   |    |    |
| SRV15695       | IGNITION CONTROL  | 15 | 15 |
| SRV15697       | ON/OFF VALVE ASSY KIT   |    |    |
| SRV20305432    | GLASS CERAMIC 32.250 X 2.   |    |    |
| SRV2090-012    | *** USE 2090-012 ***  |    |    |
| SRV20947       | TRANSFORMER   | 3  | 3  |
| SRV2118-420    | GROMMET   | 1  | 1  |
| SRV2146-314    | ESCAPE SEE THROUGH OUTER RIGHT PANEL  |    |    |
| SRV2146-315    | ESCAPE SEE THROUGH OUTER LEFT PANEL   |    |    |
| SRV2146-316    | OUTER BTM HEARTH PANEL ESCAPE SEE THROUGH                                   |    |    |
| SRV2159-012    | FIRE SCREEN DOOR ASSEMBLY (RED 60)  |    |    |
| SRV2166-100    | BURNER TOP, FIBER   | 1  | 1  |
| SRV2271-743    | MAGIC GLASS LEFT 42   | 2  | 2  |
| SRV2271-744    | MAGIC CLASS RIGHT 42  | 2  | 2  |
| SRV2271-745    | MAGIC GLASS, BACK 42  | 1  | 1  |
| SRV2281-281    | GLASS REFRACTORY COVER  | 2  | 2  |
| SRV2282-720    | REFRACTORY, FRONT BASE,   | 2  | 2  |
| SRV2282-721    | REFRACTORY, LEFT BASE, HB   | 1  | 1  |
| SRV2282-722    | REFRACTORY, RIGHT BASE  | 2  | 2  |
| SRV2282-723    | REFRACTORY, LEFT, HB  | 2  | 2  |
| SRV2282-724    | REFRACTORY, RIGHT, HB   | 2  | 2  |
| SRV2282-725    | REFRACTORY, BACK BOTTOM   | 2  | 2  |
| SRV2282-726    | REFRACTORY,TOP, HB  | 2  | 2  |
| SRV2282-727    | REFRACTORY, BACK TOP, HB  | 2  | 2  |
| SRV230-0060    | DISC, SNAP, CONV BLOWER   |    |    |
| SRV-2300-460   | MEZZO 48 PANELS   |    |    |
| SRV2300-460    | TOP NONCOMB 6048  | 1  | 1  |
| SRV230-0900    | DISC, SNAP, 200OPEN/40D   |    |    |
| SRV230-1290    | DISC, SNAP, MANUAL RESET  |    |    |
| SRV2367-031    | STANDARD EVEREST FRONT  |    |    |
| SRV2381-070    | NOVUS 33 B-VENT LOG SET   | 1  | 1  |
| SRV2454-701    | LOG 1   | 1  | 1  |
| SRV2462-058    | REFRACTORY ASSY, TRUE 42  | 1  | 1  |
| SRV2496-021    | FIRE SCREEN FRONT   |    |    |
| SRV26D2529     | PILOT ODS NGAS OP (M/T)   |    |    |
| SRV28062       | GRATE CLIP RETAINER (2 REQUIRED)  |    |    |
| SRV302-320     | 12" FLEX/BALL VALVE ASSY  |    |    |
| SRV34542BK     | OVERLAY FRONT FACE  |    |    |
| SRV34544BK     | OVERLAY FRONT FACE  |    |    |
| SRV34546BK     | OVERLAY COLUMN  |    |    |
| SRV389-338-UM  | UMBER BASE REFRACTORY   |    |    |
| SRV4002-045    | END GLASS ASY KIT   |    |    |
| SRV4008-017    | LOG SET BV36I   |    |    |
| SRV4013-208BK  | WIRE BATT JUMPER 10 IN  |    |    |
| SRV4021-012    | JUNCTION BOX (PLASTIC)  |    |    |
| SRV4021-013    | JUNCTION BOX (PLASTIC)  |    |    |
| SRV4021-116    | IPI Wiring Harness (w/5 ft. Leads)  |    |    |
| SRV4021-383    | LIMIT SWITCH  |    |    |
| SRV4036-105    | OVERLAY FRONT FACE TOP  |    |    |
| SRV4036-176    | OVERLAY FRONT FACE BOTTOM   |    |    |
| SRV4036-184    | OVERLAY COLUMN LEFT/RIGHT   |    |    |
| SRV4042-070    | LOGS AND TRAY ASSEMBLY  |    |    |
| SRV4044-027    | FIRESCREEN ASSEMBL qty 1  |    |    |
| SRV4044-129    | HEARTH REFRACTORY   |    |    |

|                |  |    |    |
|----------------|--|----|----|
| SRV4044-130    | BACK REFRACTORY  |    |    |
| SRV4044-172    | FIRESCREEN ROD   |    |    |
| SRV4082-320    | LINEAR ACTUATOR  |    |    |
| SRV4096-014    | GRATE BAR ASSEMBLY FOR PHX 42-IFT  |    | -1 |
| SRV4096-427    | LOG ASSEMBLY, HNG  |    |    |
| SRV4096-438    | LFT FRT HEARTH REF, HNG  |    |    |
| SRV4096-439    | CTR FRT HEARTH REF, HNG  |    |    |
| SRV4096-440    | RHT FRT HEARTH REF, HNG  |    |    |
| SRV4096-449    | REFRACTORY ASSY TRAD   |    |    |
| SRV433-589     | BLOWER ASSY W/ BRACKET   |    |    |
| SRV462-501B    | MAXITROL CONTROL VALVE (LP)  |    |    |
| SRV51866       | SENSOR SPILL SWITCH, BEDR  |    |    |
| SRV54912       | THERMOCOUPLE 24  | 8  | 8  |
| SRV550-175     | HOOD, BLACK FITS SL-550  |    |    |
| SRV582-378A-UM | UMBER NG BURNER ASSEMBLY   |    |    |
| SRV582-831     | ORIFICE #31 C  |    |    |
| SRV582-832     | ORIFICE #32 C  |    |    |
| SRV583-528     | @@@ PLEASE USE ITEM PART SRV593-528 @@@@   |    |    |
| SRV593-512     | PILOT ASSEMBLY NG DAKOTA   |    |    |
| SRV593-528     | ORIFICE PILOT NG   |    |    |
| SRV593-594     | BATTERY PACK   | 4  | 4  |
| SRV60-143-BK   | HOOD, BLACK  |    |    |
| SRV6BASE-STRAT | 6000C, CL BASE REF, STRAT  | 1  | 1  |
| SRV704-178-LP  | PILOT ASSEMBLY/ BRACKET FOR AZTEC  |    |    |
| SRV74D0006     | BLOWOUT GASKET   |    |    |
| SRV80D0005     | COMMAND CENTER SCS   |    |    |
| SRV80D0009     | WIRE, AC MODULE SCS  | 1  | 1  |
| SRV80D0011     | CABLE, 15FT. EXTENSION   |    |    |
| SRVHEARTH-SL9  | HEARTH REPLACEMENT   | 1  | 1  |
| SRVHEARTH-SL9X | HEARTH REPLACEMENT SL-9X   | 1  | 1  |
| SRVLPK-DXV     | NG-LP CONVERSION KIT   |    |    |
| SRVNGK-DXV     | REGULATOR, NG  | -1 | -1 |
| ST1175         | SQUARE TERM CAP SL1100 PIPE  |    |    |
| ST-36TRB-IFT   | 36 ST DV F/P IPI NG TOP/REAR BLDR BX, 2 FRTS REQ'D   | 4  | 2  |
| ST-36TR-IFT    | 36 ST DV F/P IPI NG TOP/REAR ELEC EMBER BED, WSK-MLT INC'D   |    |    |
| ST375          | SQUARE TERMINATION CAP PAINTED BLACK (SL300)   |    |    |
| ST-550T-IPI    | 32 ST DV F/P IPI NG TOP INC'D LOGS, 2 FRTS REQ'D   |    |    |
| ST-550TM-IPI   | 32 ST DV F/P IPI NG TOP MODERN SEE THRU 2 FRTS REQ'D   |    |    |
| STONES- C42    | RIVER ROCK STONE SET   |    |    |
| STONES-60      | RIVER ROCK STONE SET (2 SETS RECOMMENDED WITH GLASS MEDIA. IF INSTALLING STONES AND LOGS, ONLY 1 SET |    |    |
| STONES-72      | RIVER ROCK STONE SET   |    |    |
| STONES-C32     | RIVEROCK STONE KIT   |    |    |
| stones-c42     | RIVER ROCK STONE SET   |    |    |
| STONES-FUSION  | STONE MEDIA, LARGE MULTI-COLORED FIBER STONE MEDIA   |    |    |
| STOVEDV-BK     | STOVE COLLAR FOR D46 BLACK   |    |    |
| STPR-MOD-KIT   | CONTEMPORARY CONVERSION KIT (MUST ORDER MEDIA)   |    |    |
| STRATFORD-KIT  | HNG-CAROLINA BRICK REPAIR KIT  | 1  | 1  |
| STUDIO-V12-BK  | STUDIOO BASE FRONT FOR DECORATIVE ACCENTS - BLACK  |    |    |
| TIARAI-BK-IPI  | TIARA I TOP/REAR DIRECT VENT UNIT WITH INTELLIFIRE PLUS IGNITION (NG) BLACK                          |    |    |
| TIARAI-BK-IPIL | Tiara I Top/rear direct vent unit with IntelliFire Plus Ignition (LP) - Black                        |    |    |
| TM-COSMO42-IFT | TAYLOR MORRISON- COSMO42- BID # B6694  |    |    |
| TON-SLR-EB     | TONIC MESH FRONT-EBONY   |    |    |
| TON-SLR-GT     | TONIC FRT MESH GRAPHITE FOR COSMO/SLR  |    |    |
| TON-SLR-GY     | TONIC FRT, MESH GRAY FOR COSMO   |    |    |
| TON-SLR-NB     | TONIC FRT MESH NEW BZ FOR COSMO/SLR  |    |    |
| TON-SLR-SS     | STAINLESS STEEL TONIC FRONT FOR SLR  |    |    |
| TR11           | ROUND TERM CAP W/SC SL1100 PIPE  | 5  | 3  |
| TR11T-B        | ROUND TELESCOPING TERM CAP WITH STORM COLLAR   | 4  | 4  |
| TR342-B        | ROUND TEL CAP W/SC SL300 PIPE  | 7  | 7  |
| TR344          | ROUND TERM CAP FOR SL PIPE W/STORM COLLAR  | 1  |    |
| TR444          | ROUND TERMINATION CAP WITH STORM COLLAR  | -1 | -1 |
| TRAP-VSS       | VINYL SIDING SHIELD  |    |    |
| TRUE-36H-IFT   | @@TRUE-36H-IFT IS OBSOLETE PLEASE USE TRUE-36TG-IFT@@  |    |    |
| TRUE-36S-IFT   | TRUE 36" Direct Vent Gas Fireplace with Stratford refractory (NG)                                    |    |    |
| TRUE-36TG-IFT  | TRUE 36" Direct Vent Gas Fireplace with Tranquil Greige herringbone                                  |    |    |
| TRUE-42G-IFT   | TRUE 42" DV NG FIREPLACE WITH BLACK GLASS REFRACTORY   | 2  | 1  |
| TRUE-42H-IFT   | TRUE 42" DIRECT VENT FIREPLACE- HERRINGBONE BRICK- NG  |    |    |
| TRUE-42S-IFT   | 42 NG FIREPLACE - STRATFORD FRONT REQUIRED STRIAIGHT RED REFRACTORY                                  |    |    |
| TRUE-50H-IFT   | 50 NG FIREPLACE - HERRINGBONE FRONT REQUIRED HERRINGBONE REFRACTORY                                  | 1  | 1  |
| TRUE-50S-IFT   | TRUE 50" Direct Vent Gas Fireplace with Stratford brick refractory (NG)                              |    |    |
| TUP-GBK-12     | TOUCH UP PAINT, BLACK  |    | 2  |

|                 |   |    |    |
|-----------------|---|----|----|
| TV-WH10         | TRUE VIEW WIRE HARNESS 10'  | 1  | 1  |
| TV-WH25         | TRUEVIEW WIRE HARNESS - 25'                                       | 1  |    |
| TV-WH50         | TRUEVIEW WIRE HARNESS - 50'                                       |    |    |
| TWILIGHT-II-C   | 36 DV IPI NG SEE-THRU F/P FRONT REQD FOR INSIDE                   | 3  | 1  |
| TWILIGHT-II-MDC | 36 DV IPI SEE-THRU MODERN   |    |    |
| TWI-MOD-BK      | CONTEMPORARY FRONT BLACK  |    |    |
| TWI-MOD-GY      | Contemporary front with built in, overlapping surround - Fog Gray |    |    |
| UNIV-AS2        | ATTIC SHIELD 4X6 DV SLIMLINE (UNIV-AS2)                           | 73 | 57 |
| VAL-C36-BK      | VALENCIA ARCHED FRONT - BLACK                                     |    |    |
| VAL-C42-BK      | VALENCIA ARCHED FRONT - BLACK                                     |    |    |
| VCS300BIC       | VCS DELUXE BBQ COVER-3 BU   |    |    |
| VFI33CNI        | 28,000 BTU NG VENT FREE INSERT IPI CONTROL W/BLOWER               |    |    |
| VFICFSL         | LARGE BLACK SURROUND 50 X 35                                      |    |    |
| WAR-2106-169    | PILOT ASSEMBLY NG   |    |    |
| WFMMT42         | MOLDED BRICK PANELS TRADITIONAL                                   | 1  |    |
| WSK200-HNG      | IPI WALL SWITCH   |    |    |
| WSK-21-W        | WALL SWITCH KIT - WHITE (INCLUDES 20 FT OF WIRE)                  |    |    |
| WSK-MLT         | WALL SWITCH KIT IPI OR PILOT                                      | 4  | 4  |
| XLR-MAG-KIT     | BLACK REFLECTIVE LINER FITS SLR-C                                 | 3  | 3  |
| Z-18901         | DO NO USE COMES WITH CAP  | 1  | 1  |





























