



DISTRIBUTORS

AF DISTRIBUTORS
3423 East Atlanta Ave.
Phoenix, AZ 85040
(P)602.243.6245 (F)602.344.4202
www.AFDistributors.com
CustomerService@AFDistributors.com

WEEKLY INVENTORY REPORT

<u>Item No.</u>	<u>Item Description</u>	<u>In Stock</u>	<u>Available</u>
30FIDNIL-01	LINEAR INSERT 24K BTU W/ PROFLAME 2		
34FIDNIS-01	TRADITIONAL INSERT 31K BTU PROFLAME 2		
3DFA-FC	3" FLEX LINEAR COUPLING		
4DFA-FC	DURAVENT 4" FLEX LINEAR COUPLING		
520-551-10	BLACK PLATE FOR IOSK5		
69D0028TK	TEMPER GLASS DOOR KIT		
BF72	SINGLE SIDED, TRADITIONAL LOG SET, BF POWERED COOL PACK, NATURAL GAS FIREPLACE		
BFSV-100	100' WIRE HARNESS FOR POWER VENT		
BRK34FIB	CERAMIC BRICK LINING (BROWN)		
BSR4	BRICK SIDING CAN	9	9
BSR6	6" DEEP BRICK SIDING CAN	2	2
C1020ST	CUSTOM 120" X 24" SEE THROUGH C-VIEW, PASSIVE COOL PACK (NG)		
C420 PFC	48" NG PENINSULA FIREPLACE - CUSTOM		
C420STIO	CUSTOM 48" X 20" V.F. INDOOR/OUTDOOR FIREPLACE		
C5200DD	SINGLE SIDED, OUTDOOR, POWERED COOL PACK, NG FIREPLACE		
C-620NG	C-VIEW NG FIREPLACE 72"X20" SINGLE SIDED		
C620-ST	72" x 20" VIEWING NG DV CUSTOM FIREPLACE		
C620STIO	SEE THROUGH, INDOOR/OUTDOOR, LINEAR BURNER, VENTLESS, POWERED COOL PACK, NATURAL GAS FIREPLACE		
CALVB-12	12" FRESH AIR TERMINATION		
CALVB-8	LOUVERED AIR INTAKE TERMINATION (8" INTAKE FLEX)		
D3615NI-2	36" NG LINEAR FIREPLACE - 40,000 BTU - 5/8 VENTING	17	16
D3615STNI-2	35000 BTU NG/LP MODEL PROFLAME 2 IPI 5/8 VENTING		
D4815NI-2	48" NG LINEAR FIREPLACE - 47,000 BTU - 5/8 VENTING	14	12
D4815STNI-2	DISTINCTION SERIES SEE THROUGH FIREPLACE	1	
D6315NI-2	63" NG DV FIREPLACE W/LINEAR LED LIGHT+STAR ICE FIREGLASS	7	6
D6315STNI-2	50000 BTU NG MODEL EQUIPPED W/PROFLAME 2 IPI 5/8 VENTING	1	1
D7215NI-2	72" DV, NG FULL LOAD IPI STAR ICE GLASS 12LBS	6	4
D7215STNI-2	72" DV SEE THRU NG FULL LOAD W/ PROFLAME IPI	1	1
DGB01	GLASS BEADS-COLORS WHITE, SILVER, OPAQUE		
DL6315NI	63 DV, NG, LIGHT IPI GLASS MEDIA 12LBS STAR ICE	2	2
DL6315STNI	63" DISTINCTION SEE-THRU (BASIC VERSION) IPI IGN	1	1
DRL3613NI	36" NG LINEAR FIREPLACE - 16,000 BTU - 4/7 VENTING	31	29
EC1019	Wire (PER FOOT), 18/2 UL RATED CL2, BLACK		
EC1178	WIRE #18 5C WH/GR/BRN/RE/BLK		180
EC1179	WIRE (PER FOOT) CONTROL CABLE 18 AWG 9COND STR CVIEW		-30
EC1490	WIRE (PER FOOT) ARMORED POWER VENT CABLE #16-4C STR BLK WHT RED GRN		
ECA035	35 FOOT COMMUNICATION WIRE C VIEW CNTRL BOX		
ECA045	MON POST PURGE CNTRL BOX USE W/LDVPV PWR VENT	1	1
ECA045PC	POST PURGE CONTROL BO	1	1
ECA062PV	POST PURGE CONTROL BOX IPI MODELS W/POWER VENT	2	2
ECA111PV	D/DL-SERIES PURGE CONTROL MODULE PV		-1
ECB005	Power Vent, Transformer Control Box HSI		
EDVRSVP58	POWER VENT (5/8) VERTICAL ADD CORD;FRAME;PURGE CONTROL	4	4
EDVRSVPF58	MOUNTNG FRAME VERTICAL FITS 5/8 POWER VENT	4	4
EDVWSPV58	POWER VENT (5/8) HORIZONTAL ADD CORD;FRAME;PURGE CONTROL	6	5
EEL45	45 DEGREE ELBOW-4/7 FEMALE/MALE		
EPVF47	MON MOUNTING FRAME 47 FOR EXT PWR VENT SYSTEM		
EPVF58	MOUNTNG FRAME HORIZONTAL FITS 5/8 POWER VENT	5	4
EPVH-10	MON 10FT PWR CORD FOR POWER VENT SYST.		
EPVH-100	100 - FOOT EDVPV POWER VNET SYSTEM POWER CORD	1	
EPVH-20	MON 20FT PWR CORD FOR PWR VENT SYSTEMS	6	6
EPVH-40	40FT POWER CORD FOR POWER VENT SYSTEMS	18	13
EPVH-60	MON 60FT POWER CORD FOR POWER VENT SYSTEMS	5	5
EPVHA-40	40' ARMORED EDVPV POWER VENT CORD		
EPVRR	EXTERNAL POWER VENT ROOF MOUNT RESIDNETIAL		
EPVRRF	EXTERNAL POWER VENT ROOF MOUNT FRAME		
FGLVBI-10	LOUVERED TERM. FOR INLINE POWER VENT (10" B-VENT)		

FP30FID-01	SQUARE FACEPLATE (SATIN BLACK, 42"W X 27"H)		
FP30FIDOF	SQUARE FACEPLATE OFFSET KIT		
FP34FID-01	SQUARE FACEPLATE (SATIN BLACK) 46 1/2" W x 31" H)		
FS10	10" FIRE STOP	18	16
FS7	MON FIRESTOP-4/7 PIPE	10	10
FS8	MON FIRESTOP FOR 5/8 PIPE	52	50
GCA008	NG TO LP CONVERSTION KIT FOR DL6315	2	2
GCA009	NG TO LP CONVERSION KIT FOR D6315NI-2	6	6
GCA010	NG > LP FOR DRL3613NI (DEL RAY)	6	6
GCA013	NG > LP FOR D7215	4	4
GCA017	D4815 NG to Propane Conversion Kit	3	2
GCP1-2-10-DD	CONTROL BOX FOR INLINE POWER VENT		
GR63	63" WALL CAVITY VENTING LOUVER		
GR72	72" WALL CAVITY VENTING LOUVER		
H34DFLI	34" LP FIREPLACE WITH LOGS	1	
H34DFNI	34" NG FIREPLACE WITH LOGS	4	3
H34VON	VF OUTDOOR H SERIES FP NG	1	1
H36PVNI	55000 BTU PROFLAME IPI CLEAN FACE TEMPERED GLASS POWERVENT CONTROL BOX	2	2
H38CLLI-2	38 LEFT CORNER LP FIREPLACE 2ND GENERATION LINEAR BURNER ELECTRONIC IPI IGNITION	1	1
H38CLNI-2	38 LEFT CORNER NG FIREPLACE WITH LOGS (5x8)	4	4
H38CRNI-2	38 RT CORNR D/V F/P-NG WITH LOGS (5x8)	2	1
H38DFLI	MON 38 FLUSH BLK FP-LP ELE IGN-USES P 5/8	2	2
H38DFN	26,000 BTU NG/LP Standard model with Hi/Lo Valve		
H38DFNI	MON 38 D/V F/P W/LOGS-NG IPI IGN-FLUSH FACE	10	8
H38FSDLI	MON 38C-THRU W/LOGS-LP GAS IPI IGN-HIGH GLASS-5/8		
H38FSDNI	38" NG SEE THRU FIREPLACE WITH LOGS	7	6
H38PFLI-2	38 PENINSULA LP FIREPLACE IPI;LOGS;FLUSH FACE		
H38PFNI-2	38 PENINSULA NG FIREPLACE IPI;LOGS;FLUSH FACE	2	2
H38PRNI-2	PREMIUM PANORAMA EQUIPPED WITH PROFLAME 2 IPI	1	1
H38SFP5B	H38 FACEPLATE SATIN BLACK FOR SCREEN		
H38SVOL	36" SEE THRU LP VF		
H38SVON	36 SEE THRU NG VF S/S OUTDOOR FIREPLACE		
H38SVONE	H38 See-Thru Outdoor NG, Ventless, HSI	1	
H38VOL	MON 36 S/S LP OUTDOOR W/GLS DOOR-VENT FREE		
H38VON	MON 36 S/S NG OUTDOOR W/GLS DOOR-VENT FREE	2	-1
H38VONE	H38 OUTDOOR VENTLESS STAINLESS NG HSI		
H42DFLI	H SERIES SINGLE SIDED 32KBTU LP IPI IGN	1	1
H42DFNI	MON 42D/V HI-GLASS W/LOGS NAT GAS W/ELEC IGN	6	3
H42FSDNI	MON 42 C-THRU DV NG-W/LOGS HI GLASS W/HSI IPI IGN	6	6
H42SFP5B	DECORATIVE SURROUNDS (SATIN BLACK)		
H42VOL	MON 42 S/S-VENT FREE-LP W/LOGS-W/PILOT-OUTDOOR		
H42VON	MON 42 S/S VENT FREE-NG W/LOGS W/PILOT-OUTDOOR	2	2
HAFK	HOME AUTOMATION FIREPLAC CONTROL		
HBK34H	HERRINGBONE FIBER LINING H34 ONLY		
HBK34HSR	HERITAGE FIBER BRICK LINING BROWN H34 ONLY		
HBK34SHC	COLONIAL FIBER BRICK LINING WHITE H34 ONLY		
HBK34SHR	Brick Kit, H34, Fiber, Heritage (Brown)		
HBK34SRB	RUSTIC FIBER BRICK LINING BROWN H34 ONLY		
HBK34SRR	RUSTIC FIBER BRICK LINING RED H34 ONLY		
HBK38C	COLONIAL FIBER BRICK LINING WHITE H38 ONLY		
HBK38H	H38DF BRICK LINER-HB HERRINGBONE FIBER	4	3
HBK38R	MON H38VFO BRICK KIT-BRN HERITAGE FIBER	1	
HBK42H	MON H42DF BRICK LINER-HB HERRINGBONE FIBER	1	
HBK42R	MON H42VFO BRICK KIT-BRN HERITAGE FIBER	3	3
HDKPD36	36" COOL WALL ADVANTAGE KIT (REQUIRES HDKPDFK-1)	6	5
HDKPD48	COOL WALL ADVANTAGE KIT	2	2
HDKPD63	COOL WALL ADVANTAGE KIT	12	12
HDKPD72	COOL WALL ADVANTAGE KIT 72"	6	6
HDKPDFK	COOL WALL FLEX KIT (INCL 5" FLEX 24FT REQUIRED FOR CWAK)	28	24
HDKPDFK-1	COOL WALL FLEX KIT (FOR 36" ONLY) 12' OF 5" FLEX	4	4
HDKSD	COOL WALL ADVANTAGE SIDE DISCHARGE KIT REQUIRES HDKPDFK	8	6
HDKSVD	COOL WALL ADV SIDE DISCHARGE KIT VERT	4	2
HFK34	MON BLOWER KIT-MAN CONTROL FOR H AND HL SERIES	1	1
HFK34H	MON BLOWER KIT-HEAT ACT NEEDS DRB001 OUTLET	1	1
HFK42	FAN KIT - MANUAL 2 PIECE CROSS FLOW	1	1
HFK50	FAN KIT - ON/OFF MANUAL SPEED	11	11
HFK50R	FAN KIT REQUIRES RX100 OR PF2RK	12	9
HL38CLLI-2	HL38 LEFT CORNER LINEAR BURNER - LP GAS		
HL38CLNI-2	NG LEFT CORNER LINEAR FIREPLACE REMOTE TOP OR REAR VENT	3	3
HL38CRLI-2	MONTIGO H SERIES CORNER RT LP DV LINEAR CONTEMPORARY WHT FIRESTONES REMOTE	1	1
HL38CRNI-2	H SERIES PREMIUM CORNER RIGHT DIRECT VENT WITH LINEAR BURNER	2	2

HL38DFLI	38 LINEAR LP FIREPLACE 2ND GENERATION LINEAR BURNER ELECTRONIC IPI IGNITION	1	1
HL38DFNI	38 LINEAR NG FIREPLACE 2ND GENERATION LINEAR BURNER ELECTRONIC IPI IGNITION	2	1
HL38FSDLI	MON 38C-THRU LINEAR-LP HIGH GLASS W/IPI IGN	1	1
HL38PFLI-2	MON PIER W/LINEAR BRNR-LP HI GLASS W/IPI IGN SYS	1	1
HL38PFNI-2	3-SIDED PIER W/LINEAR-NG HI GLASS W/ IPI IGN	2	2
HL38PRNI-2	MON BAY W/LINEAR BRNR-NG W/IPI 2ND GEN BRNR 5/8	2	
HL38SVOL	MON 38S/S C-THRU VF-LP OUTDOOR-HS38ODC CAB EXTRA		
HL38SVON	MON 38 S/S C-THRU VF-NG OUTDOOR-HS38ODC CAB EXTRA	1	1
HL42DFLI	MON 42 LINEAR CLN FACE-LP HIGH GLASS W/IPI IGN		
HL42DFNI	MON 42 LINEAR CLN FACE-NG HIGH GLASS W/IPI IGN	1	
HL42FSDNI	MON 42C-THRU LINEAR-NG HIGH GLASS W/IPI IGN		
HLB34DFNI	18,000 BTU MODEL EQUIPPED WITH PROFLAME 2 IPI CONCEALED LINEAR BURNER 4"7" VENTING		
HLB34DFNI-2	18,000 BTU NG W/PROFLAME 2 IPI REFLECTIVE GLASS PANELS REMOTE FAN KIT 4X7 VENT	8	8
HR38DFNI	MON 38 NG FLUSH FIREPLACE IPI IGN ROCKS;FLUSH FACE		
HS38ODC	MON S/S ENCLOSURE-STAND ALONE FOR HL38SVON/L OUTDOOR VF	2	2
HSC38	REPLACEMENT DOOR SAFETY SCREEN H38		
HW1082	WHITE, OPAL, OPAQUE AS SUPPLIED	13	11
HW1091	EBONY FIRESTONES	26	26
HW1106	OPAL AS SUPPLIED (3 LBS)		
HW1109	FIRESTONES-MELON		
HW1112	FROST GLASS MEDIA	5	5
HW1113	BLACK ICE - DGM21	8	8
HW1143	COPPER ICE DGM23	3	3
HW1144	PLATINUM ICE FIREGLASS (3LB BAG)		20
HW1157	Decorative Fire Glass, Star Ice	10	10
HW1219B	DIAMOND GLACIER PREM FIRESTONES	10	10
HW2242	MONTIGO GLASS INSTALLATION SUCCTION CUPS		
HW38DFLI-2	H SERIES WILDFIRE BURNER 34K BTU	1	1
HW38DFNI-2	34000BTU NG PROFLAME 2 IPI WILDFIRE BURNER WROUGHT IRON GRATE HB PANELS DESIGNER	3	3
HW42DFNI-2	34000BTU NG HI/LO VALVE WILDFIRE BURNER WROUGHT IRON GRATE HB LINING DESIGNER LOC 2		2
HWIG38	WROUGHT IRON GRATE H38 ONLY		
INPV-BFBV-10	INLINE POWER VENT (10" B-VENT)		
IOSK4	INDOOR/OUTDOOR SEAL KIT FOR R420ST		
IOSK5	INDOOR/OUTDOOR SEALING KIT FOR R520ST		
L38DFLI	38LINEAR BLK FP-LP IPI IGN-USES P 5/8		
L38DFNI	MON 38LINEAR BLK FP-NG IPI IGN-USES P 5/8		
L38FSDLI	MON 38C-THRU BLK FP-LP ELE IGN-USESP5/8PIPE		
L38FSDNI	38 SEE THRU BLK FP-NG ELEC IGN-USESP5/8PIPE	1	
L42DFLI	42LINEAR BLK FP-LP IPI IGN-USESP 5/8PIPE		
L42DFNE	L42LINEAR GAS F/P-NG USES 5/8 PEX PIPE	1	1
L42DFNI	MON 42LINEAR BLK FP-NG IPI IGN-USESP 5/8PIPE		
L42FPSB	L42DF SATIN BLK SURROUND NEW SCREEN MDL USE #P42FPSB	1	1
L42FPSS	MON L42DF S/S SURROUND FOR PRE-SCREEN MODELS		
L42FSDLI	MON 42C-THRU BLK F/P-LP IPI IGN-USESP5/8 PIPE		
L42FSDNI	MON 42C-THRU BLK F/P-NG IPI IGN-USESP5/7 PIPE		
L52DFLI	MON 52BLK LINEAR D/V F/P-LP IPI IGN	1	1
L52DFNI	MON 52BLK LINEAR D/V F/P-NG IPI IGN-BLACK	1	1
L52FSDLI	MON 52CTHRU BLK FP-LP IPI IGN-USESP5/8PIPE		-1
L52FSDNI	52 SEE THRU NG FIREPLACE LINEAR IPI (5/8)		
LDVPV47-LM	MON IN-LINE PWR VENT UNIT NEED CABLE,PRGE CNTRL,COLLAR		
LGRP6N	DRIFTWOOD LOGSET FOR RP620 (NG)	4	4
LGS34FI	HIGH DEF LOGSET FOR INSERTS		
LGS57	R820 DRIFTWOOD LOGSET TAKES (1) SEE OTHER PART LGS58	12	11
LGS58	DRIFTWOOD LOGSET FOR R820 TAKES 3 SEE LGS57	22	19
LGS59	DRIFTWOOD KIT 2 OF 2	16	13
LGS61	DRIFTWOOD LOGSET		
LGSPPSERIES	DRIFTWOOD LOGSET (1 LGS58 AND 1 LGS59)	21	19
LS42DFLE	MON 42LINEAR S/S FP-LP ELE IGN-USESP58PIPE	1	1
LS42DFNI	MON 42 S/S LINEAR F/P-NG IPI USES 5/8	1	1
LS52DFLE	MON 52LINEAR S/S FP-LP ELE IGN-USESP5/8PIPE	1	1
LVA52ST	MON FLU REDCR-L52-DF-ST	6	6
LVT100	Wall Switch Cable, 2 conductor -100 feet		
LVT150	WALL SWITCH CABLE 150FT		
LVT30	30' WALL SWITCH CABLE FOR PRODIGY		
MCLED42VO	PL42VO MULTI-COLOR LED LIGHT KIT WITH REMOTE	3	3
MCLED60VO	MULTI-COLOR LED KIT W/REMOTE FOR PL60VO	4	2
MCLEDVO	25 LED Operation		
MEL90F/M	MON 90 DEGREE ELBOW-4/7 FEMALE/MALE- USE WITH 34 F/P	5	5
MEXT1	MON 12 D/V PIPE-4/7 USE WITH 34 FIREPLACES	13	13
MEXT2	MON 24 D/V PIPE-4/7 USE WITH 34 FIREPLACES	11	10
MEXT3	MON 36 D/V PIPE-4/7 USE WITH 34 FIREPLACES	19	19

MEXT4	MON 48 D/V PIPE-4/7 USE WITH 34 FIREPLACES	20	17
MFL2	24" Flex Section [female/female]	6	5
MFL-3	36" FLEX SECTION FEMALE/FEMALE	19	17
MFL6	MONTIGO 4/7 6' FLEX SECTION	2	2
MFVK05	WALL FLEX KIT - 5FT FLEX, RHS100, MTO4F WITH FRAME	12	12
MOSR	SIDING OR STUCCO CAN (FOR INSTALL SIDE)	1	1
MOSRSS	SS SIDING OR STUCCO CAN (TERM FROM INSIDE)		
MRF12	FLASHING AND STORM COLLAR FOR 7/12-12/12		
MRF7	FLASHING & STORM COLLAR FOR 1/12 TO 7/12 PITCH (ALSO NEED ITEM# SC7)	8	8
MSPXT7	7" SUPPORT PLATE & SUPPORT RING	4	4
MSR	SIDING OR STUCCO FRAME FOR TERM		
MSRSS	STUCCO FRAME STAINLESS STEEL		-2
MTO4F	HORIZ RD TERM CAP 4/7 W/ INTEGRAL MTNG FRAME	7	5
MVA	MON 4 CNCTR-FOR 4/7PIPE	9	9
MVTK1SS	VERTICAL RD TERM KIT 4/7 S/S INCLUDES (1) MXT10	15	13
MXT10	MON 10 ADJ D/V PIPE-4/7 USE WITH 34 FIREPLACES	6	6
ODSSP38	H38VO, HL38VFO Drain Pan		-1
OR090056	LP ORIFICE FOR PRODIGY; "TALLER"; DMS#56		
P38DFLI-2	P38 LINEAR FIREPLACE LP WITH PROFLAME 2	2	2
P38DFNI-2	P38 MONTIGO DIRECT VENT NATURAL GAS ELECTRONIC IGNITION	2	2
P38FSPB	L38DF/ST SATIN BLK SURRND NEW # FOR SCREEN MDL-P38FSPB	1	1
P38SFPSS	MON L38DF/ST S/S SURROUND USE W/NEW SCREEN MDL'S		
P42DFLI-2	P42 MONTIGO LINEAR LP GAS	1	1
P42DFNI-2	P42 MONTIGO DIRECT VENT NATURAL GAS FIREPLACE ELECTRONIC IGNITION	10	9
P42SFPB	42IN DECORATIVE SURROUND SATIN BLACK	1	1
P42SFPSS	MON L42ST S/S SURROUND FOR NEW L42ST W/SCREENS MDL'S		
P52DFLI-2	52" Linear full load	1	1
P52DFNI-2	CLEAN FACE NG FIREPLACE REMOTE FLAME IPI IGNITION	10	9
P52FSPB	SATIN BLK SURROUND FOR L52 FOR NEW SCREEN MDL'S		
P52SFPB	P52 DECORATIVE SURROUND (SATIN BLACK)		
P52SFPSS	52 S/S SURROUND-L52 CTHRU FOR NEW SCREEN MDL'S		
PC412ND	Custom Prodigy, FP, Single Sided,NG, 4' x12 "glass		
PC420ND	PRODIGY 4' W/ 20" GLASS HEIGHT- REQUIRES 10" B VENT		
PC512ND	Custom Prodigy, FP, Single Sided,NG, 5' x12 "glass		
PC520ND	CUSTOM PRODIGY, FP SINGLE SIDED NG 5'X20	1	1
PC620IOK	INDOOR/OUTDOOR SEAL KIT FOR PC620		
PC620LD	CUSTOM PRODIGY FP SINGLE SIDED LP 6 X 20 GLASS		
PC620ND	6' PRODIGY (72") SINGLE SIDED 20" H GLASS NG	2	2
PC720IOK	INDOOR/OUTDOOR SEAL KIT FOR PC720		
PC720ND	CUSTOM PRODIGY FP SINGLE SIDED 7'X20"GLASS	2	2
PC820IOK	INDOOR/OUTDOOR SEAL KIT FOR PC820		
PC820ND	CUSTOM PRODIGY, FP, SINGLE SIDED 8'X20" GLASS	1	1
PC830ND	CUSTOM PRODIGY FP SINGLE SIDED 8'X30"		
PCCALBB-10	COMBUSTION AIR VENT BOX WITH LOUVER - 10"		-1
PCCALVB-06	COMBUSTION AIR VENT BOX w/ LOUVER, 6"		
PCCALVB-08	COMBUSTION AIR VENT BOX w/ LOUVER, 8"	2	2
PCCALVB-10	COMBUSTION AIR VENT BOX w/ LOUVER, 10"		-4
PCCC-9100	Prodigy Control Cable, 9 Conductor-100 feet	1	1
PCCC-9150	PRODIGY CONTROL CABLE 150FT		
PCCC-930	PRODIGY CONTROL CABLE		
PCCC-950	PRODIGY CONTROL CABLE 9 CONDUCTOR 50FT		-3
PCCC-960	PRODIGY CONTROL CABLE (60)		
PCCL420ND	4' LEFT CORNER 20" GLASS PRODIGY		
PCCL620ND	PRODIGY 6' LEFT CORNER 20" GLASS		
PCCL830ND	8' PRODIGY CORNER LEFT UNIT 30" GLASS NG		
PCDAMPER06	6" INLINE FRESH AIR DAMPER		
PCDAMPER08	INLINE FRESH AIR DAMPER 8"		4
PCDAMPER10	INLINE FRESH AIR DAMPER 10"		-4
PCDAMPER12	12" AIR DAMPER INLINE		
PCDCP1-2-05-DD	PRODIGY CONTROL PANEL WITH DAMPER CONTROL (FOR ROOF AND WALL POWER VENT)	1	1
PCFGDAMPER10	INLINE FLUE GAS DAMPER 10"		2
PCFGDAMPER12	INLINEFLUE GAS DAMPER 12"		
PCFGLVBI-10	FLUE GAS VENT BOX w/ LOUVER, 10"	1	1
PCFGLVBI-12	FLUE GAS VENT BOX W/ LOUVER 12"		
PCFGLVBI-8	FLUE GAS VENT BOX w/ LOUVER, 8"		
PCGCP1-2-05-DD	CONTROL BOX FOR ROOF & WALL MOUNT POWERVENT PRODIGY 5HP	3	3
PCGCP1-2-10-DD	CONTROL BOX FOR INLINE MOUNT POWERVENT PRODIGY 1HP	1	
PCINPV-L03-08	IN LINE POWER VENT, 1/3 HP, 8" COLLAR		
PCINPV-BFBV-12	IN LINE POWER VENT, 1 HP 3 PHASE, 12"		
PCINPV-BFSV-10	IN LINE POWER VENT, 1 HP 3 PHASE, 10"	1	1
PCPVCA-12100	**** USE EC1490 PER FOOT ****		-1

PCPVCA-1250	POWER VENT CABLE, 50 FT (EC1490)		
PCRG360	REFLECTIVE GLASS PANEL KIT FOR PC630		
PCRG520	REFLECTIVE GLASS PANEL KIT FOR PC520	2	2
PCRG620	REFLECTIVE GLASS PANEL KIT FOR PC620	3	2
PCRG720	REFLECTIVE GLASS PANEL KIT FOR PC720	4	3
PCRG820	REFLECTIVE GLASS PANEL KIT FOR PC820	2	1
PCRG830	REFLECTIVE GLASS PANEL KIT FOR PC830	2	2
PCRGST20	Reflective Glass Panel Kit for See Through 20" Glass models		
PCRGST30	REFLECTIVE GLASS PANEL KIT FOR SEE-THRU W/30" HIGH GLASS		
PCRGST60	REFLECTIVE GLASS PANEL KIT FOR SEE THRU 60"		
PCSBFPV-R03-08	SBFPV POWER VENT,ROOF, 1/3 HP 3 PHASE, 8"		
PCSBFPV-R03-10	ROOF POWERVENT PRODIGY 4,5,6 & 7 VENTING-10"	1	1
PCSBFPV-R03-12	ROOF POWERVENT PRODIGY 8' VENTING-12"		
PCSBFPV-W03-10	WALL POWERVENT PRODIGY 4,5,6 & 8 VENTING 10"	1	1
PCSBFPV-W03-12	WALL POWERVENT PRODIGY 8' VENTING 12"		
PCST360ND	CUSTOM PRODIGY, FP, SEE THROUGH,NG, 3' x60 "GLASS		
PCST430ND	CUSTOM PRODIGY 4' 30" GLASS SEE-THRU		
PCST520ND	PRODIGY 5' X 20" SEE THRU NG		
PCST530ND	PRODIGY 5' X 30" HIGH GLASS- SEE-THRU		
PCST612ND	CUSTOM PRODIGY FIREPLACE, SEE THROUGH, NG, 6' X 12" GLASS		
PCST620ND	Custom Prodigy, FP, See Through,NG, 6' x20 "glass		
PCST630ND	CUSTOM PRODIGY, FP, SEE-THROUGH, NG 6'X30" GLASS		
PCST636ND	Custom Prodigy, FP, See Through,NG, 6' x36 "glass		
PCST660ND	PRODIGY 72" X 60" SEE-THRU FIREPLACE W/MULTI-COLOR LED LIGHTS		
PCST720LD	Custom Prodigy, FP, See Through,LP, 7' x20 "glass		
PCST720ND	PRODIGY SEE THRU, 7' X 20" GLASS VIEWING AREA		
PCST730ND	PRODIGY SEE-THROUGH 7' X 30" GLASS VIEWING AREA NG		
PCST820ND	CUSTOM PRODIGY, FP, SEE THROUGH NG	1	1
PCST830ND	CUSTOM PRODIGY FP SEE THRU 8' X 30		
PEL45F/M	45° ELBOW (EA) 5x8	37	37
PEL90F/F	5/8 90 DEGREE ELBOW F/F	18	18
PEL90F/M	90° ELBOW (EA) 5x8	29	26
PEXT1	12 CHIMNEY LENGTH 5x8	39	34
PEXT2	24 CHIMNEY LENGTH 5x8	48	36
PEXT3	36 CHIMNEY LENGTH 5x8	50	44
PEXT4	48 CHIMNEY LENGTH 5x8	76	69
PEXT6	72 CHIMNEY LENGTH 5x8	50	40
PF2RK	WIRELESS REMOTE CONTROL ON/OFF		
PFL1	12" FLEX SECTION (5/8)	10	10
PFL18	5/ 18" FLEX FEMALE FEMALE	3	3
PFL2	MON 24FLEX D/V PIPE-5/8 EXP TO 3FT	20	19
PFL3	MON 36FLEX D/V PIPE-5/8 EXP TO 4.5FT	45	33
PFL4	MON 48FLEX D/V PIPE-5/8 EXP TO 6FT	25	25
PFL6	MON 72FLEX -5/8 PIPE EXP TO 9FT	22	8
PL38DFNI	38" DIRECT VENT NG IPI LINEAR FIREPLACE	2	2
PL42DFLI	32K BTU W/ PROFLAME 2 IPI (LP)	3	3
PL42DFNI	32000BTU NG IPI ELECTRONIC IGN	13	13
PL42VOGRA	PL42VO COLOR ENCLOSURE (GRAPHITE)		
PL42VOLE	MAHANA 42" V.F. OUTDOOR W/BLOWER (LP)		
PL42VONE	28000 NG VENTFREE BLOWER 304 STAINLESS	3	3
PL52DFNI	52" NG DIRECT VENT LINEAR FIREPLACE TOP/REAR VENTING	9	9
PL60VO	60" VENT FREE UNIT SS, DUAL BLOWERS		
PL60VONE	47000BTU NG VENTFREE BLOWERS 304 STAINLESS	2	2
PPHW38	PORCELAIN PANEL KIT HW38		
PPL42	PORCELAIN PANEL KIT	2	2
PPL52	PORCELAIN PANEL KIT	2	2
PRC720ND	PANORAMA 7' PRODIGY W/ 20" GLASS		
PRF12	FLASHING & STORM COLLAR FOR 7/12 TO 12/12 PITCH	4	4
PRF7	MON RF FLASH W/STRM COLLAR FOR 5/8 D/V PIPE	20	13
PSPXT8	Support Plate, 8inch w/ring	1	1
PTO4	HORIZONTAL TERMINATION (NO MOUNTING FRAME)		
PTO4F	HORZ RD TERM CAP-5/8 W/INTEGRAL MTNG FRAME	20	17
PTO4F-2	TERMINATION W/ FORMED PERI NAILING FLANGE	19	19
PTO4FSS	SS TERM W/ INTEGRAL MOUNTING GRAME	3	3
PVA	MON 4 CPLR-MALE/MALE FOR 5/8 DV PIPE	42	30
PVA5487	10" LENGTH, REDUCES 5/8" TO 4/7" (M/F)	1	1
PVAFR02	Power Vent Adjustable Flue Restrictor 5"	2	2
PVFCB	FAN CONTROL - POWER VENT		
PVHEX510-300	MON WALL MNT EXT PWR VENT 5/10, ADD CORD	2	1
PVHEX58-300	5"/8" TERMINATION (MOUNTING FRAME INCLUDED) EXTERNAL WALL MOUNT POWER VENT SYS' 5		5
PVHFL510-300	5"/10" FLUSH MOUNT POWER VENT TERMINATION	2	1

PVHFL58-300	FLUSH LOUVERED POWER VENT SYSTEM 5/8"	2	2
PVTK1SS	VERTICAL RD TERM KIT INCL PXT10	40	30
PVVEX510-300	MON ROOF MNT EXT PWR VENT 5/10 FLUE, ADD CORD	3	2
PVVEX58-300	5"/8" POWER VENT - ROOF MOUNT	14	9
PVVR15	MON RESTRCTR PLT FOR 15FT-24FT RUNS	2	2
PVVR25	MON RESTRCTR PLT FOR 25FT AND UP RUNS	1	1
PVVR8	MON RESTRCTR PLT FOR 8FT-14FT RUNS	3	3
PXT10	MON 10 ADJ D/V PIPE-5/8	7	6
PXT12	12" RIGID SECTION (FEMALE/FEMALE)	11	11
PXT20	MON 20 ADJ D/V PIPE-5/8	8	7
PXT5	MON 5 ADJ CPLR-5/8	9	9
R320STN	R-SERIES SEE THRU 45K BTU (NG)		
R324STION	50000BTU NG INDOOR OUTDOOR HSI IGN NO VENTING REQ	1	1
R420N	R SERIES FIREPLACE MODEL EQUIPPED WITH HONEYWELL HOT SURFACE IGNITION	12	3
R420STN	R-SERIES SEE THRU 55K BTU 4' 20" GLASS		
R520N	R-SERIES R520 NATURAL GAS DIRECT VENT FIREPLACE	2	2
R520STN	R-SERIES SEE THRU 80K BTU HONEYWELL HSI NG	1	1
R620N	MON R620 6FTX20 F/P-NG ELEC ADD EPVRW OR EPVRR PRE VENT	1	1
R620STN	Residential C-View, ST, (6 foot), NG		
R720L	85 1/4" X 18 1/8" SINGLE SIDED LINEAR R-SERIES FIREPLACE		
R720N	84" NG LINEAR DIRECT VENT	1	1
R820	RESIDENTIAL C-VIEW(8FT) LP		
R820N	RESIDENTIAL C-VIEW (8FT) NG	3	
RBGD63	REFLECTIVE GLASS KIT-DL63	2	2
RBH3817	REPLACEMENT BURNER H38DF IPI NG		
RBH38PF20R	BURNER H38PF, LP, FLUSH, IPI FULL RETRO		
RBH38PR20R	BURNER, H38PR/CL/CR, LP IPI-2, RETRO		
RBH42S17	LP TO NAT CONVERSION KIT		
RBHL38S17R	LINEAR BURNER CONVERSIOT, IPI NG BASIC PROFLAME 2 (TRADITIONAL TO LINEAR)		
RBL5217	BURNER, L52 NG, IPI SYSTEM, HI/LO, BASIC		
RBL5217R	Retro, L52 NG, IPI System, Hi/Lo, Basic		
RCG1005	GAS VALVE, LP, SIT QDO HI/LO		
RDRH38SS	MON H38DF ROBAX GLASS		
RDTL52	L52 GLASS AND FRAME	1	1
REC1001L	BLOWER FOR LDVVPV47 & LDVVPV58		
REC1109	RHEOSTAT		
REC1448	AC ADAPTOR		
REC1449	LED TRANSMITTER AND RCVR KIT		
REC1493	PROFLAME 2 REMOTE (WALL MOUNT)		
RECA011	LED REMOTE (D6315)	1	1
RECA069	COMM. CABLE 100'		
REL45F/M	45 ELBOW 5/10 PIPE FEMALE/MALE CONNECTOR	18	14
REL90F/F	MON.90ELBOW 5/10 PIPE FEMALE/FEMALE CONNECTOR		
REL90F/M	MON.90ELBOW 5/10 PIPE FEMALE/MALE CONNECTOR	14	9
REL90M/M	MON.90 ELBOW 5/10 PIPE MALE/MALE CONNECTOR		
RESCB2	C-VIEW CONTROL BOX		
REXT1	MON. 12 RIGID PIPE 5/10 FEMALE/MALE CONNECTION	18	11
REXT2	MON. 24RIGID PIPE 5/10 FEMALE/MALE CONNECTORS	13	10
REXT3	MON. 36 RIGID PIPE 5/10 FEMALE/MALE CONNECTORS	6	3
REXT4	MON. 48 RIGID PIPE 5/10 FEMALE/MALE CONNECTORS	14	6
REXT6	MON. 72 RIGID PIPE 5/10 FEMALE/MALE CONNECTORS	25	15
RFCB	FAN SPEED CONTROL		
RFK3002	FAN KIT(2FAN) MANUAL CTRL B-SERIES		
RFKFIECO	2-FAN KIT		
RFL1	MON 12 FLEX PIPE 5/10 FEMALE/FEMALE CONNECTOR	2	2
RFL2	MON.24 FLEX PIPE 5/10 FEMALE/FEMALE CONNECTOR	8	8
RFL3	MON.36 FLEX PIPE 5/10 FEMALE/FEMALE CONNECTOR	11	8
RFL4	MON.48 FLEX PIPE 5/10 FEMALE/FEMALE CONNECTOR	5	5
RFL6	MON.72 FLEX PIPE 5/10 FEMALE/FEMALE CONNECTOR	2	2
RFVK01F	WALL PENETRATION KIT FOR P52 (HEAT SHIELD, RTO4)		
RGC1004	HONEYWELL GAS VALVE (NG)		
RGC3016	VALVE, HI/LO AF4000 NG		
RGC3034	GAS VALVE (LP), W/ STEPPER MOTOR		
RGC3035	PROFLAME MODULE FOR MONTIGO P SERIES		
RGC3063	REMOTE (D6315)	2	2
RGC3076	SENSING ELECTRODE,DRW 0915908A		
RGC3094	PROFLAME 2 CONTROL MODULE ONLY		
RGC3095	PROFLAME 2 CONTROL MODULE ONLY		-1
RGC3095PV	PROFLAME 2 CONTROL MODULE ONLY POWERVENT VERSION		-1
RGL5111	CERAMIC BLACK GLASS (SIDE PANEL) D36/D48/D63		
RGL51112	CERAMIC BLACK GLASS (BACK PANEL) D48/D72		

RGPH34	REFLECTIVE GLASS PANEL KIT H34 HLB34 ONLY		-1
RGPH38	REFLECTIVE GLASS PANEL KIT H38 HL38		
RGPH42	REFLECTIVE GHLASS PANEL KIT	4	4
RHFL	FAN CROSS FLOW (LEFT) BLOWER		
RHFR	FAN CROSS FLOW (RIGHT) BLOWER	1	1
RHS100	THROUGH THE WALL RADIATION SHEILD 4/7"	9	7
RHS101	MON RAD SHLD-HRZ VENTNG FOR 5/8 D/V PIPE	29	27
RHS102	THROUGH THE WALL RADIATION SHIELD FOR 5"/10" VENTING	1	
RHS104	THROUGH-THE-WALL RADIATION SHIELD FOR RTO-4F (5"/10" VENTING)	12	2
RIGC-RP620	REPLACE INNER GLASS CLIPS FOR R/RP620		
RLGSH42	STANDARD LOG SET		
RP424PFL	PREM PENINSULA HI/LO HONEYWELL ISI		
RP424PFN	RP PREMIUM PENINSULA W/ HONEYWELL HSI (NG)	1	1
RP620L	72" LINEAR DV- LP (5/8 VENT- REQ. PV) INCLUDES LIGHTS/REFLECTIVE BLK INTERIOR	2	2
RP620N	72" LINEAR FIREPLACE	2	3
RPA020	PILOT ASSEMBLY NG		
RPA035	PILOT ASSEMBLY, COMPLETE, NG	1	1
RR150SS	RIVER ROCK SPECKLED STONE 150PC	5	7
RR200SS	RIVER ROCK SPECKLED STONE 150+50 PC		
RR20BEIG	20 LARGE BEIGE ROCKS	1	1
RR20BEIGE	River Rocks, 20 Package Beige (Standard)		
RR20BLACK	River Rock, 20 Pkg Blk (Std) In PK1284		
RR20GREY	GREY CULTURED ROCKS	2	2
RR250SS	SPECKLES STONES (250 CT)	11	10
RR300SS	RIVER ROCK SPECKLED STONE 300PC 309	11	9
RR350SS	SPECKLED STONES (350CT)	9	9
RR450SS	DESIGNER SPECKLED STONES	8	8
RR50SS	RIVER ROCK SPECKLED STONE 50 PC	5	5
RR600SS	RIVER ROCK SPECKLED STONE	11	9
RRGREYSPECKLED	CHARCOAL GREY SPECKLED STONES		
RSCH38PFC1	LEFT SAFETY SCREEN PENINSULA FP	1	1
RSCH38PFC2	SAFETY SCREEN FRONT PENINSULA FP	1	1
RSCP52	BARRIER SCREEN		
RTC182	THERMOCOUPLE	1	1
RTO4F	TERMINATION WITH INTEGRAL MOUNTING FRAME 5/10	5	5
RTSCH38VO	SCREEN BARRIER	1	
RVA	MON. VENT CONNECTOR (5/10) MALE/MALE	17	17
RVA108	10"-8" REDUCER	10	10
RVA51058	5/10 TO 5/8 REDUCER	5	5
RVBD63	Repl. D63/DL63 mesh valve blind		
RVBH38C02	REMOVABLE VALVE BLIND FOR H38CR; LONG		
RVBH38CR02	REMOVABLE VALVE BLIND FOR H38CR; SHORT END		
RVBH38F	REMOVABLE VALVE BLIND		
RVBL38F	VALVE FOR L38	1	1
RVCH38FSC	VALVE COVER PANEL H38		
RX100LP	REMOTE - LP FULL LOAD SIT IPI PROFLAME 2	5	4
RX100NG	REMOTE - NG FULL LOAD SIT IPI PROFLAME 2	7	5
RX200NG	Remote Control Kit - on/off,thermostatic control, manual override, flame modulation,battery backup	8	8
RX300NG	FULL LOAD UPGRADE KIT (TURN DOWN, MTR,REMOTE) NG		
RX40	REMOTE CONTROL KIT (ON/OFF ONLY)	1	1
RX60	MON WIRELSS REMOTE CONTRL HSI COMP-THERM CONTROLLED		
RX82LP	WIRELESS REMOTE CONTROL KIT (ON/OFF, THERM, MODULATING)		
RX88LP	REMOTE CONTROL (LP) SIT IPI SYSTEM	2	2
RX88NG	REMOTE CONTROL (NG) SIT IPI SYSTEM	1	1
RXM5010	WIRELESS REMOTE CONTROL KIT	1	-1
RXM5010VO	FIREPLACE TOUCHSCREEN REMOTE ON/OFF		
RXT10	MON. 10RIGID PIPE 5/10 FEMALE/FEMALE CONNECTORS	3	3
RXT20	MON. 20 RIGID PIPE 5/10 FEMALE/MALE CONNECTORS	3	3
SC7	STORM COLLAR FITS 7 AND 8	8	8
SCRIDL63	INVISIMESH SCREEN FOR D/DL6315		
SNK58-3	30" VERTICAL RISE SNORKEL TERM		
VPIF86L	8" DIAMETER, 6' LENGTH PRESSURE STACK PIPE		
VPIF8-SL	8" DIAMETER, 6' LENGTH PRESSURE STACK PIPE		
VT35FL3BC	35' LENGTH OF 3" ALUM FLEX, COMPRESSED		
VT35FL4BC	35' LENGTH OF 4" ALUM FLEX, COMPRESSED		